



Alternators details



OWN PRODUCTION

TESTER VR-2200



to check the voltage regulators of alternators

Tester, voltage regulator, MOTORHERZ VR-2200 is designed to determine the health and measure the voltage stabilization electronic voltage regulators for automotive alternators with 12V, 24V and 32V.

Tester provides:

1. The test and measurement of voltage stabilization (breakdown) regulators of type A and b, designed to work at 12V, 24V, 36V;
2. Checking the health regulators type A and b connections SIG, P-D, DFM, COM, LIN, RLO, designed for operation at voltages onboard supply 12V;
3. Check the circuit of the excitation winding of FIELD regulators at currents of 0.5 A, 3A, 5A;
4. Checking the health of the excitation circuit of the regulator CHOKE DRIVE;
5. Check of serviceability of the diode circuit of the excitation winding of the FIELD regulator DIODE;
6. Functional test circuit lamp alarm LAMP controller;
7. Determination of the maximum voltage of the regulator OVER VOLTAGE;
8. Displaying, by indication, short-circuit in the supply circuit of the excitation winding SHORT to BATTERY

8. Displaying, by indication, short-circuit in the supply circuit of the excitation winding
SHORT to BATTERY

TESTER D-320



to test diodes and diode bridges generators

Tester Motorherz Equipment D-320 is designed to verify that the diodes in the diode bridges of the generators. Use a tester (D -320 reveal not only completely failed (broken diodes or diodes with a cliff).but also partially defective diodes, defects cannot be identified using a conventional multimeter. Such diodes are the Bane of any master, because of his unstable mode lead to “floating” fault.

The tester allows to determine:

1. The level of voltage drop in diodes and rectifiers at 25A
2. The level of voltage drop on the diodes in the diode bridges at a current of 5mA;
3. The reverse current of the diodes in the diode bridges with voltages:
20V/50V/100V/200V (the range of measurement of the reverse current from 0.000 mA to 1,999 mA);
4. The level of breakdown voltage avalanche on avalanche diodes in the diode bridges.

Delco Brush Holders

HD2306A

14/28 V

UP BH1001
CG 232306
IK 771771
DR 10492749

Freigliner



HD4308A

14 V

CG 234308
UP BH1447

Daewoo : 96206871, 96341300



HD4308B

14 V

CG 234308
UP BH1447

Daewoo : 96206871, 96341300



HD6599A

14 V

CG 136599
IK 771631, 771630
UP BH1407A



Denso Brush Holders

HN2084A

14 V



UP BH631
TR INB220
CG 132084
ND 0216202180
MB BHND01

Acura (1986-1999), Chevrolet (1985-1991), Caterpillar (1993-2014), Ford (1995-1998), Mazda (1997-2002), Suzuki - Europe (1993-2010), Toyota - Europe (1982-2010)

HN2556A

Capacitor : 0.47uF - 250V



ND 0216201240
CG 132556
WAI 6974591W

TOYOTA Land Cruiser 3.4 D 1981-1988 3B /
TOYOTA Dyna 150 2.4 D LY6.. 1986-1988

HN2556B



ND 0216201240
CG 132556
WAI 6974591W

TOYOTA Land Cruiser 3.4 D 1981-1988 3B /
TOYOTA Dyna 150 2.4 D LY6.. 1986-1988

HN3120A



MB BHND08

HYUNDAI Sonata V 3.3 NF 2005-3342ccm G6DB
KIA Sorento I 3.3 V6 JC 2007- 3342ccm G6DB
HYUNDAI Grandeur 3.3 TG 2005-

HN3120B



MB BHND08

HYUNDAI Sonata V 3.3 NF 2005-3342ccm G6DB
KIA Sorento I 3.3 V6 JC 2007- 3342ccm G6DB
HYUNDAI Grandeur 3.3 TG 2005-

HN3300A

14 V, OD 40.50



ND 0216202350
CG 232456
MB BHND02

CHRYSLER Voyager I 3.0 V6 1987-1990 2972ccm EFA
CHRYSLER GS Daytona Shelby 2.5 1989- 2501ccm EDT /
CHRYSLER Le Baron 2.2i 1988-1989

HN3300B

14 V, OD 40.50



ND 0216202350
CG 232456
MB BHND02

CHRYSLER Voyager I 3.0 V6 1987-1990 2972ccm EFA
CHRYSLER GS Daytona Shelby 2.5 1989- 2501ccm EDT /
CHRYSLER Le Baron 2.2i 1988-1989

HN3673A

14 V



UP BH635
MB BHND10
CG 133673
ND 0216202530

TOYOTA MR2 II 2.0 Turbo W20 1992-2000 1998ccm 3S-GTE /
TOYOTA Celica 2.0 GT 16V ..T20.. 1993-1999 1998ccm 3S-GE //
SUZUKI Grand Vitara I 2.5 V6 FT

HN5419A

14 V



CG 135419
MB BHND03
ND 0216202430, 0216300560
UP BH640

DODGE Ram 5.9 V8 1999-2001 360 /
DODGE Dakota 2.5 1999-2000 EPE EPO //
JEEP Cherokee I 4.0 XJ 1998-2001 3960ccm 242 /

HN5588A

14 V



ND 0216203001
CG 235588
MB BHND11

DODGE Durango 3.7 V6 2004-2006 3700ccm EKG /
DODGE Durango 4.7 V8 2001-2006 4701ccm EVA //
JEEP Commander 3.7 V6 XK 2006-2010

HN5588B

14 V



MB BHND11
CG 235588
ND 0216203001

DODGE Durango 3.7 V6 2004-2006 3700ccm EKG /
DODGE Durango 4.7 V8 2001-2006 4701ccm EVA //
JEEP Commander 3.7 V6 XK 2006-2010

HN5607A

14 V



CG 235607
MB BHND06, BHND12
IK 776071
ND 0216203020

TOYOTA 4RUNNER (04-13), ALPHARD 08->, AURIS (08-12), CAMRY 11->, COROLLA 13->, YARIS 05->,...

HN5607B

14 V



CG 235607
MB BHND06, BHND12
IK 776071
ND 0216203020

TOYOTA 4RUNNER (04-13), ALPHARD 08->, AURIS (08-12), CAMRY 11->, COROLLA 13->, YARIS 05->,...

Ford Brush Holders

HF6216A

14 V



CG 136216
UP BH1806
IK 771661, 771660

Hitachi Brush Holders

HH8719A

14/28 V



CG 138719
MB BHH05
HI L190G3330

Mitsubishi Brush Holders

HM3735B



TR IMB735
CG 234500
UP BH585

Chrysler (2000-2005), Chrysler - Europe
(1999-2005), Dodge (1998-2005),
Plymouth (1998-2001)

Motorola Brush Holders

HT1920A

14 V, OD 54.15



CG 131920

CATERPILLAR//INTERNATIONAL

HT3069A

28 V



CG 133069

VOLVO PENTA TAMD120A,
TAMD162A,B,C; TMD100B,C; TMD120A,
TMD120B //
CATERPILLAR// CUMMINS - VARIOUS
MODELS

HT3070A

14 V



CG 133070
UP BH0101

CATERPILLAR//INTERNATIONAL

Poong Sung Brush Holders

HY6468A

14 V



CG 236468

KIA Sportage I 2.0 TD K00 1996-2002 RF

Bosch C.R.E. Covers

BB0567A



Audi A1 (2011 - 2014)
Audi Q3 (2012 - 2015)
Audi Q3 (2015 - 2015)

BB0567B



Audi A1 (2011 - 2014)
Audi Q3 (2012 - 2015)
Audi Q3 (2015 - 2015)

BB2457A



CG 232457

BB3588A



CG 233588
BO F00M146675

BB3725A



WAI 529720W
BO F00M146718, F00M146661,
F00M146053
CG 233725

BB3725C



BO F00M146718, F00M146661
CG 233725
WAI 529720W

BB4549A

S.R.E. Cover



BO F00M196001
CG 333543, 234549
WAI 529826W

CHRUISER PT CRUISER 2.2CRD (02-10)
// GAZ VOLGA 2.3L 93-> // MERCEDES C-
CLASS W203 (03-07), SPRINTER
903/906, VITO // UAZ HUNTER 2.7L

BB4549B



BO F00M196001
CG 333543, 234549
WAI 529826W

CHRUISER PT CRUISER 2.2CRD (02-10)
// GAZ VOLGA 2.3L 93-> // MERCEDES C-
CLASS W203 (03-07), SPRINTER
903/906, VITO // UAZ HUNTER 2.7L

BB9640A



CG 239640
BO F00M146049, F00M146050

BB9656A

Capacitor:2.2Uf.400V



CARGO 139656
BO F00M126603, F00M146743,
F00M146605, F00M196012

Ford : 1100711, 1100712, 3M2110300AA,
3M2110300BA

Volvo: 9442130

BB9928B



CG 139928
BO F00M136254, F00M196008,
F00M146715

Denso C.R.E. Covers

BN7614A



CG 237614

Valeo C.R.E. Covers

BV5163A



CG 235163
VA 593774
WAI 529787W

BV5166A



CG 239970

BV5490A



CG 235490
VA 593663

BV7561A



CG 237561
VA 593981

BV7561B



BV8322A



Bosch Diodes

ZB1034A

Diode: NEGATIVE, 50Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 231034

ZB1035A

Diode: POSITIVE, 50Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 231035

ZB1405A

Diode: POSITIVE, 50Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 231405

ZB1407A

Diode: POSITIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1090
CG 231407

ZB1408A

Diode: NEGATIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1089
CG 231408

ZB1409A

Diode: POSITIVE, 80Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 231409

ZB1410A

Diode: NEGATIVE, 80Ampere,
24-32V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 231410

ZB3349A

Diode: POSITIVE, 35Ampere,
300V
Dim(mm): 12.7 (1/2")OD
Lead(mm): 1.5Diax25L



CG 233349
MB DD1015
TR 8734

ZB3350A

Diode: NEGATIVE, 35Ampere,
300V
Dim(mm): 12.7(1/2") OD
Lead(mm): 1.5Diax25L



CG 233350
MB DD1014
TR 8735

ZB3673A

Diode: POSITIVE, 25Ampere,
300V



CG 130669
TR 8724
MB DD1013

ZB4351A

Diode: POSITIVE, 50Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 234351
MB DD1092

ZB4738A

Diode: POSITIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 234738

ZB4739A

Diode: NEGATIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



CG 234739

ZB6252A

Diode: POSITIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



BO 0270300113
CG 236252

ZB6253A

Diode: NEGATIVE, 80Ampere,
19-24V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



BO 0270300114
CG 236253

ZB8234A

Diode: +
Amp: 35
V: 330
mA: 0.1
Dim. [mm] 12.77(1/2")OD
Lead. [mm] 1.4Diax23L



BO 0270100105, 0270100311,
0270100336, 0270100313,
0270100333
MB DD1023
TR 8234

ZB8235A

200 V., 35 Amp., O.D. 1/2" /
12.70, Lead L. 20.00, Negative,
Diode type Press-fit,



BO 0270100008, 0270100010,
0270100016, 0270100020,
0270100104, 0270100112
MB DD1022
CG 130911
TR 8235
UP DIO5037A

ZB8252A

200 V., 50 Amp., O.D. 1/2" /
12.70, Lead L. 22.00, Positive,
Diode type Press-fit



TR 8252
CG 138634
MB DD1025

Bosch Diodes

ZB8270A

Diode: POSITIVE, 80Ampere,
300V
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



TR 8270

ZB8271A

Diode: NEGATIVE, 80Ampere,
300V
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



TR 8271

ZB8450A

Diode: 50A Avalanche,
24-32V
Dim(mm): 12.78(1/2")OD
Lead(mm): 1.3Diax23L



TR 8450

ZB8635B

Diode: NEGATIVE, 50Ampere,
300V
Dim(mm): 12.78(1/2")OD
Lead(mm): 1.3Diax23L



BO 0270100508, 0270100504
TR 8253
CG 138635
MB DD1024

ZB8725A

Diode: NEGATIVE, 25Ampere,
300V
Dim(mm): 12.7(1/2")OD
Lead(mm): 1.5Diax25L



BO 0270100406, 0270100412,
0270100414, 0270100418,
0270100424
CG 130670
TR 8725
MB DD1012

Delco Diodes

ZD0005A

DIODE TRIO DR 10SI
Orange Case



DR 1975328, 1985348, DR3922,
1984459
TR D528
MB DT01
CG 131418
UP DIO007

ED1524A

DIODE TRIO DR 11SI
Orange Case
For use on: European & South
American Vehicles With Delco
11 SI Alternators



TR DET524
CG 130674
MB DT02

Opel - Europe (1989-1997), Opel LCV -
Europe (1989-1997)

ZD1897A

DIODE TRIO DR 21SI



CG 233200, 131897
TR DT182

ZD5644A

DIODE TRIO DR 22SI
With Quick-Start Circuit



For use on: Delco 22SI Alternators

Hitachi Diodes

ZH7230A

Diode: POSITIVE, 35Ampere, 300V
Dim(mm): 9.7OD
Lead(mm): 1.5Diax20L



TR 328918
CG 131511

Cub Cadet (1998-2012), Ford (1983-1987), Gehl (1985-1997), Isuzu (1986-2007), John Deere (1978-1989), New Holland (1983-1987), Subaru (1995-1995), Subaru - Europe (1996-1998)

ZH7231A

Diode: NEGATIVE, 35Ampere, 300V
Dim(mm): 9.7OD
Lead(mm): 1.5Diax20L



CG 131510
TR 7231

Cub Cadet (1998-2012), Ford (1983-1987), Gehl (1985-1997), Isuzu (1986-2007), John Deere (1978-1989), New Holland (1983-1987), Subaru (1995-1995), Subaru - Europe (1996-1998)

ZH8630A

Diode: Negative, 35Ampere, 300V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



TR 328103
CG 136253

ZH8641A

Diode: NEGATIVE, 35Ampere, 300V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



MB DD1059
CG 136254
TR 8641

Infiniti (1996-1999), Nissan (1995-1997), Nissan - Europe (1995-2010)

ZH8652A

Diode: POSITIVE, 50 A Avalanche, 19-32V
Dim(mm): 11.87 OD
Lead(mm): 1.5Diax20L



MM AMP1115N
CG 138636
TR 8652
MB DD1068

ZH8660A

Diode: POSITIVE, 50 A Avalanche, 19-32V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



TR 8660
MB DD1070

ZH8661A

Diode: NEGATIVE, 50 A Avalanche, 19-32V
Dim(mm): 11.78 OD
Lead(mm): 1.5Diax20L



TR 8661
MB DD1069

Magneti Marelli Diodes

ZE0700A

O.D. 102.85
For Rectifier w/ D+ connction



LU 21220361
CG 131693
TR IX700

Mitsubishi Diodes

ZM8025A


Diode: 2.5 Ampere , 200V



CG 135213
TR 328908

ZM8030A

Diode: 3.0 Ampere , 200V



TR 8030
CG 131294

Acura (1997-2004), BMW (1964-1995),
BMW - Europe (1990-1996), Caterpillar
(1996-2003), Dodge (1996-1996), Eagle
(1995-1998), Ford (1990-2006), Ford -
Europe (1993-2002)

ZM8330A

Diode: POSITIVE, 30Ampere ,
200V



TR 328300
CG 133704

ZM8331A

Diode: NEGATIVE, 30Ampere ,
200V



CG 133705
TR 328301

ZM8334A

Diode: POSITIVE, 35Ampere ,
200V



CG 231578

ZM8335A

Diode: NEGATIVE, 35Ampere ,
200V



CG 231579

Motorola Diodes

ZT1120A

Diode: POSITIVE, 70Ampere ,
400V
Stud: 1/4"-28



CG 133495
TR 32769

ZT4736A

Diode: POSITIVE, 80Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1088
CG 234736

ZT4737A

Diode: NEGATIVE, 80Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.5Diax23L



MB DD1087
CG 234737

Other Diodes

ZZ4350A

Diode: NEGATIVE, 60Ampere,
34-42V Avalanche
Dim(mm): 12.80(1/2")OD
Lead(mm): 1.3Diax23L



CG 234350
MB DD1091

Hitachi Disc

ZH4264A



CG 234264

Bosch Rectifiers

EB0100B

Diodes : 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post (L)
With M8x22mm Battery Post (R)



Ford: 1C3510300AA, 1C3510300AB

MB RB161H
MH AEB0100
BO F00M123252

EB0200B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post



OPEL ASTRA F/G, CALIBRAA, OMEGA B, VECTRA B, ZAFIRA A ->>05

BO F00M133241
BO F00M113200
MM AMP1420
CG 139915
CG 231714
MB RB118H
TR IBR200
OPEL 1205580
HU 133701

EB0207B

Diodes : 6-60A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)




Volkswagen LCV - Europe (1998-2003)

BO F00M133268, F00M133231,
F00M133207, F00M133209
CG 230374
TR IBR207

EB0208A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x34.5mm Battery Post(R)



MERCEDES-BENZ VITO 2.2CDI (99-03) //
VW LT 28-46 2.8TDI, POLO 1.9D,
TRANSPORTER T4 2.4D (97-03)

BO F00M123255, F00M144002,
F00M123228
CG 233467
MB RB172H
TR IBR208, IBR209

EB0208B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)



MERCEDES-BENZ VITO 2.2CDI (99-03) //
VW LT 28-46 2.8TDI, POLO 1.9D,
TRANSPORTER T4 2.4D (97-03)

BO F00M123255, F00M144002,
F00M123228
CG 233467
MB RB172H
TR IBR208, IBR209

EB0211A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post(R)
With 129 mm Negative heat sink




John Deere (2001-2005), Opel - Europe (1998-2007), Renault - Europe (2005-2012), Saab (2003-2005), Saab - Europe (2001-2010), Saturn (2003-2005)

BO F00M123248, F00M133361,
F00M133211
MB RB184HV
TR IBR211
CG 331001
WAI 233518W

EB0215A

Diodes: 6-60A Ampere
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)
With 129 mm Negative heat sink




Ford: YM2110300CA, 1188206, 1580265

BOSCH F00M123215
F00M133218 F00M133247
MOBILETRON RB929H
CARGO 235218
TRANSPO IBR215

EB0215B

Diodes: 6-70A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)
With 129 mm Negative heat sink



AUDI/SEAT/SKODA/VOLKSWAGEN 03->

MOBILETRON RB954HV

EB0215C

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x34.5mm Battery Post(R)
With 129 mm Negative heat sink




AUDI/SEAT/SKODA/VOLKSWAGEN 03->

BO F00M133262, F00M133832,
F00M133247, F00M133259,
F00M133218, F00M133247
TR IBR215
MB RB929H, RB929HV
CG 235218

EB0224B

Diodes: 6-35A Avalanche
For 24V Alternators
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



MAZ SERIE 100/105/200 97-> //
MERCEDES-BENZ ASTROS (06-02),
ATEGO 04->, AXOR 04->, LK/LN2 (96-98)
// SCANIA P,G,R,T 04->

CG 235051, 236384, 333283
BO F00M133224, F00M133236,
F00M133286
TR IBR224

EB0224C

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x34.5mm Battery Post(L)
With M8x38mm Battery Post(R)
For 24V Alternators



MAZ SERIE 100/105/200 97-> //
MERCEDES-BENZ ASTROS (06-02),
ATEGO 04->, AXOR 04->, LK/LN2 (96-98)
// SCANIA P,G,R,T 04->

CG 235051, 236384, 333283
BO F00M133224, F00M133236,
F00M133286
TR IBR224

EB0224D

Diodes : 6-50A Avalanche
Diameter OD: 120mm
With M8x26mm Battery Post (L)
With M8x26mm Battery Post (R)
For 24V Alternators



MAZ SERIE 100/105/200 97-> //
MERCEDES-BENZ ASTROS (06-02),
ATEGO 04->, AXOR 04->, LK/LN2 (96-98)
// SCANIA P,G,R,T 04->

TR IBR224
CG 235051
UP REC2806
MB RB117H
BO F00M133236, F00M133286,
F00M133224

EB0225A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x38mm Battery Post(L)
With M8x22mm Battery Post(R)



Dodge (2002-2008), Jeep (1999-2004),
Mini (2009-2009)

BO F00M133202
TR IBR225
MB RB171HV

EB0226B

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x26mm Battery Post(L)
With M8x50mm Battery Post(R)
With 129 mm Negative heat sink




BMW 3- (E46/E90), 5- (E39), X5 (E53),
Z3 (E36) 00->

TR IBR226
BO F00M133226

EB0229A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)




Audi - Europe (2002-2013), Seat - Europe (2004-2013), Skoda - Europe (2001-2013),
Volkswagen (2006-2009), Volkswagen - Europe (2000-2012), Volkswagen LCV - Europe (2004-2012)

BO F00M123226, F00M123229
TR IBR229
CG 235546
MB RB926H

EB0230A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



RENAULT CLIO II, KANGOO 97,
MEGANE I (99-03), SCENIC (99-03),
THAKIA 00->

BO F00M123316, F00M123336
TR IBR230
CG 235567

EB0234A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M6x35mm Battery Post(R)
With big insulator hole



Ford LCV - Europe (2000-2006)

BO F00M123234, F00M123335
CG 235052
TR IBR234

EB0238A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)



Toyota - Europe (1999-2010)

BO F00M123238, F00M123323
TR IBR238
CG 235694

Bosch Rectifiers

EB0243A

Diodes: 6-60A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)
With 129 mm Negative heat sink



Φ129mm

BO F00M133289
CG 333558, 237356
TR IBR243
UP REC2802

Nissan - Europe (2006-2010), Nissan LCV - Europe (2002-2010), Opel LCV - Europe (2006-2010), Renault - Europe (2001-2010), Renault LCV - Europe (2003-2010)

EB0244A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post



Φ120mm

BOSCH F00M123227
F00M123244
F00M123201
MOBILETRON RB116H
TRANSP0 IBR244
CG 230075

Audi (1999-2001), Audi - Europe (1998-2006), Dodge (2003-2006), Ford - Europe (1999-2006), Mercedes - Europe (2000-2003), Mercedes LCV - Europe (2006-2010)

EB0257A

6x60 Amp Diodes



BO F00M133293, F00M133257
TR IBR257

MERCEDES-BENZ CLS (04-10), E-CLASS (W211), M-CLASS ((164,186), SPRINTER (906)

EB0274A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x38mm Battery Post(L)
With M8x22mm Battery Post(R)
With 129 mm Negative heat sink



Φ129mm

BOSCH F00M133274
F00M133292
TRANSP0 IBR274

Mercedes - Europe (2004-2012), Mercedes-Benz (2005-2011)

EB0277A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M6x51mm Battery Post(R)
With 129 mm Negative heat sink



Φ129mm

BO F00M133277
TR IBR277
MB RB954H, RB154H

Cadillac (2005-2006), Chevrolet (2005-2007), GMC (2005-2007)

EB0279A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M6x47mm Battery Post(L)
With M8x47mm Battery Post(R)
With 129 mm negative heat sink



Φ129mm

BO F00M133296, F00M133357,
F00M133279
TR IBR279

Caterpillar (1990-2001), Chevrolet (1989-2002), Cummins Engines (1991-1992), Dodge (1970-1977), Ford (1972-2008), Volvo (1983-2007), Volvo Penta (1991-2005)

EB0301A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M6x52.5mm Battery Post
With Trio



Φ114mm

BO 1127011131
CG 134341
UP REC207
MB RB16H
TR IBR301

Case (1982-1999), Deutz-Allis (1986-1988), Deutz-Fahr (1984-1988), Steyr (1989-1989), Volvo (1982-1986)

EB0302A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With Trio
For use on : Audi, VW Diesel



Φ114mm

BO 1127011614, 1127320506,
1127320614, 1127320648,
1127011116
TR IBR302
UP REC208
MB RB038A

Audi (1982-1983), Audi - Europe (1981-1986), Volkswagen (1979-1985), Volkswagen - Europe (1979-1992), Volkswagen LCV - Europe (1982-1992)

EB0303A

Diodes : 6-50 Ampere
Diameter OD: 114mm
With Trio



Φ114mm

CG 130603
MM 940038200
MB RB01A, RB01HA
TR IBR303, IBR305HD
UP REC201

Audi (1970-1984), Audi - Europe (1971-1986), Ford (1976-1980), Ford - Europe (1969-1996), Ford LCV - Europe (1969-2002)

EB0304A

Diodes:6-50 Ampere
Diameter OD: 114mm
With M6x52.5mm Battery Post
With Trio



Φ114mm

CG 130602
MM 940038201
MB RB02, RB02H
UP REC202
TR IBR304
BO 1127011117, 1127011118,
1127011120, 1127011121,
1127011123, 1127011124

Ford: 1668894, 5027848, 894X10300AE,
924F10300AA
Saab: 8523254, 8540684, 8545592
Volvo: 1235424, 1235908, 1308720

EB0308A

Diodes: 8-35A Avalanche
Diameter OD: 114mm
With M8x52mm Battery Post
Without Trio



Φ114mm

BOSCH 9121067067
9121067388
9121067364
MOBILETRON RB84H
CARGO 234953
TRANSP0 IBR308

John Deere (1998-2007), Thermo King (1990-2007), Westerbeke (2000-2007)

EB0311A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M5x47.2mm Trio Post
With Trio



Φ114mm

CG 132667
MM 940038369
MB RB04, RB04H
UP REC203
TR IBR311, 319114
BO 1127320664, 1127320665,
1127320666, 1127320934,
1127320945

Audi - Europe (1985-1991), Bell (1997-2005), BMW (1991-1993), Case (1983-2008), Caterpillar (1985-1993), PSI (2001-2001), Komatsu (1995-2007), Seat - Europe (1991-1995)

EB0315A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M4x42mm Trio Post
With M5x48mm W-Post
With Trio



Φ114mm

CG 133995
MB RB14H
UP REC2205
TR IBR315

Mercedes Heavy Duty - Europe (1991-1994), Mercedes-Benz (1983-1992)

EB0316A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M8x52.5mm Battery Post
With M5x47.2mm Trio Post
With Trio



Φ114mm

BO 1127320926, 1127320691,
1127320662, 1127320695,
1127320661, 1127320601
TR IBR316
UP REC209
CG 230361
MB RB05H

Audi - Europe (1985-1991), BMW - Europe (1971-1994), Saab - Europe (1984-1993), Seat - Europe (1991-1993), Volkswagen (1985-1993), Volkswagen - Europe (1983-1996)

EB0317A

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M5x47.2mm W-Post
With Trio



Φ114mm

BO 1127320139, 1127320372,
1127320580, 1127320652,
1127011139
TR IBR317
UP REC210
CG 132669
MB RB06HA

Ford (1978-1980), Ford - Europe (1980-1996), Ford LCV - Europe (1986-2002), Jaguar - Europe (1975-1986)

EB0341A

Diodes: 14-50 Ampere
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post With Trio



Φ125mm

BO 1127320995, 1127320388,
1127320390, 1127320395,
1127320653, 1127320654,
1127320655, 1127320656,
1127320959, 1127320961
TR IBR341
UP REC252
CG 139581
MB RB62H

DAF 90-> // IVECO 91-> // MAN 87-> // VOLVO 00->

EB0353A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M5x48mm Trio Post
With M5x48mm W-Post
With Trio



Φ120mm

BO 1127320707, 1127320706
MB RB53H
CG 134002
UP REC236
TR IBR353

Ford - Europe (1982-1995), Jaguar - Europe (1986-1992), Merkur (1988-1989), Opel - Europe (1989-1993), Volvo (1996-2000)

EB0354A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M5x48mm Trio Post
With Trio



Φ120mm

BO 1127320749, 1127320705
TR IBR354
CG 233778, 133261
UP REC237
MB RB54H

Alfa Romeo (1991-1992), Audi (1986-1994), Audi - Europe (1978-1994), BMW (1982-1992), BMW - Europe (1981-1993), Jaguar (1987-1996), Jaguar - Europe (1988-1997)

Bosch Rectifiers

EB0501A

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO 1127319752, 1127319501,
1127319578, 1127319751,
1127319538, 1127319574,
1127319736
UP REC2631
TR IBR501
CG 230173

Ford - Europe (1996-1999), Saab (1995-1998), Seat - Europe (1995-2001), Seat LCV - Europe (1999-2003), Volkswagen (1996-1998), Volkswagen - Europe (1996-1999)

EB0547A

Diodes: 14-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M8x52mm Ground Post
With M5x34.5mm Trio Post
With M5x25mm "W" Post



Φ145mm

BOSCH 1127320547
1127320571
CARGO 136581
MOBILETRON RB78H
TRANSPO IBR547

MAN - Europe (1980-2001), Volvo (1987-2001)

EB0547B

Diodes: 14-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M8x52mm Ground Post
With M5x34.5mm Trio Post
With M5x25mm "W" Post



Φ145mm

BO 1127320547, 1127320571
CARGO 136581
MOBILETRON RB78H
TRANSPO IBR547

MAN - Europe (1980-2001), Volvo (1987-2001)

EB0649A

Diodes: 14-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



Φ122mm

BO 1127319002, 1127319645,
1127319506, 1127319003
CG 136957
TR IBR649

Audi (1992-1997), Renault - Europe (1995-2001), Volvo (1992-1996), Volvo - Europe (1990-2004)

EB0649B

6-50A Avalanche Press Fit
Diodes, 20-24V
3-3A Trio Diode
Crimp-Weld Diode Stem
Terminations
Lead Frame with Auxiliary
Phase Terminal



Φ122mm

BO 1127319002, 1127319645,
1127319506, 1127319003
CG 136957
TR IBR649

Audi (1992-1997), Renault - Europe (1995-2001), Volvo (1992-1996), Volvo - Europe (1990-2004)

EB0671A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M6 Battery Post
With Trio



Φ112mm

BO 1127319528, 1127319671,
1127319670
TR IBR671
CG 139571

Audi (1992-1997), Renault - Europe (1995-2001), Volvo (1992-1996), Volvo - Europe (1990-2004)

EB0753A

Diodes: 8-35 Ampere
Diameter OD: 120mm
With M8x52mm Battery Post
With M4x48mm Trio Post
With M5x48mm W-Post
With Trio



Φ120mm

BO 1127320750, 1127320753
TR IBR753

John Deere (1997-2006), Mercedes Heavy Duty - Europe (1985-2006), Mercedes-Benz (1996-2012), Valtra Valmet (2003-2008)

EB0753B

Diodes: 8-35 A Avalanche
Diameter OD: 120mm
With M8x52mm Battery Post
With M4x48mm Trio Post
With M5x48mm W-Post
With Trio



Φ120mm

BO 1127320753, 1127319110
TR IBR753
MB RB93H
CG 137724
UP REC2361

DAF 45 FA- 85 CF ->00, DAF 95 FTT - CF 85 FTT 01->

EB0824A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio
For use on : Mercedes Benz



Φ122mm

BO 1127319638, 1127319639,
1127320824
TR IBR824
CG 230614
UP REC261

Mercedes - Europe (1991-2000), Mercedes-Benz (1992-1996), Ssangyong - Europe (1997-1999)

EB0834A

Diodes: 14-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio
For use on : Mercedes Benz



Φ122mm

BO 1127319552, 1127320852
MB RB29H
WAI 319121
CARGO 136605
TR IBR834
UP REC262
MM 940038214

Bosch : 0120465003, 0120465004, 0120465013, 0120465014, 0120465015, 0120465016

EB0844A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



Φ112mm

BO 1127319729, 1127319636,
1127319593, 1127319510,
1127320834, 1127319730,
1127319637, 1127320864,
1127320807
CG 135175
UP REC241
TR IBR844
MB RB121H

MERCEDES BENZ C-CLASS C180/C200 ->00, E-CLASS E200/E220 ->98

EB0882B

Diodes: 8-35A Avalanche
Diameter OD: 112mm
With M8x40.5mm Battery Post
With Trio



Φ112mm

BO 1127319815, 1127320882,
1127319617, 1127319009,
1127319623, 1127320862
TR IBR882
MB RB101H
CG 137257
UP REC243

Mercedes-Benz (1992-1996), Ssangyong - Europe (1997-1999)

EB0955A

Diodes: 8-50 Ampere
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio



Φ125mm

CG 136832
MB RB66H
TR IBR989, IBR955
BO 1127320591, 1127320602,
1127320924, 1127320928,
1127320946, 1127320951,
1127320955

DAF - Europe (1992-1997), MAN - Europe (1980-2003), Massey Ferguson (1989-1997), Mercedes Heavy Duty - Europe (1985-1993), Mercedes-Benz (1983-2003), Valtra Valmet (1985-1992), Volvo (1985-

EB0955B

Diodes: 8-35 A Avalanche
For 24V Alternators
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio



Φ125mm

BO 1127320969, 1127320928,
1127320946, 1127320989
MB RB71H
CG 136832

DAF - Europe (1987-1998), MAN - Europe (1979-2011), Mercedes Heavy Duty - Europe (1984-2001), Mercedes-Benz (1983-2003), Renault (1996-2001)

EB0973B

Diodes: 12-50 Ampere
Diameter OD: 145mm
With M8x52mm Battery Post
With M5x34.5mm Trio Post
With M8x52mm Ground Post
With 3-35A Diode Trio



Φ145mm

BO 1127320550, 1127320374
MB RB78H
TR IBR550

Droegmoeller (1980-1988), Kaessbohrer (1986-2001), MAN - Europe (1992-2001), Mercedes Heavy Duty - Europe (1985-2001)

EB0989A

Diodes: 8-35 A Avalanche
For 24V Alternators
Diameter OD: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio



Φ125mm

BO 1127320946
TR IBR989

DAF - Europe (1987-1998), MAN - Europe (1979-2011), Mercedes Heavy Duty - Europe (1984-2001), Mercedes-Benz (1983-2003), Renault (1996-2001)

EB1202A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post(R)



Φ120mm

BO F00M123202, F00M123337
TR IBR202
MB RB115H
CG 230360

HONDA ACCORD 1.6L (98-02), CIVIC II (80-91)

EB1233B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M6x35mm Battery Post(L)
With M6x35mm Battery Post



Φ120mm

BO F00M123233, F00M123234,
F00M123254, F00M123335
CG 233524
TR IBR2332

Ford - Europe (2000-2015), Ford LCV - Europe (2000-2015)

Bosch Rectifiers

EB1233C

Diodes: 8-50A Avalanche
Diameter OD: 120mm
With M6x35mm Battery Post(L)
With M8x22mm Battery Post(R)




BO F00M123233, F00M123254
TR IBR233
CG 233524

Ford - Europe (2000-2015), Ford LCV - Europe (2000-2015)

EB1237A

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x22mm Battery Post(L)
With M8x38mm Battery Post(R)
With 129 mm Negative heat sink



BO F00M133237, F00M133340
TR IBR237

Citroen LCV - Europe (2006-2010), Fiat LCV - Europe (2006-2010), Iveco Fiat LCV / Heavy Duty - Europe (2004-2010), John Deere (2007-2012), Peugeot LCV - Europe (2006-2010)

EB1237B

Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x34.5mm Battery Post(L)
With M8x34.5mm Battery Post(R)
With 129 mm Negative heat sink



BO F00M133237, F00M133340
TR IBR237

Citroen LCV - Europe (2006-2010), Fiat LCV - Europe (2006-2010), Iveco Fiat LCV / Heavy Duty - Europe (2004-2010), John Deere (2007-2012), Peugeot LCV - Europe (2006-2010)

EB1451A

Diodes: 8-35 A Avalanche
For 24V Alternators
Diameter OD: 120mm
With M8x52mm Battery Post
With M4x48mm Trio Post
With M5x48mm W-Post
With Trio



BO 1127320753
CG 231451
TR IBR753

MAZ Serie 100/105/200/203 97-> // MERCEDES ASTROS 97->, VARIO 96->

EB1694B

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8 Battery Post
With Trio



BO F00M033202, F00M033203, 1127319522, 1127319607, 1127319694
CG 136703
MB RB36H
TR IBR694

Citroen - Europe (1992-2002), Citroen LCV - Europe (1996-2002), Fiat - Europe (1997-2000), Fiat LCV - Europe (1996-2000), Lancia - Europe (1997-2000), Peugeot - Europe (1993-2004)

EB1700A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BO F00M053200, 1127319700, F00M053201
CG 237268
TR IBR700

Audi (1997-2004), Audi - Europe (1995-2002), Land Rover (1999-2002), Land Rover - Europe (1994-2002), Mercedes - Europe (1995-2005), Mercedes-Benz (1994-2003)

EB1744B

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x40.5mm Battery Post
With Trio



CG 231590
TR IBR744
BO 1127319743, 1127319744

Cadillac (1997-2001), Opel - Europe (1993-2005), Saab (1994-1998), Saab - Europe (1992-2002), Vauxhall - Europe (1993-2000)

EB1744C

Diodes: 6-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BO 1127319802
CG 231643
TR IBR744

Cadillac (1997-2001), Opel - Europe (1993-2005), Saab (1994-1998), Saab - Europe (1992-2002), Vauxhall - Europe (1993-2000)

EB1850A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



BO 1127320850
CG 135439
TR IBR850

Seat - Europe (1993-1999), Seat LCV - Europe (1996-1999), Skoda - Europe (1996-2000), Volkswagen (1992-2002), Volkswagen - Europe (1991-2002), Volkswagen LCV - Europe (1990-2003)

EB1852A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



BO 1127319552, 1127320852
WAI 319121
CG 135176, 138077, 230242
MB RB22H
TR IBR852

Audi - Europe (1996-1998), Ford - Europe (1996-1999), Seat - Europe (1995-2001), Seat LCV - Europe (1999-2003), Skoda - Europe (1997-2000), Skoda LCV - Europe (1996-2001), Volkswagen (1992-1998),

EB1854A

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BO 1127319575, 1127319854, 1127320576, 1127319576, 1127320854
CG 138074
UP REC263

Ford - Europe (1995-2000), Volkswagen (1992-2001), Volkswagen - Europe (1991-1999), Volkswagen LCV - Europe (1991-2002)

EB1904A

Diodes: 8-50 A Avalanche
Diameter: 125mm
With M8x52mm Battery Post
With M4x32.5mm Trio Post
With M6x52mm Ground Post
With M5 W-Post
With Trio For 24V Alternator



BO 1127320904, 1127320968
TR IBR904
CG 230729
MB RB64H

Renault (1996-2006), Renault Heavy Duty - Europe (1991-1996)

EB2212B

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x40.5mm Battery Post
Without Trio



BO 1127319692, 1127319643, 1127319652, 1127319691
TR IBR692
CG 139252

BMW (1995-2000), BMW - Europe (1994-1999)

EB2226A

Diodes: 12-60A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio




BO 1127319782
CG 234839
TR IBR709

John Deere (1994-2006)

EB2237A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x22mm Battery Post



BO F00M123237
TR IBR237

Alfa Romeo - Europe (2003-2012), Fiat - Europe (2006-2010), Ford - Europe (1998-2000), Opel - Europe (1998-2012), Opel LCV - Europe (1998-2012), Saab (2005-2010)

EB2304A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x34.5mm Battery Post(R)



BO F00M123208, F00M123304, F00M123215
TR IBR2304
CG 235053

Fiat - Europe (1995-2006)

EB2717A

35 Amp/ diode, W thread 6.30,
B+ threaded M8/43.85,
D+ threaded M6/38.95, ID 36.00,
OD 120.00, Mount. dist. 65.00



BO 1127320717, 1127320740, 1127320935, 1127320734
MB RB49H
TR IBR717
CG 136485, 137260

EB2811A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x34.5mm Battery Post(L)
With M8x34.5mm Battery Post(R)
For 24V Alternators




BO F00M133339, F00M147631, F00M133223, F00M133346, F00M133296
UP REC2811, REC2806
TR IBR223
CG 231524

RENAULT TRACK KERAX, MAGNUM DXI 06-> // VOLVO 8700, 9700, 9900, FH 98->

Bosch Rectifiers

EB2811B

Diodes: 6-50Ampere
Diameter OD: 120mm
With M8x26mm Battery Post(L)
With M8x22mm Battery Post




RENAULT TRACK KERAX, MAGNUM DXI 06-> // VOLVO 8700, 9700, 9900, FH 98->

CG 231524
UP REC2806, REC2811
TR IBR223
BO F00M133223, F00M133291,
F00M133346

EB2811C

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x34.5mm Battery
Post(L)
With M8x38mm Battery Post(R)
For 24V Alternators



RENAULT TRACK KERAX, MAGNUM DXI 06-> // VOLVO 8700, 9700, 9900, FH 98->

CG 231524
UP REC2806, REC2811
TR IBR223
BO F00M133223, F00M133291,
F00M133346

EB2828A

Diodes: 3-60A Avalanche
Diameter : 128mm
With M8x23.5mm Battery Post



CITROEN JUMPER 06-> // FIAT DUCATO 06->, FORD TOURNEO 12->, TRANSIT 07-> // PORSH 911, CAYENNE, BOXTER 08->

BO F00M599413

EB3102A

6-80A Avalanche press fit diodes 20-24V
Aluminum heat sink
Crimp-weld diode terminals



MERCEDES-BENZ C-CLASS (W203), CLC (SL203), E-CLASS (W211) 2.2CDI/3.2CDI

CG 331002
BO F00M133331
TR IBR240

EB3234A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M6x35mm Battery Post(L)
With M8x22mm Battery Post



PORSCHE 911, BOXTER 2.7L-3.6L ->05

BO F00M133234, F00M133213
CG 333329

EB3290A


Diodes: 6-50A Avalanche
Diameter OD: 129mm
With M8x34.5mm Battery Post(L)
With M8x38mm Battery Post(R)
For 24V Alternators



BO F00M133290
CG 333611, 333527

EB3324A

Diodes: 8-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



TOYOTA AVENSIS 2.0L/2.4L (03-08), CAMRY 2.4L (01-06)

BO F00M123324, F00M123250
CG 332628

EB3330A

Diodes: 6-60 A Avalanche
Diameter : 129mm
With M8x22mm Battery Post (L)
With M8x34.5mm Battery Post (R)



Mercedes - Europe (2004-2010), Mercedes LCV - Europe (2003-2010), Mercedes-Benz (2003-2007)

BO F00M133235, F00M133330,
F00M144007, F00M133276,
F00M133204, F00M133214,
F00M133215, F00M133218,
F00M133229, F00M133247,
F00M133249
TR IBR216
CG 236821
MB RB166H

EB3330B

Diodes: 6-70A Avalanche
130mm OD
M8 Battery Post



Mercedes - Europe (2004-2010), Mercedes LCV - Europe (2003-2010), Mercedes-Benz (2003-2007)

BO
F00M133276, F00M133249, F00M133204,
F00M133214, F00M133215, F00M133218,
F00M133229, F00M133247
TR IBR216
MB RB166H
CG 236821

EB3561A

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x32mm Battery Post(L)
With M8x32mm Battery Post(R)



ALFA ROMEO 147 2.0L (01-10) // FIAT BRAVA, DOOBLO, MAREA, MULTIPLA, PUNTO, STILO 1.6L/1.8L 02-> // LANCIA LYBRA 1.6L 99->

BO F00M123331, F00M123211
CG 233561

EB3561B

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x34.5mm Battery Post(L)
With M8x34.5mm Battery Post(R)



ALFA ROMEO 147 2.0L (01-10) // FIAT BRAVA, DOOBLO, MAREA, MULTIPLA, PUNTO, STILO 1.6L/1.8L 02-> // LANCIA LYBRA 1.6L 99->

BO F00M123331, F00M123211
CG 233561

EB3718A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BMW (1992-2000), BMW - Europe (1991-1996)

BO 1127319676, 1127319677
CG 233718

EB3923A


Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio



BO 1127319771
CG 233923

EB4333A

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8 Battery Post
Without Trio
For 24V Alternators




MAN E 2000 00->, F 2000 94->, M 2000 00->, TGA 30-> // NEOPLAN TOURLIENER 03->

BO 1127319793, 1127319794
CG 234333

EB4782A

Diodes : 6-50 Avalanche
Diameter OD : 120mm
With M8x22mm Battery Post (L)
With M8x34.5mm Battery Post (R)



Ford : 1C3510300AA, 1C3510300AB

BO F00M144002
CG 234782

EB5546A

Diodes:8-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



CG 136051, 135546
MB RB30H
UP REC247A
BO 1127319019, 1127319673,
1127319018, 1127319672

EB5546B

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



BO 1127319018, 1127319672,
1127320805, 1127319019,
1127319673, 1127319021
CG 135546, 136051
UP REC247A
MB RB30H

EB6861A

Diodes: 6-50A Avalanche
Diameter OD: 112mm
With M8x30mm Battery Post
With Trio



BO 1127319560, 1127319011,
1127319746
CG 135440
MB RB134H

Bosch Rectifiers

EB7444A

Diodes: 8-35A Avalanche
Diameter OD: 112mm
With M6x30mm Battery Post
With Trio

BO 1127319583, 1127319584,
1127320870
CG 135444
MB RB160H



EB8076A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With "W" terminal
With Trio

BO 1127319709, 1127319035,
1127319700, 1127319635,
1127319710
MB RB108H
CG 138076



EB8079A

Diodes: 14-50A Avalanche
Diameter: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319805, 1127319558,
1127319562, 1127319806
CG 138079
WAI 233449W
UP REC271B



MERCEDES BENZ C CLASS C220, C230,
C280, C36 AMG; CLK CLASS 200;
MERCEDES BENZ E CLASS E200, E220,
E230, E280, E320, E36 AMG

EB8080A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319567, 1127319731,
1127319534, 1127319724,
1127319568, 1127319732
MB RB110H
UP REC267
CG 138080



EB8080B

Diodes: 8-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319568, 1127319732,
1127319567
CG 138080
MB RB110H
UP REC267



Ford: 1012463, 7387709, 95VW10300EA,
95VW10300EB, 95VW10300EC

Volvo: 8111905

EB8081A

Diodes: 12-50A Avalanche
Diameter OD: 122mm
With M8x30mm Battery Post
With Trio

BO 1127319630, 1127319631
CG 138081
MB RB112H



EB9030A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8x40.5mm Battery Post
Without Trio

BO 1127319640, 1127319563,
1127319514, 1127319564,
1127319698
CG 139030



EB9792A

Diodes: 8-50A Avalanche
Diameter OD: 112mm
With M8 Battery Post
Without Trio
For 24V Alternators

BO 1127319792
LESTER 23512



EB9921B

Diodes: 6-60A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M6x47mm Battery Post(R)

BO F00M133201, F00M123200,
F00M133246, F00M133228,
F00M133244, F00M133351,
F00M133363
CG 139921



AUDI A2, A3, A4, A6, TT // MERCEDES C-
CLASS, E-CLASS, SPRINTER 901/906 //
SEAT ALHAMBRA, AROSA, CORDOBA,
IBIZA, LEON, TOLEDO // SKODA FABIA,
JCTAVIA, PRAKTIK

EB9921C

Diodes: 6-50A Avalanche
Diameter OD: 120mm
With M8x22mm Battery Post(L)
With M8x32mm Battery Post(R)

BO F00M133201, F00M123200,
F00M133246, F00M133228,
F00M133244, F00M133351,
F00M133363
CG 139921



AUDI A2, A3, A4, A6, TT // MERCEDES C-
CLASS, E-CLASS, SPRINTER 901/906 //
SEAT ALHAMBRA, AROSA, CORDOBA,
IBIZA, LEON, TOLEDO // SKODA FABIA,
JCTAVIA, PRAKTIK

China Rectifiers


EA0197A

6-50A
B+: M8X40mm



EQ1722A

Diodes: 8-50 Ampere
B+M8X40mm
B+M8X24mm




EQ2004A

Diodes: 8-35A
B+ M6x11.5mm
For 24V Alternators



EQ2005A

Diodes: 8-50 Ampere
B+ M6x11.5mm



EQ2006A

Diodes: 6-35 Ampere



Zhengzhou Nissan

EQ3221A


Diodes: 8-35 Ampere
Diameter OD: 87mm
B+M6x40mm



28V Hwachon Denso JFZ221, Cloud

EQ4176A


Diodes: 8-35 Ampere
Diameter OD: 103mm
M6



Changan

EQ4177A

Diodes: 8-35 Ampere
Diameter OD: 103mm
M6



Hwachon Denso JFZ176E, 176J, Changan Star

EQ4178A

Diodes: 8-35 Ampere
Diameter OD: 103mm
M6



Chang, Yu security force

EQ5007A

Diodes: 6-50 Ampere
M8



EQ6700A

Diodes: 6-35 Ampere
B+M8X26.8mm



Shen Lake JFZ255-1034, Sinotruk


EQ6707A

Diodes: 6-35 Ampere



EQ7012A

Diodes: 6-50 Ampere
B+ M8X35mm
B+M8X28.5mm



Cloud silent power

EQ8117A


Diodes : 6-50A



JAC with vacuum pump

EQ9008A

Diodes : 8-35A



EQ9133A

Diodes : 8-35A
M6




Yoo

Delco Rectifiers

ED1004A

Diodes: 6-35 Ampere Button



DR 3493008
WAI 31-129
CG 132931
TR DER1004

pel - Europe (1981-1997), Opel LCV - Europe (1989-1997), Vauxhall - Europe (1991-2000)

ED1123A

Diodes: 6-35 Ampere
B+ : M6x44.4mm



ED2000A

Diodes: 6-50A Avalanche
With M8x47.3mm Battery post installed
With Aluminum Heat sinks
With Trio



CG 136595
DR 10475034, 589714
MM 940038219
MB RD04B
UP REC980A, REC980AX
TR DER2000

Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

ED1124A

Diodes : 3-50A Avalanche
With M8x28.5mm Battery Post(L)
With M8x35mm Battery Post(R)



ED1200A

Diodes: 6-50A Avalanche
For use on: WAI 1998-2000
Saturn 31-213
SC1,SL,Sedan,SWWagon 1.9L



DR 10492300
WAI 31-123
CG 232070
MB RD-25A
TR DR1200

Daewoo (1999-2002), Daewoo - Europe (1997-2002), Saturn (1998-2002)

ED2010A

Diodes: 6-50A Avalanche
With M8x46mm Battery Post Installed
With Copper Negative Heat sink




DR 10493596
TR DER2010
MB RD29

Opel : Astra G (2002 - 2005), Calibra A (1993 - 1997), Combo Tour (2001 - 2011), Corsa C (2000 - 2006), Omega B (2001 - 2003), Vectra A (1993 - 1995), Vectra C GTS (2002-2015)

ED2206A

Diodes: 6-35A Avalanche
With M8x47.5mm Battery Post
With Trio
For 11SI Alternators




TR DR2206

Cummins Engines (2004-2009), Trackless (2005-2010)

ED2295A

Diodes: 6-35A Avalanche
With M8x47.5mm Battery Post
Without Trio
For 7SI Alternators



MB RD39H
TR DR2295
CG 333057
UP REC932

CHEVROLET AVEO 1.6L L4 2004-2008; DAEWOO KALOS 1.2L 2003; DAEWOO KALOS 1.4L 2003; DAEWOO KALOS 1.4L DOHC 2003; DAEWOO KALOS 1.4L SOHC 2002; DAEWOO NUBIRA 1.6L

ED2400A

Diodes: 6-50A Avalanche
With 5/16" x45mm Battery Post
With insulator



DR 10502870
MB RD38A
CG 331012
TR DR2400
UP REC973

Ford (1995-2008), Freightliner (1998-2009), Mack (1999-2008), Peterbilt (1996-2008), Sterling (1999-2007), Volvo (1994-2007)

ED2402A


With 5/16" x45mm Battery Post
With insulator
FOR 24V ALTERNATOR



MB RD38
TR DR2402

ED2910A

Diodes: 6-35A Avalanche
With M8x47.5mm Battery Post
Without Trio
For 11SI Alternators



MB RD37
TR DR2910

Chevrolet (2004-2008), Pontiac (2005-2008), Suzuki (2004-2008)

ED4000A

Diodes: 6-35A Avalanche Press-Fit
With Aluminum Heat sinks
For: CS121,CS130 Alternators



DR 10457236, 10472597, 10470730, 10457690, 1989658
WAI 311131, 31136
CG 131880
TR DR4000, DR4000HD
UP REC991, REC992
MB RD95A, RD95HD

Toyota (1991-1994), Toyota - Europe (1987-1999), Isuzu (1989-1994), Jeep (1987-1990), Oldsmobile (1986-1998), Pontiac (1986-1998), Cadillac (1987-1992), Chevrolet (1986-2000)

ED4000B

12 Volt
Delco CS121 , CS130 Series
IR/EF Alternators
MFR:DELCO



DR 1989658, 1989658, 10475758
MB RD95A, RD95HD
TR DR4000
UP REC991, REC991E
CG 131880

Toyota - Europe (1987-1999), Toyota (1991-1994), Jeep (1987-1990), Oldsmobile (1986-1998), Pontiac (1986-1998), Cadillac (1987-1992), Chevrolet (1986-2000)

ED4400A

Diodes: 6-50A Avalanche
With M6x53mm Battery Post



DR 10494503
TR DR4402
CG 235026
MB RD26
UP REC971

Buick (2000-2004), Cadillac (2002-2004), Chevrolet (1999-2006), GMC (1999-2006), Pontiac (2000-2004)

ED4400B

Diodes: 6-50A Avalanche
With M6x53.5mm Battery Post




DR 10494744, 10494503
MB RD26
TR DR4402, DR4402HD
CG 232668
UP REC971

Buick (2000-2004), Cadillac (2002-2004), Chevrolet (1999-2006), GMC (1999-2006), Pontiac (2000-2004)

ED5001A

Diodes: 6-50A
B+ M6x29mm



ED5016A

Diodes: 6-50A
B+ M8x46.5mm



ED5054A

Diodes: 6-50 Ampere Button
With Bi-Directional Heatsinks



DR D3986, 1987061
TR DR5054
MB RD13HV
CG 131874

Buick (1984-1987), Cadillac (1985-1987), Chevrolet (1983-1990), GMC (1984-1990), Godwin (1995-2000), Jeep (1984-1991), Oldsmobile (1983-1987), Pontiac (1983-1987)

Delco Rectifiers

ED5080A

Diodes: 6-25 Ampere Button
For use on: GM Passenger Car, Heavy Truck



DR 1892914, 801816, D3983, 1875645
CG 130555
MB RD17H
TR DR5080, DR5082, DR50822
UP REC120

Cadillac (1972-1985), Caterpillar (1970-2002), Chevrolet (1973-1993), Fiat-Allis (1983-1986), Ford (1974-1999), GMC (1973-1993)

ED5166A

Diodes: 6-50A Avalanche
With Trio



MB RD16
TR DR5166
CG 138389
WAI 233481W

Daewoo (1999-2002), Daewoo - Europe (1994-2005)

ED5186A

Diodes: 6-60A Avalanche press fit diodes




DR 10504493, 10512371
TR DR5186

Ford (1995-1999), Freightliner (1998-2008), International (1997-2008), Kenworth (1995-2008), Mack (1999-2008), Peterbilt (1995-2007), Sterling (1999-2008), Volvo (1997-2007)

ED5655A

Diodes: 12-50A Avalanche
With M8x52.5mm Battery Post
For Mercedes Water Cooling Alternator



CG 235655

ALTERNATOR NO: MERCEDES
001500850 DELPHI 10480403 CARGO
CA16771R

ED6871B

Diodes: 6-60A Avalanche
With M8 Battery Post
With Trio




DR IAT08790
TR DR6871
CG 234307
UP REC6201

DAEWOO LEGANZA 2.0L 1997-;
DAEWOO LEGANZA 2.2L 1998-2002;
DAEWOO NUBIRA 1.6l / 2.0l 1999-2000;
DAEWOO TACUMA 2.0L 1999

ED9410A

Diodes: 6-50A Avalanche
With M6x38mm Battery Post
With Trio
For use on:2000-UP Mercury w/GM V8




DR 06010003
MB RD32
CG 235139, 239037
TR DR9410

Mercuriuser (1998-2002)
MATIZ ; SPARK (1998 - 2005)
SPARK ; MATIZ (2005 - 2008)

ED9411A

Diodes: 6-50A Avalanche
With M6x38mm Battery Post
With Trio
With P-Terminal



CG 235028
TR DR9411

Crusader (2001-2004), Hyster (2001-2006), Marine Power (1997-2008), Pleasurecraft (2001-2004)

Denso Rectifiers

EN0021A

Diodes: 6-50 Ampere Press-fit Diodes
Diameter OD: 103mm
With M6 Battery Post (31°)
Press-fit Diodes
With Aluminum Heat sinks




ND 02158006510,
02158005510, 02158005580
TR INR406P
MB RN36

TOYOTA 4RUNNER 02->, COROLLA (01-13), LEXUS LX70

EN0026A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole



ND 0215804890
MB RN49

ARISTO / CHASER / CRESTA / CROWN / CROWN MAJESTA / LEXUS GS300/400/430 LEXUS GS300/430 / LEXUS SC300/400 / MARK 2 / SOARER / SUPRA

EN0401A

Diodes: 8-35 Ampere Press-fit Diodes
Diameter OD: 100mm
With M6x40mm Battery Post
With Aluminum Heat sinks




ND 1002111070, 1002111100,
1002113120
MB RN12
WAI 318211
CG 135250
TR INR401P

Asuna (1993-1993), Dodge (1988-1989), Geo (1990-1993), Isuzu (1990-1993), Toyota (1988-1999)

EN0401B

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x40mm Battery Post
With Mounting Hole for Ground Strap




ND 0215802511, 0215802512,
0215803650, 0215802522
TR INR401, INR401P
CG 135250
MB RN12
UP REC633

Asuna (1993-1993), Dodge (1988-1989), Geo (1990-1993), Isuzu (1990-1993), Toyota (1988-1999)

EN0402A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M6 Battery Post
With Ground Screw Hole



ND 0215804630, 0215803660,
0215803830, 0215804030,
0215804080, 0215804480,
0215804630, 0215804760,
0215804510
TR INR402P
UP REC638
MB RN03
CG 133672

Acura (1992-2001), Caterpillar (1987-2003), Dodge (2000-2000), Honda (1990-2002), Honda - Europe (1992-2002), Isuzu (1996-2002), Jeep (2000-2000), Lexus (1990-2001)

EN0402B

Diodes: 8-50A Ampere Press-fit Diodes
Diameter OD: 103mm
With M6 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



ND 0215804630, 0215803660,
0215803830, 0215804030,
0215804080, 0215804480,
0215804630, 0215804760,
0215804510
TR INR402P
UP REC638
MB RN03
CG 133672

Acura (1992-2001), Caterpillar (1987-2003), Chevrolet (1998-2002), Dodge (2000-2000), Honda (1990-2002), Isuzu (1996-2002), Jeep (2000-2000), Lexus (1990-2001)

EN0402C

Diodes: 6-50A Avalanche
Diameter OD: 103mm
With M6 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



ND 0215804630, 0215803660,
0215803830, 0215804030,
0215804080, 0215804480,
0215804630, 0215804760,
0215804510
TR INR402P
UP REC638
MB RN03
CG 133672

Acura (1992-2001), Caterpillar (1987-2003), Dodge (2000-2000), Honda (1990-2002), Honda - Europe (1992-2002), Isuzu (1996-2002), Jeep (2000-2000), Lexus (1990-2001)

EN0420A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Aluminum Heat sinks



ND 4210000120, 0219971123
MB RN30
TR INR420

Chrysler (2001-2014), Dodge (2001-2014), Jeep (2011-2014)

EN0420B

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x40.5mm Battery Post
With Aluminum Heat sinks



TR INR420
MB RN30
ND 0215805911, 0215805931

Chrysler (2001-2014), Dodge (2001-2014), Jeep (2011-2014)

EN0420C

Diodes: 12-50 A Avalanche
With M8x46 mm Battery Post



TR INR420
MB RN30
ND 0215805911, 0215805931

Chrysler (2001-2014), Dodge (2001-2014), Jeep (2011-2014)

EN0421A

Diodes: 12-35A Ampere Press-Fit
Diameter: 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks




ND 0215805891, 0215805901
MB RN29
TR INR421
CG 235842

Acura (2003-2004), Chevrolet (2005-2007), Chrysler (2001-2007), Dodge (2001-2007), Honda (2007-2007), Jeep (2002-2006), Land Rover (2005-2008), Lexus (2001-2010)

EN0421B

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x30mm Battery Post
With Copper Heat sinks



ND 0215805891, 0215805901
MB RN29
TR INR421
CG 235842

Acura (2003-2004), Chevrolet (2005-2007), Chrysler (2001-2007), Dodge (2001-2007), Honda (2007-2007), Jeep (2002-2006), Land Rover (2005-2008), Lexus (2001-2010)

EN0422A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x33mm Battery Post
With Aluminum Heat sinks



ND 14010009, 104210338
MB RN34
CG 237607
TR INR422

For use on: 2003 Toyota Tundra Pickup 4.7L

EN0423A

Diodes: 7-50A Avalanche Press-Fit
Diameter OD: 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



TR INR423
MB RN55
WAI 233528W

Chrysler (2005-2007), Dodge (2003-2007)

EN0424A

Diodes: 12-35A Avalanche
Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Copper Heat sinks



ND 0215806110
MB RN33
TR INR424

For use on: 2002-01 Acura MDX 3.5L
2004-02 Honda Odyssey 3.5L
2004-03 Honda Pilot 3.5L

EN0424B

Diodes: 12-50 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x46mm Battery Post
With Aluminum Heat sinks



TR INR424
MB RN33

Acura (2001-2002), Ford (2008-2010), Honda (2002-2004)

EN0425A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x34.5mm Battery Post
With Aluminum Heat sinks



MB RN44
TR INR425

For use on:
2001-05 Cadillac Deville FWD 4.6L
2001-04 Cadillac Seville 4.6L
2004-05 Pontiac Bonneville 4.6L

EN0425B

Diodes: 12-60 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x40mm Battery Post
With Aluminum Heat sinks
HITACHI Type Diodes



ND 0215805920
MB RN44
TR INR425

Acura (2009-2014), Buick (2004-2005), Cadillac (2001-2011), Honda (2008-2012), Honda - China (2009-2013), Pontiac (2004-2005)

Denso Rectifiers

EN0427A

Diodes : 12-35A Ampere Press-Fit
Diameter : 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



TR INR427

Lexus (2004-2014), Lexus - Europe (2003-2006), Toyota (2001-2014), Toyota - Europe (2003-2010)

EN0429A

Diodes: 6-50 A Avalanche Press-Fit
Diameter OD: 117mm
With M6x34.5mm Battery Post
With Aluminum Heat sinks



ND 0215806490
MB RN48
TR INR429
CG 237648

Acura (2004-2005), Honda (2003-2006), Honda - Europe (2002-2012)

EN0430A

Diodes: 6-50 A Avalanche Press-Fit
Diameter OD: 117mm
With M6x33mm Battery Post
With Aluminum Heat sinks



ND 0215806610
MB RN46
TR INR430
CG 238063

Lexus (2004-2006), Pontiac (2009-2010), Scion (2005-2010), Toyota (2004-2014), Toyota - China (2007-2012), Toyota - Europe (2000-2010)

EN0431A

Diodes :7-50 A Avalanche Press-Fit
Diameter OD : 117mm
With M8x30mm Battery Post
With Aluminum Heat sinks



TR INR431
MB RN37
CG 237613

Ford - Europe (2003-2012), Ford LCV - Europe (2006-2009), Mazda - Europe (2003-2010), Volvo - Europe (2004-2012)

EN0431B

Diodes: 6-50 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x30mm Battery Post
With Aluminum Heat sinks




TR INR431
MB RN37
CG 237613

Ford - Europe (2003-2012), Ford LCV - Europe (2006-2009), Mazda - Europe (2003-2010), Volvo - Europe (2004-2012)

EN0432A

12 Volt
Denso 130-160A ER/IF
Alternators



CG 330636
TR INR432
MB RN56

Heat Sink(+)
Heat Sink(-)
BMW - Europe (2003-2007), Chrysler (2003-2010), Chrysler - Europe (2001-2015), Dodge (2003-2010), Jeep (2005-2006)

EN0433A

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x40mm Battery Post
With Copper Heat sinks



MB RN47
CG 235589
TR INR433

Acura (2005-2014), Chevrolet (2006-2007), Honda (2004-2012), Honda - China (2011-2012), Hyundai - Europe (2009-2015), Kia - Europe (2009-2015), Lexus (2004-2007), Pontiac (2006-2007), Saturn

EN0433B

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x40mm Battery Post
With Aluminum Heat sinks



MB RN47
CG 235589
TR INR433

Acura (2005-2014), Chevrolet (2006-2007), Honda (2004-2012), Honda - China (2011-2012), Hyundai - Europe (2009-2015), Kia - Europe (2009-2015), Lexus (2004-2007)

EN0435A

Diodes:12-50A Avalanche
With M8x46mm Battery Post



ND 1042106100
TR INR435

Buick (2008-2010), Cadillac (2006-2011), Chevrolet (2009-2010), Ford (2008-2010), GMC (2007-2010), Saturn (2007-2009)

EN0436A

Diodes: 12-60 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x46mm Battery Post
With Aluminum Heat sinks
HITACHI Type Diodes




ND 0215806830, 1042102160
MB RN54
TR INR436

Acura (2001-2002), Buick (2006-2010), Cadillac (2006-2010), Chevrolet (2006-2010), Ford (2008-2010), Honda (2002-2004), Hyundai (2009-2013), Pontiac (2005-2009), Saturn (2008-2009)

EN0437A

Diodes: 12-35 A Avalanche Press-Fit
Diameter OD: 117mm
With M8x30mm Battery Post
With Aluminum Heat sinks



MB RN39
CG 237607
TR INR437

Ford - Europe (2003-2012), Ford LCV - Europe (2006-2009), Mazda - Europe (2003-2010), Volvo - Europe (2006-2010)

EN0438A

Diodes :6-50 A Avalanche Press-Fit
Diameter OD : 113mm
With M6x33mm Battery Post
With Aluminum Heat sinks



ND 021580-9220
TR INR438
MB RN45

Toyota : 270600C020

EN0438B

Diodes :6-35 A Avalanche Press-Fit
With M8x35mm Battery Post
Diameter OD : 113mm
With Aluminum Heat sinks




ND 0215804890
MB RN45
TR INR438

TOYOTA FORTUNER HILUX
INNOVA/KIJANG INNOVA

EN0502A

Diodes: 6-35Ampere
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground Strap



TR INR502
ND 0215804990
CG 231236

Acura (1996-1997), Isuzu (1996-1997), Suzuki (1996-2001), Suzuki - Europe (1993-2010), Toyota (1997-2003)

EN0502B

Diodes: 6-35Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground Strap
With Aluminum Heat sinks




ND 0215804990
TR INR502

Acura (1996-1997), Isuzu (1996-1997), Suzuki (1996-2001), Suzuki - Europe (1993-2010), Toyota (1997-2003)

EN0722A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M8 Battery Post
With Ground Screw Hole




ND 0215802950
CG 135043
MB RN05
TR INR722, INR722P
UP REC639, REC6131

LEXUS GS 3.0L 1993-1997; LEXUS SC 3.0L 1995-1996; TOYOTA SUPRA 3.0L 1993-

EN0731A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M6 Battery Post(31°)



TR INR731
UP REC635

Acura (1992-1994), Honda - Europe (1991-1995), Lexus (1990-1992), Scion (2004-2006), Suzuki (2002-2004), Toyota (1989-2006), Toyota - China (2004-2007), Toyota - Europe (1999-2010)

EN0731B

Diodes: 8-50 Ampere Press-fit
Diodes
Diameter OD: 103mm
With M6 Battery Post(31°)
Press-It Diodes
With Aluminum Heat sinks




ND 1002118050, 1002118710
WAI 318212
CG 133672
UP REC635
TR INR731, INR731P

Acura (1992-1994), Honda - Europe (1991-1995), Lexus (1990-1992), Scion (2004-2006), Suzuki (2002-2004), Toyota (1989-2006), Toyota - China (2004-2007), Toyota - Europe (1999-2010)

Denso Rectifiers

EN0735A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M6 Battery Post
With Ground Screw Hole



ND 1210004230, 1210004250
MB RN08
WAI 318232
TR INR735
CG 235896

Chrysler (1998-2004), Dodge (1998-2004), Jeep (1999-2000), Land Rover (2002-2005), Land Rover - Europe (2000-2007), Lexus (1998-2003), Toyota (1998-2004), Toyota - Europe (1998-2002)

EN0735B

Diodes: 8-50 Ampere Press-fit
Diodes
Diameter OD: 113mm
With M6 Battery Post
With Ground Screw Hole
With Aluminum Heat sinks



UP REC610
TR INR735
CG 235896

Chrysler (1998-2004), Dodge (1998-2004), Jeep (1999-2000), Land Rover (2002-2005), Land Rover - Europe (2000-2007), Lexus (1998-2003), Toyota (1998-2004)

EN0736B

Diodes: 8-50 Ampere
Diameter OD: 113 mm
With M8x47mm Battery Post
With Ground Screw Hole



MB RN10
TR INR736
CG 233246
ND 0215804250, 0215804290
UP REC611, REC612

Acura (1991-2004), Dodge (1996-1997), Honda (1999-2001), Honda - Europe (1991-1996), Hyundai (2006-2012), Jaguar (1993-1997), Jaguar - Europe (1994-1997), Kia (2007-2011)

EN1718A

Diodes: 8-35 Ampere
Diameter OD: 83mm
With M6 Battery Post




UP REC6411
MB RN18
TR INR718, INR718
CG 137872

John Deere (1994-2009), Lamborghini-Agricultural (1971-1982), Toyota (1976-1994)

EN1723A

Diodes: 8-35 Ampere
Diameter OD: 87mm
With M6 Battery Post




UP REC6412
TR INR723
MB RN40
CG 134306

Bobcat (1993-2003), Ford (1995-1998), John Deere (1984-2012), Kubota (1980-2007), Toyota (1986-1989), Yanmar (1988-1995)

EN1724A

Diodes: 8-35 Ampere
Diameter OD: 87mm
With M6 Battery Post



ND 0215803130
MB RN-15
WAI 318200
CG 132540
TR INR724

Caterpillar (1993-2014), Chevrolet (1985-1991), Daihatsu (1988-1992), Geo (1989-1995), Hino (1984-1995), Isuzu (1984-1995), Mercury (1994-2000), Opel - Europe (1994-1998), Pontiac (1985-1995),

EN1728A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M6x44mm Battery Post



ND 1210004000, 1210004010
MB RN02
WAI 318207
CG 135416
TR INR728

For use on: Chrysler New Yorker, Dodge Caravan, Dynasty, Dodge Truck, Plymouth Voyager, Acclaim

EN1729A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M6x44mm Battery Post
With Ground Screw Hole



CG 135417
MB RN01, RN01PL
TR INR729, INR729P
UP REC636, REC640, REC649

Acura (1999-2006), Chrysler (1988-2000), Dodge (1988-2001), Honda (2002-2005), Isuzu (1992-1993), Jeep (1991-2000), Jeep - Europe (1993-1998), Volvo (1991-1992)

EN1729C

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x40mm Battery Post
With Mounting Hole for Ground Strap



UP REC640, REC636
TR INR729
MB RN01
CG 135417

For use on: Geo Strom, Isuzu Impulse, Stylus

EN1732A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post



ND 0215804100, 0215804610, 0215804690
MB RN08
WAI 318213
CG 137874
TR INR732

For use on: Toyota Land Cruiser

EN1733A

Diodes: 8-50 Ampere
Diameter OD: 113mm
With M8 Battery Post
With Ground Screw Hole



ND 0215804690, 0215804100
MB RN11
TR INR733P
CG 137874
UP REC614

For use on: Lexus SC400, Toyota

EN1739A

Diodes: 8-50 Ampere
Diameter OD: 103mm
With M8x50mm Battery Post
With Ground Screw Hole




MB RN04
TR INR739
CG 136741

Acura (2000-2002), Dodge (2001-2003), Honda - China (2001-2001), Hyundai (2006-2007), Jaguar (2002-2008), Jaguar - Europe (2001-2006), Jeep (2001-2001), Toyota (1992-1995), Volvo

EN2300A


Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x35mm Ground Post
With M5x41.5mm Mounting Bolt
With cooper heat sink



CG 230000
MB RN50L

EN2300B

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x35mm Ground Post
With M5x41.5mm Mounting Bolt



CG 230000
MB RN50L

EN2657B

Diodes: 8-35 Ampere Diodes
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x35mm Ground Post
With M5x41.5mm Mounting Bolt
With Aluminum Heat sink



MB RN41
CG 333053, 132657
UP REC615, REC616H, REC615H, REC616

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2657C

Diodes: 6-35A Ampere
Diameter OD : 114mm
With M6x47.5mm Battery Post
With M5x41.5mm Battery Mounting Bolt
With M5x47.5mm Ground Post
With M5x38mm Ground Mounting Bolt




MB RN41
CG 333053, 132657
UP REC615, REC616H, REC615H, REC616

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2657D

Diodes: 6-50 Ampere
Diameter OD: 114mm
With M6x48.5mm Battery Post
With M5x40mm Ground Post
With M5x41.5mm Mounting Bolt
With Trio
With steel heat sink




MB RN41
CG 333053, 132657
UP REC615, REC616H, REC615H, REC616

ISUZU TFR 4JA1 1993-; TOYOTA HILUX

EN2720A

Diodes: 8-50 Ampere
Diameter OD: 100mm



ND 0215802160, 0215802230, 2735763020
MB RN13
WAI 318201
CG 132082
TR INR720
UP REC631

For use on: Acura, Honda, Isuzu, Toyota, Sterling

Denso Rectifiers

EN2720B

Diodes: 8-35 Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6 Battery Post
With Aluminum Heat sinks




UP REC631
MB RN13PL, RN13
TR INR720
CG 132082

Chevrolet (1988-1988), Geo (1989-1997),
Honda (1984-1995), Honda - Europe (1984-
1993), Isuzu (1985-1995), Kubota (1986-
2007), Rover Group - Europe (1986-1999),
Suzuki (1995-1997)

EN2720C

Diodes: 8-50 Ampere
Diameter OD: 100mm
With Steel Heat sinks



ND 0215802160, 0215802230,
2735763020
MB RN13
WAI 318201
CG 132082
TR INR720
UP REC631

For use on: Acura, Honda, Isuzu, Toyota,
Sterling

EN2727A

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x44mm Battery Post



TR INR727, INR727P
MB RN14
CG 230191
UP REC632

Chrysler (1988-1988), Dodge (1987-1989),
Plymouth (1987-1988)

EN5028A

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground
Strap



ND 0215805300
CG 231236
TR INR5028
MB RN38

Acura (1998-1999), Isuzu (1988-2007),
John Deere (1998-2004), Suzuki (1997-
2002), Toyota (1998-1999)

EN5028B

Diodes: 8-35 Ampere Press-fit
Diodes
Diameter OD: 100mm
With M6 Battery Post
With Mounting Hole for Ground
Strap With Aluminum Heat sinks



ND 0215805300
TR INR5028
MB RN38
CG 231236

Acura (1998-1999), Isuzu (1988-2007),
John Deere (1998-2004), Suzuki (1997-
2002), Toyota (1998-1999)

EN6328A

Diodes: 12-35 A Avalanche
Press-Fit
Diameter OD: 117mm
With M6x33mm Battery Post
With Copper Heat sinks



CG 236328
TR INR426
MB RN57
ND 0215806370

Ford (2005-2008), Lexus (2006-2013),
Lincoln (2006-2008), Toyota (2003-2014)

EN9210A

Diodes :6-50 A Avalanche Press-
Fit
Diameter OD : 113mm
With M8x46mm Battery Post
With Aluminum Heat sinks



ND 0215809210
MB RN64

EN9535A

Diodes: 8-50 Ampere Press-Fit
Diameter OD: 138mm
With Aluminum Heat sinks
With 5/16"x60mm Battery Post



ND 0215805350
TR INR9535

Caterpillar (1996-2003), Freightliner (1998-
2003), Mack (1998-2003)

Ford Rectifiers

EF1141A

Diodes: 8-50A Avalanche
Diameter OD: 114mm
With M6x39mm Battery Post



MB RF19H
VA 3N2110300BB
TR FR6100

FORD INDIA

EF2201A


Diodes: 8-35 Ampere
Diameter OD: 133mm
Drop-down Stator Terminals



TR FR201
MB RF04A
CG 136209

EF5019A

Diodes: 8-50A Avalanche
Diameter OD: 114mm
With M6x16.4mm Battery Post



MB RF18HV
CG 235019
TR FR6102

Ford (2003-2004), Ford - Europe (2000-2015), Jaguar - Europe (2003-2015)

EF6106A

Diodes: 8-50A Avalanche
Diameter OD: 105mm
With M6x16.4mm Battery Post
For Ford/Visteon RC28
European 110A alternator



TR FR6106

Ford - Europe (2005-2008)

Hitachi Rectifiers

EH0719A

Diodes: 6-50 Ampere
Diameter OD: 100mm
With M6x44.4mm Battery Post
With (M5+M4)x39.8mm
Mounting Bolt
With Trio

HI L1701502, L1709320
UP REC670
TR IHR719



Nissan (1986-1988)

EH0721A

Diodes: 6-35 Ampere
Diameter OD: 118mm
With M5x31mm Mounting Bolt
With Trio
For use on: Nissan with 70
Ampere
Alternators, Isuzu NPR

HI L16043202, L16043202,
L16023202
MB RH15
UP REC657
CG 135037
TR IHR721




Chevrolet (1986-1998), GMC (1986-1998),
Isuzu (1986-1997), Nissan (1987-1987),
Nissan - Europe (1986-1992), Nissan
LCV - Europe (1986-1996)

EH0723B

Diodes: 6-35Ampere
Diameter OD: 111mm
With M5x39mm Mounting Bolt
With Trio

CG 131603
TR IHR723, HR723HD
MM 940038250
MB RH04, RH04C
UP REC663, REC663L
HI L14013202, L14053202,
L15043203



LTi (Carbodies) - Europe (1987-1997),
Nissan (1983-1987), Nissan - Europe
(1985-1996), Nissan LCV - Europe (1985-
1999), Opel LCV - Europe (1988-1994)

EH0733A

Diodes: 6-35 Ampere
Diameter OD: 100mm
With M5x31mm Mounting Bolt
With Trio

HI L1356320
WAI 318147
CG 135466
MB RH19
UP REC675
TR IHR733



NISSAN : 2310001B00, 2310001B05,
310003B05

EH0734A

Diodes: 6-35 Ampere Dish
Diameter OD: 100mm
With M5x43mm Battery Post
With M5x31mm Mounting Bolt
With Trio

HI L1353320, L135332000
WAI 318135
CG 132406
MB RH20
TR IHR734



SUBARU : 429905600
ISUZU : 5812003300, 5812003350,
5812003380, 5812003381

EH0738A

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt

CG 235660
TR IHR738
MB RH70



Nissan (1998-2001)

EH0739A

Diodes: 8-35A Avalanche
Diameter OD: 114mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt

TR IHR739
MB RH69



Nissan (1998-2001)

EH0744B

Diodes: 8-35Ampere
Diameter OD: 114mm
With M8x45.6mm Battery Post

HI L190G33204, L160G53201,
L160G9320
CG 231442
MB RH65
TR IHR744



Subaru (1995-1995), Subaru - Europe
(1996-1998)

EH0746B

Diodes: 8-35A Avalanche
Diameter OD: 114mm
With M8x45.6mm Battery Post
With M5x31.6mm Mounting Bolt

HI L170G13201
TR IHR746
MB RH31
CG 138732



Nissan (1995-1999)

EH0756A

Diodes: 6-35 Ampere
Diameter OD: 103 mm
With M5x16.6mm Battery Post
With M5x31.6mm Mounting Bolt
With Trio

HI L18013202, L18013202
CG 135040
TR IHR752
UP REC683, REC682
RH23



Infiniti (1991-1993), Nissan (1990-1993)

EH0764A

Diodes: 8-35A Ampere
Diameter OD: 114mm
With M6x48mm Battery Post

TR IHR764
UP REC6952
CG 234829
MB RH82



Honda (1998-2002), Isuzu (1998-2004),
Opel - Europe (2000-2004)

EH0769A

Diodes: 8-35 A Avalanche
Diameter OD: 127mm
With M8x45.6mm Battery Post
With M5x31.6mm Mounting Bolt

UP REC656A
CG 233620
TR IHR769
MB RVH030



Honda - Europe (2002-2005), Opel -
Europe (2000-2015), Opel LCV - Europe
(2000-2010), Vauxhall - Europe (2000-
2015)

EH0769B

Diodes: 8-35 Ampere
Diameter OD: 127mm
With M8x45.6mm Battery Post
With M5x31.6mm Mounting Bolt

HI 09010021
CG 235729
MB RH73
TR IHR769



For use on: 1999-up Opel Astra, Vectra
1.7L, 1999-up Opel Corsa, W/AC1.7L

EH0770A

Diodes: 8-35 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt

HI LR1110709B, LR1110707G,
LR1110710F
MB RH77
CG 234027
TR IHR770



For use on: 95-97 Nissan Maxima 3.0L
DOHC, 98-99 Nissan Maxima SE3.0L, 98-
99 Infiniti 3.0L

EH0771A

Diodes: 6-35 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt
Mates to Regulators with
Integral Brush Holder

HI GD214970L, L1100G23201
TR IHR771
MB RH71
UP REC697A



NISSAN MAXIMA 3.0L 1997-1999

EH0773A

Diodes: 8-60 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt

HI L1125G2320, L1110G6320,
L1110G4320
CG 138718
TR IHR773
MB RH35



Infiniti (1996-1999), Nissan (1995-1997),
Nissan - Europe (1995-2010)

EH0778A

Diodes: 6-35 Ampere
Diameter OD: 114mm
With M6x20.3mm Battery Post

HI LR160727, LR180741H,
LR180744
CG 230662
TR IHR778
MB RH32



For use on: Nissan Altima

EH1603A

Diodes: 6-35Ampere
Diameter OD: 118mm
With M5x43mm Battery Post
With M5x31mm Mounting Bolt
With Trio

HI L15013230, L1603320,
L15013203
TR IHR603
MB RH01, RH01C
CG 131598
UP REC667




Nissan (1979-1988), Nissan - Europe
(1979-1990), Nissan LCV - Europe (1980-
1991), Subaru (1982-1987), UD (1989-
1991)

Hitachi Rectifiers

EH1713A

Diodes: 6-35 Ampere
Diameter OD: 111mm
With M5x31mm Mounting Bolt
With Trio



HI L15093201
TR IHR713
MB RH08C
UP REC678

Gehl (1985-1997), Isuzu (1986-2007),
Mustang (1988-1996), Nissan (1985-1989),
Yanmar (1982-2003)

EH1720A

Diodes: 8-50 Ampere
Diameter OD: 100mm
With M6x44.4mm Battery Post
With (M5+M4)x39.8mm
Mounting Bolt
With Trio



HI L1656320, L1657320,
L1707302
CG 133377
MB RH40C
TR IHR720

For use on: Subaru XT Coupe, Nissan
Axxess

EH1737A

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



HI L190G43205,
MB RH76
CG 234315
TR IHR737

For use on: 1977-2000 Nisan puthfinder
3.3L

EH2001A

Diodes:12-35A Avalanche
With M8x37mm Battery Post
Without Trio



For used on: NISSAN TIIDA

EH3160A

Diodes: 6-35 Ampere dish
Diameter OD: 111mm
With M5x39mm Mounting Bolt
With M5x31mm Mounting Bolt




HI L150M13201, L150M13202,
L155M13202
WAI 318111
CG 131601
TR IHR712, IHR712HD
UP REC664
MB RH07

For use on: IHC, Nissan Diesel, Isuzu
Diesel

EH3190A

Diodes: 8-35A Avalanche
With M6x51mm Battery Post
For 24V Alternator



MB RH116, RH117

EH3190B

Diodes: 8-35A Avalanche
With M6x51mm Battery Post
For 24V Alternator



MB RH116, RH117

EH3705A

Diodes: 8-60 A Avalanche
Diameter OD: 119mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Bolt



HI L1125G2320, L1110G4320
WAI 318142
CG 138718
MB RH35
TR IHR773

For use on: Nissan Maxima 3.0L DOHC,
Infiniti 130

EH5226A

Diodes: 8-35 Ampere
Diameter OD: 114mm
With M6x48mm Battery Post
With M5x31.6mm Mounting Bolt



HI L190G13205
CG 2352261

EH5315A

Diodes: 6-35 Ampere
Diameter OD: 119mm
With M8x50.5mm Battery Post
With M5x36.5mm Mounting Bolt



HI L160G33202
CG 235315

EH5886B

Diodes: 8-35A Avalanche
Diameter OD :127mm
With M6x20.3mm Battery Post
With M5x31.6mm Mounting Post




CG 235729

Iskra Rectifiers

EI0104A


Diodes : 6-60Avalanche
With M8x40mm Battery Post
With M6x32.5mm Ground Post
With M5 W-Post
With Trio
With Capacitor



EI1050A

Diodes: 8-35A Avalanche
With M8x39.5mm Battery Post
With M5x28.5mm Trio Post
With Trio
With Capacitor


CG 231050
MB RK02
IS 16903314



EI1472A


Diodes: 8-35 A Avalanche
With M8x54mm Battery Post
With M5x32mm Trio Post
With M5x32mm W Post
With Trio
With Capacitor

MB RK01
CG 231472



EI2008A

Diodes :6-35A Avalanche
With M6x54mm Battery Post
With M5x32mm Trio Post
With Trio
With Capacitor



EI4950A


Diodes:8-35A Avalanche
With M8x39.5mm Battery Post
With M5x28.5mm Trio Post
With Trio
With Capacitor

CG 234950
IS 16902040




EI8003A

Diodes: 8-35A Avalanche
With M6x54mm Battery Post
With M5x32mm Trio Post
With M5x32mm W Post
With Trio
With Capacitor



EI8005A

Diodes:6-35A Avalanche
With M8x54mm Battery Post
With M5x32mm Trio Post
With Trio
With Capacitor



EI9243A

Diodes: 8-50 A Avalanche
With M8x24mm Battery Post
With M5 W-Post
With Trio
With Capacitor



Lada Rectifiers

ER1133A

Diodes : 8-50A Avalanche
With M6x51mm battery Post
With Trio/Capacitor
With "W" Terminal



ER1136A

Diodes: 6-50 A Avalanche
With M6x51.5mm Battery Post
Without trio
With capacitor
With "W" terminal




ER5128A

Diodes : 8-50A Avalanche
With trio
With capacitor
With "W" terminal



ER5171A

Diodes : 8-50A Avalanche
Without Capacitor
Without "W" Terminal



ER5171B

Diodes: 6-50 A Avalanche
With Trio
Without Capacitor
Without "W" Terminal



CG 235171

ER5171C

Diode Amp. 35, O.D. 111.00,
I.D. 27.82



CG 235171

ER5171D

Diode Amp. 35, O.D. 111.00,
I.D. 27.82



CG 235171

ER5171E

Diodes : 6-50A Avalanche
With M6x51mm Battery Post
With trio
Without capacitor
With "W" terminal



CG 235171

ER5171F


Diodes : 6-50AAvalanche
With M6x51mm Battery Post
With Trio/Capacitor
Without "W" Terminal



CG 235171

ER5322A

Diodes : 6-50A Avalanche
With trio
Without capacitor
With "W" terminal



ER6502A


Diodes: 6-35 Ampere
With Trio
Without Capacitor
Without "W" Terminal



Lucas Rectifiers

EL0566A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x41.7mm Battery Post
With M5x53.7mm W-Post
With Lead Wire 110mm
With Trio




Ford (1984-1999), Land Rover - Europe (1976-1998), Leyland DAF Vans - Europe (1984-1997), Rover Group (Triumph) - Europe (1975-1982)

LU 84499, UBB133, 84454, 84422, 84455, 84201, UBB135, UBB141
MM 940038273
TR ILR566HD
CG 131304Z
UP REC831
MB RL01H

EL0567A


Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x46.5mm Battery Post
With M5x47.5mm W-Post
With Lead Wire 110mm
With Trio



LU 84468, UBB136
TR ILR567
CG 132720
MB RL11H
UP REC832

EL0569A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x32.5 mm Battery Post
With M5x53.7mm W-Post
With Lead Wire 110mm
With Trio




LU 84574, UBB138
TR ILR569
MB RL22H
CG 138808

Nissan - Europe (1986-1990)

EL0570A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x46.5mm Battery Post
With M5x47.5mm W-Post
With Lead Wire 110mm
With Trio




Ford - Europe (1983-2000), Ford LCV - Europe (1986-2000)

LU 84456, UBB140
TR ILR570HD
MB RL06H
CG 132718Z
UP REC834

EL0571A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x32.5mm Battery Post
With M5x53.7mm W-Post
With Lead Wire 110mm
With Trio



For use on: Industrial

WAI 319208
CG 131304
MB RL01H
UP REC838, REC831
TR ILR571HD

EL1166A

Diodes: 9-35Ampere Button
With M5x50mm Mounting Post




LU UBB109, 83520, 83334, 83166, 84443, 83842, 83844, UBB110
TR ILR166
CG 130643
MB RL08HV
UP REC822

Jaguar - Europe (1972-1981), Jensen (1972-1974), Jensen - Europe (1975-1976), Land Rover (1972-1974), Land Rover - Europe (1972-1986)

EL6324A

Diodes: 6-35 Ampere
Diameter OD: 115mm
With M6x52mm Battery Post
With M5x53.7mm W-Post
With M5x31.5mm Trio Post
With Lead Wire 110mm
With Trio



Nissan - Europe (1990-1996)

LU 84976
MM 63328506
MB RL10H
TR ILR576HD
CG 136324
UP REC837

Magneti Marelli Rectifiers

EE0013A

Diodes: 8-50A Avalanche
Diameter OD: 111mm
With M6x39.5mm Battery Post



MM 63321239
CG 234958
MB RI26H

EE0631B

Diodes: 6-35A Avalanche
Diameter OD: 111mm
With M6x39.5mm Battery Post




TR IXR631
CG 139092, 233792
MM 63626002
MB RI32H

Citroen - Europe (1999-2010), Citroen LCV - Europe (2001-2007), Fiat LCV - Europe (2003-2007), Ford - Europe (1998-2015), Peugeot - Europe (1998-2010), Peugeot LCV - Europe (2000-2010)

EE0692A

Diodes: 6-25Ampere Button
With M6x45mm Battery Post
With Trio
Thick: 17.5mm



MM 64826011, 63321503,
63621501, 74877471, 74878691
MB RI02HA
TR IXR692

Citroen LCV - Europe (1987-1994), Fiat - Europe (1971-2004), Fiat LCV - Europe (1979-2000), Fiat-Allis (1970-1995), Ford (1995-1998), Iveco Fiat LCV / Heavy Duty - Europe

EE0704A

Diodes: 6-25Ampere Button
With (M8+M5)x50.5mm Battery Post
With Trio
Thick: 17.5 mm
For use on: Fiat



MM 063622901010, 63622901
CG 139218
TR IXR704

EE1025B

Diodes: 6-35A Avalanche
Diameter OD: 111mm
With M8x50mm Battery Post



MM 63625002
CG 231025
MB RI35, MFRX05622

Alfa Romeo - Europe (2011-2013), Fiat - Europe (1995-2002), Lancia - Europe (1996-2003), Mini - Europe (2007-2012), Opel - Europe (2005-2010), Vauxhall - Europe (2005-2010)

EE3458A

Diodes: 8-35A Avalanche
Diameter OD: 111mm
With M6x18.5mm Battery Post




CG 233534
MB RI31H
WAI 233458W

Mando Rectifiers

EA3437A

6-50A
B+:M6x43.7mm



CG 333437

HYUNDAI ACCENT 00->, COUPE 01->, ELANTRA 00->, GETZ 02->, MATRIX 06->, TRAJET 00->, TUSCON 04-> // KIA CARENS (02-06), CERATO (04-06), RIO 06->, SPORTAGE 04->

EA5599A

Voltage 14 ,
B+ type bolt,
No. of diodes 8,
Mount. dist. 75.00,
B+/threaded M8/41.90,
OD 127.00,
ID 48.00




CG 235599
MB RK05, RK04

HD : 3730027011

EA9003A

Diodes: 8-30A Avalanche
Mounting Length: 90mm
With M8x45.6mm Battery Post
With Trio




MB RM151
TR IYR9003
MD TA000A48402,
TA000A48401

Bobcat (1999-2003)

EA9016A


Diodes:8-30A Ampere
Mounting Length: 90mm
With M8x45.6mm Battery Post
With Trio



TR IYR9016
MB RM141
WAI 233499W

EA9028A

Diodes: 6-30 A Avalanche
Mounting Length: 90mm
With M8x45.6mm Battery Post
With Trio




MOBILETRON RM132
TRANSPO IYR9028

HYUNDAI ACCENT 00->, COUPE 96->, ELANTRA 00->, MATRIX 01->, TIBURON 01->

Mitsubishi Rectifiers

EM0040A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M6x49.5mm Battery Post
With Trio




MB RM41
WAI 318329
CG 135252
TR IMR10044

For use on: Ford Thunderbird, Mercury Cougar, Hyundai Alliance

EM0044A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M5x44mm Battery Post
With Trio




TR IMR10044
MB RM42
CG 135229

Subaru (1991-1991)

EM0050A

Diodes: 8-30Ampere
Mounting Length: 100mm
With M6x49.5mm Battery Post
With Trio/Capacitor




CG 137486
TR IMR10050
MB RM43

Dodge (1991-1995), Hyundai (1995-1998), Hyundai - Europe (1994-1998), Mitsubishi (1991-1995), Mitsubishi - Europe (1991-1999), Mitsubishi Fuso (1989-1991)

EM0050B

Diodes : 8-30A Ampere
Mounting Length : 100mm
With M6x49.5mm Battery Post
With Trio
With Capacitor




CG 137486
TR IMR10050
MB RM43

Dodge (1991-1995), Hyundai (1995-1998), Hyundai - Europe (1994-1998), Mitsubishi (1991-1995), Mitsubishi - Europe (1991-1999), Mitsubishi Fuso (1989-1991)

EM0050C

Diodes : 8-30A Ampere
Mounting Length : 100mm
With M6x60mm Battery Post
With Trio
With Capacitor




CG 137486
TR IMR10050
MB RM43

Dodge (1991-1995), Hyundai (1995-1998), Hyundai - Europe (1994-1998), Mitsubishi (1991-1995), Mitsubishi - Europe (1991-1999), Mitsubishi Fuso (1989-1991)

EM0057A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x59.5mm Battery Post
With Trio
Without Capacitor



TR IMR10057
CG 231079
UP REC597
MB RM99HV

FORD TOURNEO 2.5 D TURBO 1998-2000; FORD TRANSIT 2.5 D 1998-2000; LDV VH431 2.5 D TURBO 1998

EM0057B

Diodes: 8-35Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With Trio
Without Capacitor



TR IMR10057
UP REC597
CG 231079
MB RM99

FORD TOURNEO 2.5 D TURBO 1998-2000; FORD TRANSIT 2.5 D 1998-2000; LDV VH431 2.5 D TURBO 1998

EM0058B

Diodes :8-35A Avalanche
Mounting Length : 100mm
With M8x54mm Battery Post
Without Trio
Without Capacitor



TR IMR10058
CG 230884
MB RM134

Chrysler (2001-2005), Dodge (2001-2005), Mercury (1999-2002), Mitsubishi (1998-2005), Nissan (1999-2002)

EM0060A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With Trio/Capacitor



MB RM48
WAI 318358
CG 135900
TR IMR10060

For use on: Ford Taurus SHO

EM0060B

Diodes: 8-35 A Avalanche
Mounting Length: 100mm
With M8x54mm Battery Post
Without Trio
With Capacitor



CG 139949, 135900
TR IMR10060
MB RM48

Mercury (1993-1995), Nissan (1993-1995)

EM0064A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M5x44mm Battery Post
With Trio



WAI 318356
CG 135882
TR IMR10064

For use on: Ford Probe, Mazda626, Mazda MX6

EM0066A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With Trio/Capacitor



MB RM45
WAI 318355
CG 135901
TR IMR10066

For use on: Mazda 929

EM0067A

Diodes:6-30A Ampere
Mounting Length : 100mm
With M8x54mm Battery Post
Without Trio
Without Capacitor



TR IMR10067
MB RM139
CG 234305

Chrysler (2001-2005), Dodge (2001-2005), Mitsubishi (2000-2005)

EM0072A

Diodes : 8-35 A Avalanche
Mounting Length : 100mm
With M5x44mm Battery Post
With Trio/Capacitor



TR IMR10072
CG 233515
MB RM44

Nissan (1990-1993)

EM0081B

Diodes : 8-30A Ampere
Mounting Length : 100mm
With M6x44.5mm Battery Post
Without Trio
Without Capacitor




CG 235888
TR IMR10081
UP REC5481
MB RM127

Mazda (2000-2001)

EM0088A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M6x49.5mm Battery Post
With Trio/Capacitor



MB RM125HV
WAI 318373
TR IMR10088

Chrysler (1995-2000), Dodge (1995-2000)

EM0088B

Diodes:8-30Ampere
With Capacitor
Mounting Length: 100mm
With M6x60mm Battery Post



MB RM125HV
TR IMR10088

Chrysler (1995-2000), Dodge (1995-2000)

EM1051A

Diodes: 8-30Ampere
Mounting Length: 100mm
With M5x44mm Battery Post
Without Trio/Capacitor



TR IMR10051

Mazda (2004-2009), Mazda - Europe (2003-2007), Subaru (2001-2005), Subaru - Europe (1998-2003)

Mitsubishi Rectifiers

EM2794B

Diodes: 8-30 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
With Trio



CG 132794
MB RM95HV, RM95

75mm

EM2802A

Diodes: 12-35A Avalanche
Diameter : 128mm
With M8x59.5mm Battery Post



TR IMR12802

Chrysler (2005-2006)

EM2807A


Diodes: 12-60 A Avalanche
Diameter OD : 128mm
With M6x28.5mm Battery Post



MB RM178HD

EM3497B

Diodes:8-30 Ampere
Mounting Length : 100mm
With M5x44mm Battery Post
With Trio
With Capacitor




CG 233518
MB RM54HV
TR IMR10070
WAI 233497W

Lincoln (1993-1995)

100mm

EM5100A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M5x44mm Battery Post
With Trio




WAI 318381
CG 135948
MB RM58
TR IMR85100

For use on: Mazda 626

85mm

EM5106A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio



CG 137860
TR IMR85106

Ford - Europe (1992-2000), Subaru XT

85mm

EM5372A

Diodes: 8-30 A Avalanche
Mounting Length: 65mm
With M8x54mm Battery Post
Without Trio
Without Capacitor



65mm

EM5668A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
Without Capacitor
Without Trio



TR IMR85668
CG 230643

Mitsubishi (1998-2005), Mitsubishi - Europe (1995-2006)

85mm

EM5668B

Diodes:8-30A Avalanche
Mounting Length : 85mm
With M8x54mm Battery Post
Without Capacitor
Without Trio



TR IMR85668
MB RM128
CG 230643

Mitsubishi (1998-2005), Mitsubishi - Europe (1995-2006)

85mm

EM5816A

Diodes: 6-30A Ampere
Mounting Length: 75mm
With M5x44mm Battery Post
Without Trio
Without Capacitor



TR IMR75816
MB RM129A
CG 235892

Chevrolet (2000-2001), Honda (1999-2000), Suzuki (1999-2001), Suzuki - Europe (1998-2010)

75mm

EM6540A

Diodes: 6-30 Ampere
Mounting Length: 65mm
With M6x49.5mm Battery Post
With Trio




TR IMR6540
CG 132789
MB RM03HV

Subaru (1988)

65mm

EM6540B

Diodes: 6-30 Ampere
Mounting Length: 65mm
With M5x49mm Battery Post
With Trio



TR IMR6540
MB RM03HV
CG 132789

Subaru (1988)

65mm

EM6552A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M5x49mm Battery Post
With "W" Terminal
With Trio
With Capacitor




MB RM97HV
CG 136552

85mm

EM7501A

Diodes: 8-30A Avalanche
Mounting Length: 75mm
With M5x44mm Battery Post
Without Trio
Without Capacitor



TR IMR7548
UP REC574
MB RM09HV
CG 132467

Nissan (1986-1989), Nissan - Europe (1986-1991)

75mm

EM7542A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With Trio




MB RM07
WAI 318301
CG 132466
TR IMR7542

For use on: Mitsubishi, Dodge Truck, Plymouth

75mm

EM7544A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With M5x49mm Battery Post
With Trio



MB RM08
WAI 318303
CG 132040
TR IMR7544

For use on: Mazda 626, B1800, B2000, Pickup, RX7

75mm

EM7548A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With Trio



75mm

EM7556A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
With Trio



MM 940038260
MD A600C003F
TR IMR7556
CG 135247, 132469
UP REC572, REC567
MB RM10HV

Ford (1989-1997), Hyundai (1990-1994), Hyundai - Europe (1990-2010), Mazda (1988-1989), Mazda - Europe (1987-1994), Mitsubishi (1988-1994), Mitsubishi - Europe (1988-2001)

75mm

Mitsubishi Rectifiers

EM7564A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
With Trio




75mm

MB RM20HV
WAI 318375
CG 132468
TR IMR7564

For use on: Mitsubishi Galant, Mirage, Pajero

EM7576A

Diodes: 8-30 Ampere
Mounting Length: 75mm
With M5x44mm Battery Post
With Trio



75mm

TR IMR7576
UP REC5781
CG 234629
MB RM28

Honda (1994-1995)

EM7579A

Diodes: 8-30 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Trio/Capacitor



75mm

TR IMR7579
UP REC5784
CG 235297
MB RM136

Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)

EM7579B

Diodes: 8-30 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Trio/Capacitor



75mm

CG 235297
TR IMR7579
UP REC5784
MB RM136

Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)

EM7579C

Diodes: 8-30 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Trio



75mm

TR IMR7579
CG 235297
UP REC5784
MB RM136

Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)

EM7579D

Diodes: 8-30A Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Trio



75mm

TR IMR7579
CG 235297
UP REC5784
MB RM136

Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)

EM7579E

Diodes: 8-30A Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Capacitor



75mm

TR IMR7579
CG 235297
UP REC5784
MB RM136

Acura (2001-2005), Honda (2001-2005), Honda - Europe (2001-2005), Kubota (1999-2009)

EM7580A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With M5x44mm Battery Post
With Trio



75mm

TR IMR7580

Honda - Europe (1991-1998), Mazda (1990-1993), Mazda - Europe (1990-1998)

EM7580B

Diodes: 6-30 Ampere
Diameter OD : 75mm
With M5x44mm Battery Post
With Trio/Capacitor



75mm

TR IMR7580

Honda - Europe (1991-1998), Mazda (1990-1993), Mazda - Europe (1990-1998)

EM7581A

Diodes: 8-35 Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Trio



75mm

MB RM145
TR IMR7581

Chevrolet (1999-2003), Suzuki (1999-2003)

EM7587A

Diodes: 6-30A Avalanche
Mounting Length: 75mm
With M5x44mm Battery Post
Without Trio



75mm

CG 236741

Mitsubishi : A1TA3391, A1TA3391A, A1TA3391B,

EM7589A

Diodes: 6-30A Ampere
Mounting Length: 75mm
With M6x49.5mm Battery Post
Without Capacitor




75mm

TR IMR7589
CG 238492
MB RM158

Honda (2007-2008)

EM7718A

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With Trio



100mm

MB RM89
CG 233651

EM7718B

Diodes: 8-30 Ampere
Mounting Length: 100mm
With M8x59.5mm Battery Post
With Trio/Capacitor




100mm

MB RM89
CG 233651

EM8540A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With Trio



85mm

WAI 318318
CG 134297
MB RM29
TR IMR8540
UP REC568

Ford (1988-1990), Mercury (1988-1990)

EM8544A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio



85mm

TR IMR8544
UP REC587
MB RM31
MD A600C3201

Mitsubishi (1988-1990)

EM8548A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M5x44mm Battery Post
With Trio



85mm

MD TA600C03702
CG 135249
UP REC589
MB RM38
TR IMR8548

Kia (1995-2002), Kia - Europe (1994-2003), Mazda (1989-1991), Subaru (1990-1994), Subaru - Europe (1989-1994)

EM8549A

Diodes: 8-30A Ampere
Diameter : 85mm
With M5x44mm Battery Post
With "W" Terminal
With Trio/Capacitor




85mm

MB RM98
CG 136977

Mitsubishi Rectifiers

EM8555A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio



CG 234827

85mm

EM8566A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
Without Capacitor




MB RM110HV
WAI 318382
CG 138873
TR IMR8566
UP REC562

Kia (1997-1997), Mazda (1997-2001),
Mazda - Europe (1998-2003), Mitsubishi
(1997-1997), Mitsubishi - Europe (1995-
2005), Volvo - Europe (1998-2000)

85mm

EM8574A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M6x49.5mm Battery Post
With Trio



TR IMR8574
UP REC592
CG 135042
MB RM34HV

DODGE STEALTH; HYUNDAI SONATA;
MITSUBISHI 3000GT

85mm

EM8578A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M5x49mm Battery Post
With Trio



TR IMR8578

Mitsubishi Fuso (1988-1988)

85mm

EM8579A

Diodes: 8-30A Avalanche
Mounting Length: 85mm
With M5x44mm Battery Post
Without Trio
Without Capacitor



TR IMR8579
CG 330593
MB RM181

Honda (2006-2011), Honda - China (2006-
2008), Honda - Europe (2005-2010)

85mm

EM8580A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio




UP REC594
MB RM37, RM100
TR IMR8580
CG 137861

SUBARU IMPREZA 1.8L 1993-1997;
SUBARU IMPREZA 2.2L 1995-1997;
SUBARU IMPREZA /OUTBACK 1.8L 1993-
1996

85mm

EM8581A

12, 24 Volt
Mitsubishi 40A/24V IR/EF
Alternators



TR IMR8581
MB RM120
UP REC5661, REC5782

Case (1992-1994), Mitsubishi Fuso (1995-
2002), Tadano (1994-2000)

85 mm

EM8585A

Diodes : 8-30A Ampere
Mounting Length :85mm
With M6x49.5mm Battery Post
Without Trio
Without Capacitor



TR IMR8585
MB RM154HV
CG 236559

Acura (2002-2004), Honda (2002-2004),
Honda - China (2004-2004), Honda -
Europe (2001-2010)

85mm

EM8588A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio



CG 230643
TR IMR8588
MB RM59
UP REC598

For use on: Mitsubishi Eclipse, Eagle Talon

85mm

EM8594A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio



UP REC560
TR IMR8594
MB RM59HV, RM152
CG 137076

HYUNDAI ACCENT 1.6L 2001-; HYUNDAI
COUPE 1.6, 2.0 2000-; HYUNDAI
ELANTRA 1.6, 2.0 2000; HYUNDAI
MATRIX 1.6 2001-; HYUNDAI TIBURON
2.0L 2003-2008

85mm

EM8594B

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M8x54mm Battery Post
With Trio



CG 137849
TR IMR8594
MB RM50
UP REC564

agle (1995-1998), Ford (1993-1997),
Mazda (1993-2002), Mitsubishi (1994-
1998), Mitsubishi - Europe (1992-2001)

85mm

EM8595A

Diodes: 6-30 Ampere
Mounting Length: 85mm
With M6x43.5mm Battery Post
Without Trio/Capacitor



MB RM135
CG 235894
UP REC5601
TR IMR8595

Subaru (1999-2002)

85mm

EM8599A

Diodes: 8-30 Ampere
Mounting Length: 85mm
With M5x44mm Battery Post
Without Capacitor
Without Trio



TR IMR8599
MB RM185

Saab (2005-2005), Subaru (2000-2006),
Subaru - Europe (1998-2003)

85mm

EM8948A

Diodes : 8-30 A Ampere
Mounting Length : 100mm
With M8x59.5mm Battery Post



CG 238948
UP REC5977
MB RM205

100 mm

EM9111A

Diodes: 6-30Ampere
Mounting Length: 100mm
With M8x59.5mm Battery Post
With Trio
With Capacitor



MB RM116
CG 139111

100mm

EM9146A

Diodes: 8-30Ampere
Mounting Length: 100mm
With M8x59.5mm Battery Post
With Trio
With Capacitor



MB RM146

100mm

EM9146B

Diodes: 8-30Ampere
Mounting Length: 100mm
With M8x59.5mm Battery Post
With Trio
With Capacitor



MB RM146

100mm

EM9197A

Diodes: 8-30A Ampere
Mounting Length: 85mm
With M6x43.5mm Battery Post
Without Trio
Without Capacitor



CG 139197
TR IMR8575
MB RM174


Infiniti (1994-1997), Nissan - Europe (1996-
2000)

85mm

Mitsubishi Rectifiers

EM9423A


Diodes: 6-30Ampere
Mounting Length: 100mm
With M8x54mm Battery Post
With "W" Terminal
With Trio



CG 231423

EM9596A

Diodes: 6-30 Ampere
With M6x60mm Battery Post
Mounting Length: 85mm
Without Trio



TR IMR8596
CG 138893

Chrysler (1995-1999), Chrysler - Europe (1995-1998), Dodge (1995-1999), Eagle (1995-1998), Mitsubishi (1995-1999), Plymouth (1995-1995)

EM9763A

Diodes: 6-30 Ampere
Mounting Length: 75mm
With M6x47.5mm Battery Post
With Trio




UP REC5701
CG 139763

Motorola Rectifiers

ET0102A

Diodes: 6-25 Ampere Button
With M6x50mm Battery Post
With Trio



TR MER102
MB RT06H
CG 131135

Fiat - Europe (1978-1985), Iveco Fiat LCV
/ Heavy Duty - Europe (1983-1991)
,Mercedes-Benz (1982-1990), Volkswagen
(1982-1984), Volkswagen - Europe (1972-
2000)

Nikko Rectifiers

EK5684A

Diodes : 6-25A Ampere
Diameter OD : 126mm
With M5x30mm Battery Post
With Trio
With Capacitor
With 150 Ohm Resistor

CG 135684



EK5684B

Diodes : 6-25A Ampere
Diameter OD : 126mm
With M5x30mm Battery Post
With Trio
With Capacitor
With 150 Ohm Resistor


CG 135684



Poong Sung Rectifiers

EY0092A

Diodes OD : 8-35A Ampere
Diameter : 100mm
With Trio/Capacitor



MB RM191H
TR IMR10092
CG 235565

Hyundai LCV - Europe (2002-2007), Kia -
Europe (2002-2009)

Valeo Rectifiers

<p>EV0203A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor With Trio</p>  <p>Φ115mm</p> <p>Citroen - Europe (1980-1989), Volvo - Europe (1981-1997)</p> <p>VA 592596, 592877, 593180 CG 131164 MB RP04 UP REC904 TR IPR203</p>	<p>EV0206A</p> <p>Diodes: 3-50 A Avalanche Without Trio With M8x30mm Battery Post</p>  <p>W1 W2 B+</p> <p>CITROEN Jumper 2.0 HDI, 2.2 HDI 2002-; FIAT Ducato 2.0 JTD; PEUGEOT Boxer 2.0 HDI, 2.2 HDI 2002</p> <p>VA 593980 CG 332114 TR MER525</p>	<p>EV0227A</p> <p>50 Amp/ diode, ID 46.00, OD 116.00, Mount. dist. 85.00, No./ diodes 6, Capacitor w/o w/ terminal W.</p>  <p>D+ W/R B+ D+</p> <p>Carrier Transcold (1994-2007), Dodge - Europe (1982-1983), Renault Heavy Duty - Europe (1979-1988), Scania Heavy Duty - Europe (1975-2006)</p> <p>VA 104269 CG 131568 MB RP06H TR IPR227</p>
<p>EV0396A</p> <p>Diodes:8-50A Avalanche Diameter OD: 107mm With(M8+M6) x50mm Battery Post Without Trio With "W" Terminal</p>  <p>Φ107mm</p> <p>VA 593172 CG 231396 MB RP35 WAI 233463H</p>	<p>EV0523A</p> <p>Diodes:3-50A Avalanche With M8x40mm Battery Post Without Trio</p>  <p>W1 W2 B+</p> <p>Hyundai (2003-2006), Hyundai - Europe (2000-2010), Kia (2003-2005), Kia - Europe (2003-2010)</p> <p>VA 20030412, 20030919, 20050726, 593824 TR MER523 CG 330499 MB RP43</p>	<p>EV0528A</p> <p>Diodes : 3-50A Avalanche With (M8+M6) x44.5mm Battery Post With Trio</p>  <p>W D+ B+</p> <p>VA 2547906, 593463 TR MER528 CG 235521 MB RP62</p>
<p>EV0531A</p> <p>Diodes: 3-60 A Avalanche With M8x30mm Battery Post Without Trio</p>  <p>W1 W2 B+</p> <p>BMW (2006-2010)</p> <p>VA 2650430, 593797 TR MER531</p>	<p>EV0539B</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm Without Capacitor Without Trio</p>  <p>Φ115mm</p> <p>Citroen - Europe (1974-1990), Citroen LCV - Europe (1987-1994), Eagle (1988-1989), Peugeot (1985-1991), Renault (1981-1987), Renault - Europe (1972-1997)</p> <p>VA 593194 TR IPR539 CG 133689 UP REC909, REC909H</p>	<p>EV0592B</p> <p>Diodes: 6-50 A Avalanche Diameter OD: 107mm With M8x43mm Battery Post With Trio With "W" Terminal</p>  <p>W D+ B+</p> <p>Audi - Europe (1996-1998), BMW (1992-2000), BMW - Europe (1990-1999), Citroen - Europe (1991-2004), Citroen LCV - Europe (1994-2002), Fiat - Europe (1995-2000), Fiat LCV - Europe (1996-</p> <p>VA 2523972, 592845, 592915, 2521487, 2545660 MB RP15 UP REC920 TR MER592 CG 135494</p>
<p>EV0840A</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x60.8mm Battery Post Without Trio With "W" Terminal</p>  <p>Φ107mm</p> <p>VW TRANSPORTER T4 2.0L/1.9D (90-03) 14V 90A</p> <p>VA 593204, 593204, 593348, 593351, 593364, 593366 TR IPR840 CG 230031 MB RP48</p>	<p>EV0847A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With M8x60.8mm Battery Post Without Trio With "W" Terminal</p>  <p>Φ107mm</p> <p>Mitsubishi - Europe (1997-2003), Renault - Europe (1991-2001), Volvo - Europe (1996-2003)</p> <p>VA 592937, 545937, 2545938 TR IPR847 MB RP18</p>	<p>EV0848A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post Without "W" Terminal With Trio</p>  <p>Φ107mm</p> <p>Audi (2001-2001), Citroen - Europe (1991-2010), Fiat - Europe (1995-2010), Fiat LCV - Europe (1994-2010), Lancia - Europe (1996-1999), Peugeot (2000-2008)</p> <p>VA 593328, 592848, 2546048, 546041 TR IPR848 UP REC919 MB RP13</p>
<p>EV1701A</p> <p>Diodes: 6-50 Ampere Diameter OD: 115mm With Capacitor With Trio Live "W" Circuit</p>  <p>Φ115mm</p> <p>For use on: Volvo Penta</p> <p>VA 592754, 593188, 593199, 593309 MB RP02 WAI 319403 CG 131701 TR IPR551</p>	<p>EV1773A</p> <p>Diodes:6-50 Ampere Diameter OD:115mm Without Capacitor With Trio With 82 Ohm Resistor</p>  <p>Φ115mm</p> <p>Citroen - Europe (1982-1991), Peugeot (1980-1988), Peugeot - Europe (1972-1990), Volvo (1978-1979), Volvo - Europe (1977-1983)</p> <p>TR IPR773 MB RP04R</p>	<p>EV1844A</p> <p>Diodes: 6-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post With Trio With "W" Terminal</p>  <p>W D+ B+</p> <p>For use on: Renault, Peugeot</p> <p>VA 2546062, 2546076, 592844, 592917 MB RP14 CG 135427 TR IPR844</p>
<p>EV1844B</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post With Trio With "W" Terminal</p>  <p>W D+ B+</p> <p>Audi (1992-1999), Audi - Europe (1991-2001), BMW (1994-2002), BMW - Europe (1990-1999), Citroen - Europe (1989-2004), Fiat LCV - Europe (1994-1994), Mercedes - Europe (1989-2003), Mercedes</p> <p>TR IPR844 MB RP14 CG 135427 UP REC916 VA 2546062, 2546076, 2590884, 2590900, 592844, 592915, 592917, 593186</p>	<p>EV1844C</p> <p>Diodes: 8-50A Avalanche Diameter OD: 107mm With M8x49mm Battery Post Without "W" Terminal With Trio</p>  <p>W1 W2 B+</p> <p>Audi (1992-1999), BMW (1994-2002), Mercedes-Benz (1992-1998), Peugeot - Europe (1992-2003), Volkswagen - Europe (1997-1998)</p> <p>VA 593186, 590933, 592844, 2546062, 592917 UP REC917, REC916 CG 135427 MB RP14 TR IPR844</p>	<p>EV1920A</p> <p>Diodes : 12-35A Avalanche With M8x37.5mm Battery Post With M4x14mm Mounting Bolt</p>  <p>W1 W2 B+</p> <p>Citroen - Europe (1994-2000), Peugeot - Europe (1995-2000)</p> <p>VA 593287, 593499, 2809019, 2809020 CG 232199 TR MER1920</p>

Valeo Rectifiers

EV3175A

Diodes: 6-50A Avalanche
Diameter OD: 107mm
With (M8+M6) x50mm Battery Post
Without Trio
With "W" Terminal

VA 593324, 593299, 593304
MB RP22
CG 137524



Φ107mm

RENAULT Clio, Espace, Laguna, Megane, Scenic 1.8L, 2.0L, 1.9D 1995

EV3202A

Diodes : 6-50 A Avalanche
With M8x32mm Battery Post
Without Trio

MB RP59
TR MER5209



BMW 1 (E81, E87, 130i, BMW 3 (E90, E91, E92, E93) 318d, 320d, 325i, 325xi, 330i, 330xi, BMW 5 (E60, E61) 523i, 525i, 525xi, 530i, 530xi, BMW 6 (E63, E64) 630i, BMW 7 (E65, E66) 730 i.Li

EV5230A

B+/ threaded M8/14.50, OD 109.00,
No./ diodes 3

VA 593464
CG 235555



AUDI A4,A6 1.6-2.0L (97-05) // VW PASSAT 1.6-2.0L 90A

EV5555A

B+/ threaded M8/14.50, OD 109.00,
No./ diodes 3

VA 593408, 593439, 593372
CG 235555



AUDI A4,A6 1.6-2.0L (97-05) // VW PASSAT 1.6-2.0L 90A

EV5555B

B+/ threaded M8/14.50, OD 109.00,
No./ diodes 3

VA 593408, 593439, 593372
CG 235555




AUDI A4,A6 1.6-2.0L (97-05) // VW PASSAT 1.6-2.0L 90A

EV5558A

Diodes: 8-50A Avalanche
Diameter OD: 107mm
With M8x40mm Battery Post
With Trio
With "W" Terminal

CG 235558
MB RP42
VA 593512



Φ107mm

EV5652A

Diodes: 3-60 A Avalanche
Without Trio
With (M8+M6)x44.5mm Battery Post

VA 593542, 593547
CG 235652
TR MER529



AUDI A4,A6,ALLROAD,A8 2.4/3.0/2.7T // SKODA SUPRERB 2.8L V6/2.5TDI // VW PASSAT 2.8L V6/2.5TDI 120A

EV8303A

Diodes: 8-50A Avalanche
Diameter OD: 107mm
With M8x49mm Battery Post
Without Trio
With "W" Terminal

VA 593306, 593174
CG 138303
MB RP23




Φ107mm

OPEL MOVANO 2.5D (98-00) // RENAULT MASTER II 2.5D/2.8D (98-01) 14V 110A; RENAULT Megane 1.9D

EV8303B

Diodes: 8-50A Avalanche
Diameter OD: 107mm
With M8x49mm Battery Post
Without Trio
Without "W" Terminal

VA 593174, 593306, 593329
CG 138303
TR IPR841



Φ107mm

Chevrolet (1997-2003), Fiat LCV - Europe (1999-2002)

EV8841A

Diodes: 6-50A Avalanche
Diameter OD: 107mm
With M8x49mm Battery Post
Without Trio
Without "W" Terminal

VA 593449, 546312, 591151,
2546312
TR IPR841



Φ107mm

Chevrolet (1997-2003), Fiat LCV - Europe (1999-2002)

Bosch Rectifiers with Bracket

EB4201A

Diodes: 6-60A Avalanche
With M8x30mm Battery Post



BO F00M256202
MB RB170HD
TR IBR2201
WAI 529866W

BMW (2000-2004), Land Rover (2003-2009), Mercedes - Europe (1989-2015), Mercedes-Benz (2001-2002)

Ford Rectifiers with Bracket

EF0035A

Diodes: 8-60 Ampere
Diameter OD: 133mm
OE-Style Leadframe
For 130A Applications




TR FR3001

Ford (1996-2007), Lincoln (1995-2005),
Mazda (2005-2006), Mercury (1996-2007)

EF0601A

Diodes: 8-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals



WAI 31216
CG 233208
MB RF113
TR FR6013

For use on: 1998-2003 Ford Contor,
Focus, Mercury, Cougar, Mystique 2.0L

EF6011A

Diodes: 6-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals For
Improved Stator-Wire
Attachment



TR FR6073
CG 233207
MB RF133

Ford (2000-2007), Ford - Europe (2001-
2003), Lincoln (2000-2002), LTI
(Carbodies) - Europe (2002-2006), Mazda
(2001-2004), Mazda - Europe (2001-2005),
Mercury (2000-2005)

EF6083A

Diodes: 6-35 Ampere
Diameter OD: 136mm
Drop-down Stator Terminals For
Improved Stator-Wire
Attachment



WAI 312191
CG 232210
MB RF153
TR FR6083

For use on:
2001-2003 Ford Escape 2.0L
2001-2003 Mazda Tribute 2.0L

Valeo Rectifiers with Bracket

EV5555C

Diodes: 6-50A Avalanche
With (M8+M6)x44.5mm Battery
Post
With M5x25mm Mounting Bolt



VA 593408, 593439, 593372
CG 235555

AUDI A4,A6 1.6-2.0L (97-05) // VW
PASSAT 1.6-2.0L 90A

China Rectifiers with Regulator

KQ9303A



Hitachi Rectifiers with Regulator

KH0508A

Diodes: 8-35A Avalanche
With M6x51mm Battery Post
REC EH0508A + REG RH5070A
24V



HI LR280508
MB RVH017B

KH0744A

HI L190G33204, L160G53201,
L160G9320
MB RH65
CG 231442
TR IHR744



Subaru (1995-1995), Subaru - Europe
(1996-1998)

KH0773A

HI L1110G4320, L1110G6320,
L1125G2320
CG 138718
TR IHR773
MB RH35



Infiniti (1996-1999), Nissan (1995-1997),
Nissan - Europe (1995-2010)

KH1315A

HI L170G1315
TR IH254V



KH3190A

MB RH117, RVH052B, RVH053B



KH3474A

Diodes: 8-35A Ampere
Complete set with
REC HI11402+REG (05-0031)
24V

HI LR235503C/503B
CG 333052
MB RH74A
UP REC698



ISUZU NKR 1996-1997; ISUZU NPR 4HF1
1996-1997; ISUZU NPR 4HF1 1998;
ISUZU NPR 4HG1 1996-1997; ISUZU
NPR 4HG1 1998-; ISUZU NPR 4HJ1 1998

KH3474B

B+/ threaded M6/37.30, OD
120.00,
B+ type Bolt, D+ type Screw,
No./ diodes 11

HI L250G1320
CG 333052
MB RH74
UP REC698



ISUZU NKR 1996-1997; ISUZU NPR 4HF1
1996-1997; ISUZU NPR 4HF1 1998;
ISUZU NPR 4HG1 1996-1997; ISUZU
NPR 4HG1 1998-; ISUZU NPR 4HJ1 1998

KH3476A

MB RH102
TR IHR765
WAI 233454W



Infiniti (2004-2006), Nissan (2004-2007)

KH5747A

Diodes: 12-35A Avalanche
Complete set with
REC HI11322A+REG(05-0961)
14V

WAI 48-8113
TR IH747+IHR786



Infiniti QX56 5.6L / Nissan Armada 5.6L;
Pathfinder 4.0L; Titan 5.6L

KH5766A

HI L1100G3340, L1100G9340
TR IH766
CG 138717
MB VRH200028
UP YR715



Infiniti (1996-1997), Nissan (1995-1997),
Nissan - Europe (1995-2010)

KH5767A

HI L170G6315, L180G23401
TR IH767
CG 138727
MB VRH200038, VRH200042



Nissan (1995-1999), Nissan - Europe
(1993-2000), Nissan LCV - Europe (1991-
1995)

KH5774A

Diodes: 6-35A Avalanche

TR IHR771+IH774



INFINITI I30 3.0L; INFINITI I35 3.5L 2002;
INFINITI Q45 4.1L 1997-1999; NISSAN
MAXIMA 3.0L 1995-; NISSAN MAXIMA
3.5L 2002-; NISSAN MURANO 3.5L 2003-;

KH5774B

HI L1100G8340, L1110G53402
TR IH774
MB VRH200046
UP YR7201



INFINITI I30 3.0L; INFINITI I35 3.5L 2002;
INFINITI Q45 4.1L 1997-1999; NISSAN
MAXIMA 3.0L 1995-; NISSAN MAXIMA
3.5L 2002-; NISSAN MURANO 3.5L 2003-;

Nikko Rectifiers with Regulator

KK9228A

Diodes: 8-25 Ampere
Diameter OD: 132mm



NK 0357190060
TR IZ228
UP YR120, YR120B
CG 133696, 139331, 135296

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

Poong Sung Rectifiers with Regulator

KY5711A



CG 235522
TR IH711
MB VRK05

(2001-ON) Hyundai Elantra 2.0L 16V /
Hyundai Santa FE 2.0L 16V / Hyundai
Trajet 2.0L 16V / (2004-ON) Hyundai
Tuscon 2.0L / Kia Carena 2.0L / (2005-ON)
Kia Sportage 2.0L

Denso Regulator Parts

RN6501A



ND 1262200150
MB TBND160
UP CON637
CG 234501
TR 4682202

Chrysler (1998-2004), Dodge (1998-2006),
Jeep (1999-2006), Mitsubishi (2006-2006)

ZN6893A



CG 234069
ND 1262200110

CHRYSLER CIRRUS 2.4L 1998-2000;
CHRYSLER CIRRUS 2.5L 1998-2000;
DODGE STRATUS 2.0L 1998-2000;
DODGE STRATUS 2.4L 1998-2000;
DODGE STRATUS 2.5L 1998-2000;

Bosch Regulators

RB0026A



A-Circuit
Voltage Set Point 14.50 V
Soft Start 19 %
LRC 9 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

BO F00M346087, F00M346026
TR IB6026
CG 330331
MB VRB026

CITROEN JUMPER 2.2HDI 06-> // FIAT DUCATO 2.2JTD 06-> // FORD TRANSIT 2.3L 16V/2.2TDI/2.4TDCI 06-> // LAND ROVER DEFENDER 110/130/90 2.2L TD4 07-> // PEUGEOT 2.2HDI 06->

RB0064A

Voltage Set Point 28.50V



Prestolite generator JFZ198

RB0074A




B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

BO F00M346074, F00M346165
CG 333357

FORD RANGER 2.2TDCI 11->, TRANSIT 2.2TDCI 11->

RB0099A


A-Circuit
Voltage Set Point 14.60 V



BO 9190547002, 9120450041

RB0104A

A-Circuit
Voltage Set Point 28.20V
Circuit Protection
Soft Start 30 % LRC 5 sec
Under/ Over Voltage Indication
DFM Function
Self Exciting Function



BO F00M144125, F00M145343

Ford Cargo

RB0160A



B-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function

BO F00M145342, F00M144160,
F00M145345, F00MA45304,
F00M144110
CG 331535, 330196
TR IB160
MB VRB160

OPEL ASTRA H, CORSA D, MERIVA, SIGNUM, VECTRA C, ZAFIRA 04->

RB0200A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication

BO F00M225200, F00M255201
MB VRB394
CG 235460
TR IB200

BMW (1999-2004), BMW - Europe (1998-2004), Land Rover (2003-2009), Land Rover - Europe (2002-2005)

RB0201A



A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function


BO F00M225401, F00M255201,
01229AA0X0
CG 235528
TR IB201
MB VRB257

Mercedes - Europe (1999-2015), Mercedes-Benz (2001-2002)

RB0220A


A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00MA45206, F00M145349,
F00M145220
CG 333261
MB VRB256
TR IB220



ALFA ROMEO 147, 156, 166, GTV, SPIDER // FIAT DOBLO, MAREA, MULTIPLA, STILO // LANCIA LYBRA

RB0225A




A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M144128, F00M144175,
F00M145200, F00M145353,
F00M145350, F00M145862,
F00M145195
MB VRB254
CG 139925
TR IB225

AUDI // SEAT // SKODA // VW 96-> // FORD GALAXY 1.9TDI 96-> // SEAT ALHAMRA, ALTEA, AROSA, CORDOBA

RB0225B



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %, LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
Self Exciting Function


BO F00M145354, F00M145355,
F00M145891, F00M144128,
F00M144153, F00MA45303,
F00MA45208
TR IB225
CG 333252, 333244, 139925
UP YRV38
MB VRB254

AUDI // SEAT // SKODA // VW 96-> // FORD GALAXY 1.9TDI 96-> // SEAT ALHAMRA, ALTEA, AROSA, CORDOBA

RB0229A


A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145229, F00M145208,
F00M145351
MB VRB238
CG 232927
TR IB229



VOLVO S40, S60, S80, V40, V70, XC90, XC70 1.6L-2.5T 97->

RB0231A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145201, F00M145231,
F00M145257, F00M145282,
F00M145362, F00M145370
MB VRB252
CG 139044
TR IB231

ALFA ROMEO 159, BRERA, SPIDER 05-> // OPEL AGILA 00->, ASTRA F/G, COMBO, CORSA C, MERIVA, OMEGA B, TIGRA, VECTRA, ZAFFIRA 01->


RB0235A

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145215, F00MA45217,
F00M145672, F00M145329,
F00M144177, F00M145235,
F00M145675
TR IB235
MB VRB253
CG 235537

FORD COUGAR 2.0L 16V (98-01), MONDEO (BAP/BFP/BNP) 1.6L/1.8L/2.0L (96-00)

RB0236A




A-Circuit
Voltage Set Point 14.50 V
Soft Start 32%
LRC 5 sec
Field, Shorted Circuit Protection
Sense IG Open Indication
Under Voltage Indication
Over Voltage Indication

BO F00M145873, F00M145236
MB VRB243
CG 233587
TR IB236

TOYOTA AVENSIS (00-08), COROLLA (03-09)

RB0239A



A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145239, F00M145204,
F00M145387
MB VRB251
CG 230624
TR IB239

RENAULT ESPACE III 2.0L ->02, GRAND SCENIC 2.0L/1.9dCi 04->, LAGUNA, LOGAN, MEGANE I/II, SCENIC mot. 1.4-2.0L/1.8dCi 01->

RB0241A




A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M145224, F00M145241
TR IB241

Buick (2004-2005), Chevrolet (1999-2007), GMC (2000-2007), Oldsmobile (1999-2004), Pontiac (1999-2005)

RB0247A



A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145247, F00M145357
CG 235207
TR IB247


Audi (2003-2004), BMW - Europe (2004-2007), Mercedes-Benz (2003-2007), Mini (2005-2008)

Bosch Regulators

RB0248A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M144139, F00M145358,
F00M144139, F00M145248
TR IB248
UP YRV29
CG 333259, 233729




MERCEDES-BENZ SPRINTER
208CDI/213CDI/216CDI/308CDI/313CDI/40
8CDI/413CDI/416CDI (00-06)

RB0251A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M145251, F00M145360,
F00M145245, F00MA45236
TR IB251
CG 234263
MB VRB360




BMW 3 E46, 5^e E39, X5 E53 2.2-3.0L

RB0252A

B-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function

BO F00M145350, F00M145243,
F00M145252, F00M145270,
F00M144189, F00M144136,
F00M145232, F00M145674
TR IB252
Mb VRB263
CG 333264



AUDI A4 (8DE), A6 (4B) 1.9TDI // SKODA
SUPERB 1.9TDI // VW LT,
TRANSPORTER T4 2.5TDI, PASSAT
(3B) 1.9TDI

RB0255A

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145235
MB VRB262
CG 233508
TR IB255




FORD TRANSIT 2.0 DI, 2.4DI 2000;
FORD TRANSIT EUROLINE 2.0L 2000-
2006; FORD TRANSIT FT 240K/S,
260K/S, 280K/S, 280S, 300K/S,
300L, 300M, 300S, 330K/S, 330L, 330M,

RB0260A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function

BO F00M145249, F00M145260,
F00M145325
TR IB260
MB VRB363




Caterpillar (1990-2001), Champion (1990-
1998), Chevrolet (1989-2002), Cummins
Engines (1991-1992), Dodge (1970-1977),
Ford (1972-2008), Freightliner

RB0276A

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
Self Exciting Function

BO F00M145276, F00M145368
CG 236717
TR IB276
MB VRB242




NISSAN INTERSTAR 2.2L/2.5L 02->,
PRIMASTER 2.5L 06-> // OPEL
MOVANO, VIVARO 2.5CDI 03-> //
RENAULT LOGAN 1.6L 07->, MASTER II
2.2DCI/2.5DCI 00->, MEGANE II 1.9DCI

RB0295A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00MA45225, F00M145295
TR IB295



NISSAN PRIMASTER 2.0L 01-> //
RENAULT LAGUNA II 2.0L 16V 02->,
TRAFIC 2.0L 01->, VEL SATIS 2.0L 16V
02->

RB0297A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense / IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M144103, F00M144119,
F00M145246, F00M145297
CG 233117
TR IB297



DAF CF65, LF45, LF55; IVECO
EUROCARGO; RENAULT; VOLVO B12,
B7, B9, FH ser., FM ser., NH ser.

RB0297B

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense / IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM Function

BO F00M144119, F00M144103,
F00M144120, F00M145297,
F00M145246, F00M144104
TR IB297
UP YRV323
MB VRB268
CG 233117



DAF CF65, LF45, LF55; IVECO
EUROCARGO; RENAULT; VOLVO B12,
B7, B9, FH ser., FM ser., NH ser.

RB0298A

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145256, F00M145298,
F00M145302, F00M145307,
F00M145237, F00M145299
CG 231523
TR IB298



MERCEDES-BENZ ACTROS (97-02),
ATEGO 98-> // SCANIA P,G,R,T 04-> //
DAF 95, CF, XF 02-> // VOLVO FH, FM
01->

RB0298B

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication
DFM function

BO F00M145256, F00M145298,
F00M145302, F00M145307,
F00M145237, F00M145299
CG 231523
TR IB298



MERCEDES-BENZ ACTROS (97-02),
ATEGO 98-> // SCANIA P,G,R,T 04-> //
DAF 95, CF, XF 02-> // VOLVO FH, FM
01->

RB0321A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator

BO F00M145492, F00M144185,
F00M144193, F00M145858,
F00M145335,
F00M144188
TR IB321
MB VRB131



RENAULT LAGUNE III, MEGANE II,
SCENIC II 1.4L/1.6L 05->

RB0350A

A-Circuit (Helmet Steel)
Voltage Set Point 14.50V
Slip Ring OD: 32mm

BO 1197311090, 0192052003,
0192052002, 0192052001,
9191337305, 0192052022
CG 133095, 130676Z
UP YRTA812, YRV12H
TR IB350
MB VRB193M



Alfa Romeo - Europe (1978-1993), Allis
Chalmers (1977-1986), American Motors
(1977-1979), Audi (1970-1985), Audi -
Europe (1971-1987), BMW (1977-1995)

RB0353A

A-Circuit (Helmet Steel)
Voltage Set Point 14.50V
Slip Ring OD: 32mm

MM 64808010, 64808011
BO 0192052022, 0192052001,
0192052002, 0192052005
CG 130676, 333253
TR IB353
UP YRV14



Alfa Romeo - Europe (1979-1993), Audi
(1986-1994), Audi - Europe (1978-1994),
BMW (1978-1995), BMW - Europe (1981-
1996), BPM (1992-1992), Case (1990-
1992), Fiat (1981-1983), Fiat - Europe

RB0355A

14 V., V. setting 14.6
w/ 68 Ohm. Resistor.

TR IB355
MB VRB195M, VRB196M
UP YRV16, YRV14
CG 133993, 132980



Citroen - Europe (1982-1994), Hyundai
(1985-1987), Mercedes - Europe (1972-
1996), Mercedes Heavy Duty - Europe
(1986-2001), Mercedes LCV - Europe
(1975-2001), Mercedes-Benz (1973-2000)

RB0359A

12 Volt, A-Circuit, 14.2 Vset

BO 9121080303, 9190087003
TR IB359
CG 238936



RB0362A

Voltage set point 24 V
For 28mm OD slip ring
Volts setting 28.3V

BO 1197311300, 1197311301,
1197311304
CG 132903
MM 940038018
MB VR-B203
TR IB362



Renault Heavy Duty - Europe (1979-1998),
Scania Heavy Duty - Europe (1978-1998),
Valtra Valmet (1985-2008), VM
(Stabilimenti Meccanici) (1978-1982),
Volvo (1996-2000)

RB0363A

A-Circuit (Metal Can)
Voltage Set Point 28.10V
Slip Ring OD: 28mm

BO 1197311304, 1197311324,
6033RD2006
MB VRB209
CG 135856
TR IB363



IVECO EUROCARGO 60 E 10- 320 E 27
T 91->, EUROSTAR LD 190 E - LD 440 E
(93-02), EUROTECH MP 180 E - MP
440/MT 180 E - MT 400 E,
EUROTRAKKER MP (93-04), P/PA (88-

Bosch Regulators

RB0364A

A-Circuit (Helmet Steel)
Voltage Set Point 28.50V



BO 1197311309, 6033RD2004
CG 138756
MB VR-B210
TR IB364

RB0365A

A-Circuit (Metal Can)
Voltage Set Point 28.50V
O.E. Grade
With Wiring: 70mm



BO 6033RD2005, 1197311308,
1197311312, 0190053020,
0192053015
CG 136545
UP YRV08
TR IB365

DAF 65CF/75CF/85CF/95XF

RB0368A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V
Slip Ring OD: 32mm



BO 1197311032
TR IB368
MB VRB103, VRB260
CG 230455

Caterpillar (1992-1996), Deutz-Allis (1986-1992), Deutz-Fahr (1984-1994), Godwin (1995-2000), Ingersoll Rand (1996-1997), Iveco (1985-1991), Iveco Fiat LCV / Heavy Duty - Europe

RB0369A

A-Circuit (Metal Can)
Voltage Set Point 28.10 V
Slip Ring OD: 32mm



BO 1197311313
TR IB369
CG 136433

IVECO EUROARGO (92-00) // MERCEDES-BENZ AXOR, CITARO, TOURINO, TRAVEGO 98->

RB0381A

A-Circuit (Metal Can)
Voltage Set Point 28.50 V
Slip Ring OD : 28 mm




TR IB381
UP YRV19
CG 131340
MB VRB206
BO 1197311315, 9190457051,
0192053009, 0192053012,
9190457001, 0192053025,
0192053003, 0192053014

CUMMINS // DAF // MAN // MERCEDES-BENZ // SCANIA // RENAULT // VOLVO (87-09)

RB0384A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V




BO 1197311239
TR IB384
MB VRB208H
UP YRV02

Renault - Europe (1995-2001), Volvo (1992-1998), Volvo - Europe (1990-2000)

RB0385A

A-Circuit (Metal Can)
Voltage Set Point 14.50 V
Slip Ring OD: 14mm




BO 1197311212, 1197311214,
1197311223, 1197311519,
1197311225, 1197311528
TR IB385
CG 234630
MB VRB200
UP YRV02

Audi (1992-2000), Audi - Europe (1991-2001), BMW (1985-2006), BMW - Europe (1990-2000), Cadillac (1997-2001), Chrysler - Europe (1998-2000), Ford - Europe (1994-2000)

RB0385B

A-Circuit (Helmet Steel)
Voltage Set Point 14.50 V




BO 1127011175, 1127311175,
1197311175
CG 134687
MM 940038012
UP YR-V02
TR IB385

Alfa Romeo (1993-1995), Alfa Romeo - Europe (1990-2003), Audi (1992-2000), Audi - Europe (1991-2001), BMW (1985-2006), BMW - Europe (1990-2000), Cadillac (1997-2001), Chrysler - Europe

RB0387A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V
With 180 Ohm Resistor
Slip Ring OD: 14mm




BO 1197311556, 1197311242,
1197311541, 1197311533,
1197311213, 1197311211
CG 134761
UP YRV01
TR IB387
MB VRB201H

Daewoo - Europe (1999-2002), Mercedes - Europe (1989-2005), Mercedes Heavy Duty - Europe (1984-2000), Mercedes LCV - Europe (1988-2006), Mercedes-Benz (1987)

RB0388A

A-Circuit (Metal Can)
Voltage Set Point 14.60V
No 180 Ohm Resistor
Slip Ring OD: 14mm



BO 1197311548, 1197311530,
1197311523, 1197311531,
1197311500
CG 137183
TR IB388
UP YRV26
MB VRB222

Audi - Europe (1996-1998), Ford - Europe (1995-2002), Ford LCV - Europe (1995-2003), Mazda - Europe (1996-2000), Seat - Europe (1995-2001)

RB0392A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication



BO 9190067018, 6033RD1004
TR IB392
CG 235651, 136555
UP YRV22L
MB VRB392

John Deere (1998-2007), Thermo King (1990-2007), Westerbeke (2000-2007)

RB0408A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




BO 0272220706, 0272220707

Clio, Sandero, Logan, Duster, Kangoo 1.6 2010->

RB0501A

A-Circuit (Helmet Steel)
Voltage Set Point 14.50 V



BO 9190041002
TR IB501
MB VRB250

NISSAN TSURU III, 1994

RB0543A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
IG / Sense Open Indication
Under Voltage Indication
Over Voltage Indication




BO 0123500520, 1197311543
PRES 860918
MB VRB543B
TR IB543
CG 234112

IVECO EUROTECH MH 190-440E 00->, EUROTRAKKER MP 180- MP410 (99-04), STRALIS AD 03->, TRAKKER AD 04->

RB0545A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication




BO 1197311506, 1197311516,
1197311536, 1197311545,
1197311557, 1197311547
CG 138999
TR IB545
MB VRB238

BMW (1995-2003), BMW - Europe (1994-1999), Mercedes - Europe (1993-1998), Mercedes-Benz (1992-1993)

RB0558A

B-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication




BO 197311558, 1197311554,
0272220217
MB VRB558B
CG 234522
TR IB558

MAN E2000 19.310-50.460 00->, F 2000 19.314 - 41.464 95->, L 2000 8.145 - 12.225 98->, LION 00->, M 2000 98->, TGA 02-> // NEOPLAN TOURLINER 02->

RB0569A

B-Circuit
Voltage Set Point 28.50V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under Voltage Indication
Over Voltage Indication




BO F00M144106, F00M144122,
F00M145294, F00M145300
TR IB5300
UP YRV322

MAN E 2000, LION S 00->, TGA, TGL, TGM, TGS, TGX 00->

RB0587A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator




BO F00MA45212, F00M145379
MB VRB379
CG F00MA45212

VOLVO S80 3.0 T6 (01-06), XC90 T6 02->

Bosch Regulators

RB0655A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator




BMW 11 (E82), 3' (E46), 3' (E90), 3' (E91), 5' (E60), X1 (E84), Z4 E85

MB VRB880
CG 236455
IB IB262

RB0655B

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



BMW 11 (E82), 3' (E46), 3' (E90), 3' (E91), 5' (E60), X1 (E84), Z4 E85

BO F00M145655, F00M145285,
F00M145262, F00M145800,
F00MA45221, F00M145880
MB VRB880
CG 236455

RB0656A

B-Circuit
Voltage Set Point 13.70 V
LRC 3 sec
Self Exciting Function
LIN Regulator




FORD GALAXY 06->, KUGA 09->,
MONDEO /V 07->, S-MAX 06-> all mot. //
LAND ROVER FREELANDER 2.2TD 06->
// VOLVO C30, C70, S40, S60, S80, V70,
XC60, XC70 2.0D/2.4D

BO F00M346097, F00M346019
MB VRB056
TR IB6056
CG 235823
WAI 233536W

RB0666A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator




CITROEN BERLINGO 09->, C5 09->, DS3
10-> // MINI MINI 06-> // PEUGEOT 207
07->, 3008 09->, 308 09->, PARTNER 10->

BO F00M346066, F00M346061
TR IB6066

RB0677A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




SAAB 9-3 (98-03), 9-5 97-> 2.0i/2.0T/2.3T
140A

MB VRB266
CG 235273
TR IB677
BO F00M144169, F00M145366,
F00M144129, F00M145366

RB0678A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator




BMW 5' (E60) 520i/525i/530i 03->, 7'
(E65) 730i/Li 03->, X3 (E83) 2.5i/3.0i 04->

BO F00MA45219, F00M145280,
F00M145679
TR IB678

RB0701A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




FIAT DUCATO 2.3D/3.0D 06-> // IVECO
DAILY 2.3D/3.0D 06-> // VW POLO
1.4L1.2TDI 09->

BO 0272220701

RB0809A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



MERCEDES-BENZ SPRINTER (906)
209CDI/211CDI/215CDI/309CDI/311CDI/31
5CDI/413CDI/415CDI/509CDI/511CDI/515
CDI 2.2CDI 06->

BO F00M145698, F00M144150,
F00M145665
CG 235809

RB0822A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



MERCEDES E-CLASS W212 E350 09->,
GL-CLASS X164 GL420CDI/450CDI, M-
CLASS W164 ML280-450CDI, R-CLASS
W251 R280/R300, S-CLASS W221
S320CDI

BO F00M346081, F00M346048
CG 235822
MB VRB020

RB0861A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function




AUDI A6 (4B_) 4.2L V8 (02-05) // MINI
MINI COOPER, ONE 1.6L (01-07)

TR IB861
CG 235156
MB VRB861
BO F00M144146, F00M145331,
F00M145339, F00M145382

RB0875A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under/ Over Voltage Indication
DFM Function



TOYOTA YARIS 1.4D-4D 05->

BO F00M145658, F00M145332,
F00M145875
CG 330189
WAI 255668W

RB0881A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



MERCEDES C-CLASS
(W203/S203/CL203) C200CDI/C220CDI,
E-CLASS (W211)
E200CDI/E220CDI/E280CDI/E320CDI, S-
CLASS (W220) S320CDI

BO F00M144132, F00MA45222,
F00M144108, F00M145285,
F00M145881, F00M145374,
F00M145884
TR IB5881
MB VRB285
CG 237736

RB0915A

Capacitor : 2.2uF . 250V




DODGE RAM 1500/2500/3500 // PT
CRUISER 2.2CRD // JEEP GRAND
CHEROKEE 2.7CRD

BO F00M145250, F00M145426
MB TBB001
TR 39-9105
CG 235772

RB2128A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




FORD Ranger II, FIAT Grand Siena II,
Uno, Palio, Strada, Fiorino Siena Doble
Ideia 1.3 1.4 1.0 Fire Com Ar 2001->

BO 1275200003, 0272220703,
1907107613


RB3451A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 12.5 % LRC 5 sec
Field Shorted Circuit Protection
Over Voltage Indication



RB4113A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
L Terminal Drives Choke
Under/ Over Voltage Indication
DFM Function
Self Exciting Function



FIAT DUCATO 2.3D 06-> // IVECO
DAYLY 06-> // SKODA CITIGO 11->

BO 0272220731, 0272220720

China Regulators

RB0400A

Voltage Set Point 14.50V



488 engine Santana, Jetta, Iveco

RQ8036A


Voltage Set Point 14.50V



Zhejiang Seoul JFZ1929, Baoding Great Wall

RQ8244A

Voltage Set Point 14.50V



Xiangfan Dongfeng JFZ1601 Cummins

RQ8311A

Voltage Set Point 14.50V



Hwachon Denso JFZ1910, JFZ1916, JFZ1910A Changan Star, Maple

RQ8312A

Voltage Set Point 14.50V



Hwachon Denso JFZ172, JFZ176, JFZ176L Changan Star, wind off

RQ8316A

Voltage Set Point 14.50V



Dongan Hafei, FAW Jiabao


RQ8333A

Voltage Set Point 28.50V



RQ8335A

Voltage Set Point 28.50V



Shen Lake, Dongfeng Chaoyang diesel

RQ8339A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1658B Changhe Suzuki

RQ8340A

Voltage Set Point 14.50V



Zhejiang amounted to Seoul JFZ1658A generator Changhe Suzuki

RQ8344A

Voltage Set Point 14.50V



Chery QQ, Wuhu Jienuo Rui JFZ1723 generator

RQ8345A

Voltage Set Point 14.50V



Chery A515, Cowin, FY-2, Remy JFZ1822 generator, Wuhu Jienuo Rui Motor

RQ8349A

Voltage Set Point 28.50V



Yuchai Heavy Duty Truck, Bonite JFZ24533 generator

RQ8352A

Voltage Set Point 14.50V



BYD F3 473QA generator

RQ8372A

Voltage Set Point 14.50V



Delco generator

RQ8381A

Voltage Set Point 14.50V



Chongqing Bonite JFZ171, JFZ176, JFZ172 Iveco, Changan, the era of Superman, Jetta, Wuling

RQ8382A

Voltage Set Point 28.00V



Yuchai Bonite generator

RQ8389A

Voltage Set Point 14.00V



Yuchai Bonite JFWZ302

China Regulators

RQ8707A

Voltage Set Point 14.50V



UP YR8562
CG 139467
MB VRD276
TR D403

DAEWOO DC24 eng, DB33A eng.;
DAEWOO ESPERO 1.5, 1.8, 2.0L;
DAEWOO LANOS 1.3L, 1.6L; DAEWOO
NEXIA 1.5; DAEWOO NUBIRA 1.6L, 2.0L;
DAEWOO REZZO 2.0L 1999; DAEWOO

RQ9084A

A-Circuit
Voltage Set Point 28.50 V



JFZ253C, FOTON

RQ9340A

Voltage Set Point 14.50V



Ningguo Jinxin JFZ1992 Chery A5, Eastar,
Tiggo

RQ9342A

Voltage Set Point 14.50V



Cherry QQ Face 1.1 16V 12V 75Amperes .
ORIGINAIS : CHY112 / S11-3701110BA /
S113701110BA / JFZ1753 JOHN DEERE
XUV 8251

RQ9342B


Voltage Set Point 14.50V



Ningguo Jinxin JFZ1753G Cherry QQ
Face 1.1 16V, Tiggo, Wuling Sunshine,
CHY112, S113701110BA, JOHN DEERE
XUV 8251

RQ9343A

Voltage Set Point 14.50V




MB VRY002
TR D1621

Ningguo Jinxin JFZ1621, JFZ1757,
JFZ1758 GEELY, Suzuki Big Dipper,
Toyota 8A

RQ9344A

Voltage Set Point 14.50V



Ningguo Jinxin Boyu JFZ1728,
CHEVROLET SPARK

RQ9345A

Voltage Set Point 14.50V



Deco JFZ1756 Ningguo Jinxin, Dirks

RQ9353A

Voltage Set Point 14.50V



Remy JFZ1726 Wuhu Jienuo Rui Motor,
Wuling Sunshine, Hong passers, glory

RQ9385A

Voltage Set Point 14.50V



Bonite JFZ193, JFZ198 Geely, Imperial,
King Kong, Free Ship

RQ9505A


Voltage Set Point 28.50V



Prestolite AV1136/144

RQ9512A

Voltage Set Point 14.50V



Hwachon Denso JFZ156A, JFZ155A,
Mitsubishi, Xiali, Toyota

RQ9517A

Voltage Set Point 28.50V



Steyr truck, Yuchai, Xichai

RQ9521A

Voltage Set Point 14.50V



Hwachon Denso JFZ156A, JFZ155A,
Mitsubishi, Xiali, Toyota

RQ9527A


Voltage Set Point 28.50V



Renault engine Dongfeng JFZ2811 Days
Kam

RQ9529A

Voltage Set Point 14.50V



Hwachon Denso JFZ1918, JFZ1918A
Roewe 550,750, Huatai CRV

RQ9549A

Voltage Set Point 28.50V



Xiangfan generator, EQ153

RQ9606A

Voltage Set Point 28.00V



Yuchai Dongfeng Liuzhou Motor Bonite

China Regulators

RQ9608A

Voltage Set Point 28.50V



Shen Lake JFZ270-112 Cummins Erving IV, 4990783 ISF3.8

RQ9614A

Voltage Set Point 14.50V



Cummins, heavy truck, Shen Lake JFZ135-700

RQ9619A


Voltage Set Point 14.50V



Shen Lake JFZ1100-392, Cummins, heavy truck, Fukuda light truck

RQ9625A

Voltage Set Point 14.50V



Hwachon Denso JFZ186 hippocampus

RQ9626A


Voltage Set Point 14.50V



Wuhu Jienuo Rui, Chery A3, Cowin, Tiggo, Eastar

RQ9631A

Voltage Set Point 14.50V



Changan, Chery QQ, Taurus, Yue Xiang V3

RQ9707A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1A23, 1A26, 1858 Hippocampus, 479Q, 18300, 483Q

RQ9720A

Voltage Set Point 28.50V



Cummins, heavy truck

RQ9722A

Voltage Set Point 14.50V



Changan, Chongqing Bonite JFZ1916

RQ9726A

Voltage Set Point 14.50V



Hwachon Denso JFB1913, JFB1922, JFB1913C Baoding Great Wall

RQ9731A

Voltage Set Point 14.50V



Zhejiang Seoul JFZ1970 Refine, BYD F3, 473

RQ9737A

Voltage Set Point 14.50V



Isuzu Shen Lake JAC pickup, JMC Liberation, FAW

RQ9932A

Voltage Set Point 14.50V




Remy JFZ1945, BYD [371QE], F0

Delco Regulators


RD0118A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function




RD0500A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator



RD2019A


B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self Exciting Function



For use on: 11SI Alternator


RD2021A

A-Circuit
Voltage Set Point 14.10 V
Field Shorted Circuit Protection
O.E. Grade




RD2030A

A-Circuit
Voltage Set Point 28.10 V
O.E. Grade



RD2038A

A-Circuit
Voltage Set Point 28.45V



TR D21
MB VRD680
DR 1116360, 1116390,
1116433, 1116435, 1116442,
13001740, 1876388

Caterpillar (1985-2007), Champion (1975-1998), Chevrolet (1976-1993), Clark (1979-1980), Consolidated Diesel (1991-1992), Cummins Engines (1980-1993), Detroit Diesel (1988-1988), Ford (1974-2008),

TR D30, D30A
UP YR839, YR833
MB VRD672C
CG 130510
DR 1984287, 1987518,
1894460, 1116404, 1105510,
1116388

Allis Chalmers (1978-1986), Atlas Copco (1997-1997), Case (1970-1993), Caterpillar (1970-2012), Champion (1975-1998), Clark (1973-1986), Consolidated Diesel (1991-1992), Cummins Engines (1980-

Daewoo Doosan S210w-v

RD2048A

A-Circuit
Voltage Set Point 28.30 V



RD2050A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 20 %
LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



RD2062A

A -Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function



CHEVROLET AVEO T250, T255 - 1.4 PETROL, 2008->

RD2152A

B-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function



RD2198A

A-Circuit
Voltage Set Point 14.30 V



RD2200A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
LRC 5 sec
Field Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function



DR 10514474, 10516505
TR D4152
CG 331013
UP YR868

LUEBIRD 2005; FORD 2005;
FREIGHTLINER 2005; GMC 2005;
KENWORTH 2005; MACK 2005; MACK
CH SERIES, CL SERIES, CT SERIES,
CTP SERIES, CV SERIES, CX SERIES

TR D2198


CASE, NEW HOLLAND

DR 10458200, 10458201
MB VRD232
WAI 35162
TR D200

AM GENERAL HUMMER H2 6.0L(362-U)
V8 2003-2005; BUICK RAINIER 4.2L, 5.3L
2004; CADILLAC ESCALADE 5.3L, 6.0
2002; CHEVROLET ASTRO 4.3L, 5.3L,
8.1L 2001; CHEVROLET AVALANCHE


RD2206A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




RD2207A

A -Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function



RD2262A

A-Circuit
Voltage Set Point 14.70 V



MB VRD717
TR D2206
CG 235844
UP YR865

CHEVROLET AVEO 1.6L L4 2004-2008;
DAEWOO KALOS 1.2L 2003; DAEWOO
KALOS 1.4L 2003; DAEWOO KALOS 1.4L
DOHC 2003; DAEWOO KALOS 1.4L
SOHC 2002; DAEWOO NUBIRA 1.6L

Chevrolet Captiva, Opel Antara, Daewoo
Winstorm 3.2 2007->

CG 333021
TR D2262
MB VRD716

Chevrolet (2004-2008), Pontiac (2005-2008), Suzuki (2004-2008)


RD2403A

A-Circuit
Voltage Set Point 14.60 V
For use on: Daewoo Espero GM
Saturn Lemans & Prince



RD2408A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



RD2410A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



DR 276010
MB VRD276
CG 139467
TR D403

DAEWOO DC24 eng, DB33A eng.;
DAEWOO ESPERO 1.5, 1.8, 2.0L;
DAEWOO LANOS 1.3L, 1.6L; DAEWOO
NEXIA 1.5; DAEWOO NUBIRA 1.6L, 2.0L;
DAEWOO REZZO 2.0L 1999; DAEWOO

DR 1116428, 13089649,
1116408
MB VRD675H
TR D408, D408XHD
CG 131904
UP YR851, YR851C

Buick (1986-1993), Cadillac (1986-1987),
Chevrolet (1986-1986), GMC (1986-1986),
Oldsmobile (1986-1992), Pontiac (1986-1986)


DR 1116436, 1116429,
1116425, 1116411
UP YR851B
MB VRD694H
TR D411
CG 131905

Cadillac (1986-2000), Chevrolet (1987-2000), Dodge (1990-1992), Eagle (1988-1992), Geo (1989-1992), GMC (1987-2000), Hummer (2002-2006), Hyster (1985-1992), Isuzu (1989-1994)

Delco Regulators

RD2432A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 32 %
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




DR 1116432
MB VRD432
TR D432
UP YR853
CG 133589

Pontiac (1988-1989)

RD2445A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function




DR 1116445
CG 133582
TR D445, D445XHD
UP YR851A
MB VRD445

Buick (1996-1999), Cadillac (1997-2002),
Chevrolet (1995-1999), Oldsmobile (1996-1999), Pontiac (1995-1999)

RD2475A


A-Circuit
Voltage Set Point 28.10 V
O.E. Grade



DR 1894460, 1105510
CG 134751
UP YR833W, YR839

RD2476A


B-Circuit
Voltage Set Point 28.30 V
Soft Start 32 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self Exciting Function



DR 10521828, 10514476
TR D4476

RD2509A

A-Circuit
Voltage Set Point 14.10 V
Field Shorted Circuit Protection
O.E. Grade



MB VRD713, VRD669C
TR D221
CG 130509

Caterpillar (1985-2007), Champion (1975-1998), Chevrolet (1976-1993), Clark (1979-1980), Consolidated Diesel (1991-1992), Cummins Engines (1980-1993)

RD2587A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator




DR 07C12A0887, 10517755
TR D3587
MB VRD755

Buick (2007-2007), Cadillac (2005-2014),
Chevrolet (2005-2014), GMC (2005-2014),
Hummer (2008-2009), Isuzu (2007-2008),
Saab (2007-2009)

RD2608A

A-Circuit
Voltage Set Point 14.60 V



TR DE608
UP YR834
MB VRD690

RD2701A

12 Volt, A-Circuit, 14.7 Vset
Delco European CS130D Series
IR/IF Alternators
MFR:DELCO



TR DE701
UP YR854
CG 135336
MB VRD701
DR 10475019, 10479914,
10479923, 10479947, 10479955

Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

RD2701B

A-Circuit
Voltage Set Point 14.60 V
With RFI Capacitor




DR 19009716, 10479914,
10475019, 10479923, 10479947,
10479955
TR DE701
CG 135336
UP YR854
MB VRD701

Isuzu (1998-2001), Opel - Europe (1992-2004), Vauxhall - Europe (1993-2000)

RD2702A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




DR 19009702, 13120469,
1116411, 1116437, 1116429,
1116436
CG 135547
TR D702HD

Buick (1994-1997), Cadillac (1999-2000),
Chevrolet (1994-2002), GMC (1994-2002),
Isuzu (1996-1997), John Deere (1990-2007),
Oldsmobile (1993-1997), Pontiac (1994-2002),
Renault - Europe (1996-

RD2705A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function



TR D705, D705XHD
MB VRD705H

Buick (1996-1996), Chevrolet (1995-1998),
Oldsmobile (1994-1994), Pontiac (1994-1997)

RD2707A

Voltage Set Point 14.50V



TR DE707

Deco, Beverly

RD2850A

A-Circuit
Voltage Set Point 14.60 V



TR D850

Mercury (1998-2009)

RD2873A


B-Circuit
Voltage Set Point 14.50 V
Soft Start 20 %
LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



CG 331774
WAI 255673W

RD2940A

A-Circuit
Voltage Set Point 14.60 V



DR 271940
MB VRD740
TR D940
CG 233975

Crusader (2001-2004), Hyster (2001-2006),
Marine Power (1997-2008),
Mercuriser (1998-2002), Mercury (2005-2009),
Pleasurecraft (2001-2004)

RD6510A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator



OPEL Astra J 1.6 (2009->) 1598ccm
[A16XER] / Astra J 1.8 (2012->) 1796ccm
[A18XER]

RD9063A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator




Denso Regulators

RE1027A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Under / Over Voltage Indication
DFM function
Self-exciting


ND 1266007240
MB VRF161



RN3099A

B-Circuit
Voltage Set Point 14.30 V
LRC 3 sec
Self Exciting Function
LIN Regulator


ND 1266007170, 1266007120
MB VRH2005171



RN4320A

B-Circuit
Voltage Set Point 14.20 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication
DFM Function


ND 1266007320, 1260007320



RN6002A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
LRC 5 sec
Field Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND 1266000023
TR IN6002
MB VRH200593




Lexus (2001-2003), Toyota (2001-2003)

RN6003A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

ND 1266000030, 1266000031
TR IN6003, IN6003SE
MB VRH200594




Buick (2004-2005), Cadillac (2001-2005),
Pontiac (2004-2005)

RN6004A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

CG 330637
MB VR200599
TR IN6004




Acura (2001-2002), Honda (2002-2004)

RN6015A

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND 1266000150
MB VRH200591
TR IN6015




Lexus (2003-2009), Toyota (2003-2009),
Toyota - Europe (2003-2010), Toyota
LCV - Europe (2001-2010)

RN6094A

A-Circuit
Voltage Set Point 14.00 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

MB VRH2005105
TR IN372




TOYOTA 4RUNNER (02-09), FJ
CRUISER (02-09), FORTUNER 05->,
HILUX 05->, LAND CRUISER 03->,
TUNDRA 04-> mot. 1GRFE

RN6208A

12 Volt, A-Circuit, FR-IG-L
Terminals, 14.4 Vset
Denso IR/IF Alternators

TR IN208
ND 1260002080



Acura (1996-2001)

RN6215A

A-Circuit
Voltage Set Point 14.50 V
63.5mm Mounting

ND 1260003540, 1260002151,
1260002150
MM AMP0850
TR IN215
UP YR655
CG 234731
MB VRH200577




Acura (1996-1997), Isuzu (1996-1997)

RN6220A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under / Over Voltage Indication
63.5mm Mounting

CG 131459
BO 0986192021
MM 940038077
MB VRH20054A, VRH20054DG
UP YR631
TR IN220




Chevrolet (1985-1988), Honda (1988-
1990), Honda - Europe (1987-1992), Lexus
(1990-1991), Toyota (1984-1992), Toyota -
Europe (1983-1992)

RN6221A

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
63.5mm Mounting

CG 134447
ND 1260000430, 1260001200
MB VRH20055, VRH20055H
UP YR633, YR644
TR IN221




Chevrolet (1985-1988), Geo (1989-1992),
Honda (1984-1987), Isuzu (1984-1995),
Isuzu - Europe (1986-1992), John Deere
(1998-2004), Opel LCV - Europe (1988-
1994), Pontiac (1985-1988)

RN6224A

A-Circuit
Voltage Set Point 14.50 V
DFM Function
63.5mm Mounting

ND 1260001300, 1260001030,
1260001700
TR IN224
UP YR635A
MB VRH200510
CG 132859




Acura (1988-1997), Honda (1988-1997),
Honda - Europe (1992-1998)

RN6225A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Active lamp function - with output
Under / Over Voltage Indication
DFM Function

CG 132831
ND 1260000570
MB VRH20058
UP YR636
TR IN225




Acura (1986-1991), Honda (1984-1987),
Honda - Europe (1986-1994), Rover
Group - Europe (1989-1993)

RN6226A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
DFM Function
63.5mm Mounting

CG 132645
ND 1260000540, 1260001170
MB VRH20059
UP YR637, YR646
TR IN226




Acura (1991-1995), Honda (1984-1989),
Honda - Europe (1989-1996)

RN6248A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field, Shorted Circuit Protection
L Terminal Drives Choke
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

ND 1260002480
TR IN248




Acura (1998-1999), Isuzu (1998-2002)

RN6257B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Loss Indication
Under / Over Voltage Indication
57.5mm Mounting

ND 1260001630
MM AMP0860
TR IN257
UP YR662
CG 138662
MB VRH200532A




Toyota (1993-1999), Toyota - Europe
(1993-1999)

RN6259A

A-Circuit
Voltage Set Point 14.20 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
57.5mm Mounting

ND 1260003790
TR IN259
MB VRH200550A




Denso Regulators

RN6300A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
Field, Lamp Shorted Circuit Protection
Sense open indication
Under Voltage Indication
Over Voltage Indication

ND 1266003000
TR IN6300
CG 235837
MB VRH2005146




Lexus (2006-2013), Toyota (2003-2014), Toyota - China (2007-2012)

RN6301A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense open indication
Under Voltage Indication

CG 236329
ND 1266003010, 1266003040,
1266003390
MB VRH200585
TR IN6301




Lexus (2004-2013), Lexus - Europe (2003-2006), Pontiac (2009-2010), Scion (2005-2014), Toyota (2004-2014), Toyota - Europe (2000-2010)

RN6308A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266003080
TR IN6308
MB VRH2005152




Saturn (2004-2007)

RN6335A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 32 %
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function

CG 237650
ND 1266000140, 1266003350,
1260003200
MB VRH2005090
TR IN6335




Acura (2004-2008), Honda (2003-2010), Honda - China (2007-2007), Honda - Europe (2002-2012)

RN6365A

B-Circuit
Voltage Set Point 14.70 V
Soft Start 32 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266003650
TR IN6365
MB VRH2005149




Honda (2008-2012), Honda - China (2011-2012)

RN6366A

B-Circuit
Voltage Set Point 14.60 V
Soft Start 32 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1266003660
TR IN6366
MB VRH2005148




Acura (2009-2014), Honda (2008-2012), Honda - China (2009-2013)

RN6369A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under/ Over Voltage Indication
DFM Function

TR IN369
ND 1260003690




Toyota (2003-2006)

RN6431A

A-Circuit
Voltage Set Point 14.60 V
DFM Function
63.5mm Mounting

ND 1260001860, 1260001880,
1260001410
MM AMP0843
TR IN431
UP YR639
MB VRH200510




Acura (1994-1995), Honda (1993-1997), Isuzu (1996-1997)

RN6434A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

ND 1260001440, 1260001441,
1260001110, 1260000610
MM AMP0831
TR IN434
UP YR643H
CG 135730
MB VRH200533A




Dodge (1992-1996), Geo (1989-1992), Lexus (1990-1992), Lexus - Europe (1990-1992), Toyota (1988-1992), Toyota - Europe (1990-1994)

RN6435A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG Open Indication
Under / Over Voltage Indication
63.5mm Mounting

ND 1260001200
MM AMP0832
TR IN435
MB VRH200516A
CG 134447
UP YR644



Asuna (1993-1993), Geo (1990-1993), Isuzu (1990-1993), Jaguar (1993-1997), Jaguar - Europe (1994-1997)

RN6437A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

CG 135737
ND 1260001930, 1260001730,
1260001750
MB VRH200530A
UP YR656, YR656H, YR656P
TR IN437




Lexus (1996-1997), Toyota (1993-1999), Toyota - Europe (1992-1999)

RN6439A

A-Circuit
Voltage Set Point 14.60V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

MB VRH200531A
WAI 3582381
CG 135734
TR IN439
ND 1260001640, 1260001660,
1260001670
UP YR657




TOYOTA 4 RUNNER, CAMRY 91->, CARINA E, CELICA, COROLLA, HIACE III/IV, LAND CRUISER ->97, RAV 4 ->00

RN6440A

A-Circuit
Voltage Set Point 14.10 V
Soft Start 30 % LRC 5 sec
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

MM AMP0851
ND 1260007100
TR IN440
CG 135734
UP YR658
MB VRH200535



Toyota (1993-1995)

RN6441A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting
For use on: Toyota Camry,

MM AMP0865
ND 1260002000, 1260001870,
1260001850, 1260002260,
1260001870
UP YR661
MB VRH200536A
CG 138894
TR IN441




LEXUS ES, GS, SC 3.0L 1993-; TOYOTA ALTIS 2002; TOYOTA AVALON 3.0L 1995-1999; TOYOTA CAMRY 3.0L 1994; TOYOTA SIENNA 3.0L 1998-2003; TOYOTA SOLARA 3.0L 1999

RN6445A

A-Circuit
Voltage Set Point 14.50 V
DFM Function
63.5mm Mounting

CG 234557
MM 940038097
UP YR610, YR6101
TR IN445




Acura (1996-2006), Honda (1996-2005), Honda - China (1998-2001), Honda - Europe (1995-2005), Isuzu (1998-1999)

RN6447A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
63.5mm Mounting

ND 1260003131, 1260003171,
1260003130
TR IN447
CG 234091
MB VRH200565




Scion (2004-2006), Toyota (2000-2005), Toyota - Europe (1999-2010)

RN6449A

A-Circuit
Voltage Set Point 14.60 V
63.5mm Mounting

CG 138638
ND 1260001940
MB VRH200559
TR IN449




Caterpillar (1987-2003)

RN6450A

A-Circuit
Voltage Set Point 14.50 V
57.5mm Mounting

UP YR6622
TR IN450
CG 138146
MB VRH200560
ND 1260001800



Ausa (2006-2006), Bobcat (2002-2003), Case (2005-2005), Caterpillar (1993-2014), John Deere (1998-2012), Kubota (1980-1999), New Holland (2006-2012), Rigmaster Power Inc. (2006-2010)

Denso Regulators

RN6452A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
63.5mm Mounting

MB VRH200548A
CG 139268
TR IN452



Suzuki (1995-2004), Suzuki - Europe (1993-2010)




RN6453A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Under / Over Voltage Indication
63.5mm Mounting

CG 139584
ND 1260002250, 1260002050,
1260001960, 1260002200
MB VRH200546A
UP YR6561
TR IN453



TOYOTA 4RUNNER (95-02), CAMRY (96-01), CELICA (93-99), HIACE (94-09), LAND CRUISER (98-02)...



RN6453B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Lamp Shorted Circuit Protection
Under / Over Voltage Indication
63.5mm Mounting

ND 1260002250, 1260002050,
1260001960, 1260002200
MM AMP0854
TR IN453
MB VRH200546A
CG 139584
UP YR6561



TOYOTA 4RUNNER (95-02), CAMRY (96-01), CELICA (93-99), HIACE (94-09), LAND CRUISER (98-02)...




RN6454A

A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function
63.5mm Mounting

CG 235887
MB VRH200592
TR IN454



Hyundai (2006-2012), Kia (2006-2011)




RN6455A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
IG / Sense Open Indication
Active lamp function - with output
Under / Over Voltage Indication
DFM Function

CG 233517
ND 1260002190, 1260002450
MB VRH200564A
UP YR613
TR IN455



ACURA RL 3.5L 1996-2004; ACURA TL 3.2L 1997-1998; TOYOTA AVENSIS 1.6L, 1.8L, 2.0L 2000; TOYOTA COROLLA 1.4L, 1.6L, 1.8L 1999



RN6460A

A-Circuit
Voltage Set Point 28.20V
63.5mm Mounting

ND 1260007120
UP YR6569
TR IN460
MB VRH200566
CG 138297



Suzuki (1986-1989), Suzuki - Europe (1983-1995), Toyota LCV - Europe (1993-2012)




RN6462A

A-Circuit
Voltage Set Point 28.50V
63.5mm Mounting

ND 260002310, 1260002320
UP YR6568
TR IN462
CG 333040



Komatsu (1996-2007)




RN6581A

A-Circuit
Voltage Set Point 14.55 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function

ND 1260003040, 1260002861
TR IN304
CG 231462
MB VRH200562A



TOYOTA PLATZ / VITZ / YARIS / YARIS/ECHO




RN6601A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

CG 237609
MB VRH200588
TR IN6601
TB 1266003460, 1266007140



Ford (2005-2007), Land Rover (2005-2008), Lincoln (2006-2006)




RN6642A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM Function
63.5mm Mounting

CG 237642
ND 1260003020
TR IN302



TOYOTA AVENSIS, COROLLA, PREVIA/TARAGO, COROLLA VERSO,



RN6691A

MB TBND099
CG 235691
TR 4682204

Chrysler (2001-2006), Dodge (2001-2006), Jeep (2005-2006)



RN6705A

A-Circuit
Voltage Set Point 28.20 V
57.5mm Mounting

ND 1260002360, 1260007050,
1260002630
TR IN705
CG 235748



Toyota (1989-1994)



RN6920A

A-Circuit
Voltage Set Point 14.30 V

ND 1260000920
TR IN920
CG 133526
UP YR6661
MB VRH20052



Hino (1984-1997)



RN6920B

A-Circuit
Voltage Set Point 14.30 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Active lamp function - with output
Under / Over Voltage Indication

ND 1260000920
UP YR666
MB VRH20052
TR IN920
CG 133526

Hino (1984-1997)



RN9332A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
57.5mm Mounting

ND 1260002700



BRP Lynx Yeti, Bombardier KIMPEX, Ski-Doo Grand Touring




Ford Regulators

RF2359A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
White with Blue Cover
PCM Regulator

WAI 352135
CG 233232
MB VR910
TR F601, F601HD




Ford (1999-2003), Mazda - Europe (2001-2005)

RF2479A

A-Circuit
Voltage Set Point 14.50 V

TR F794
UP YRF33B, YRF33
CG 136230
MB VRF786M, VRF786H




Ford (1989-2008), Lincoln (1990-1997), Mazda (1991-2007), Mercury (1990-2005)

RF2600A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Gray with Gray Cove

PRES R007520270S
TR F600
UP YRF341
MB VRF900




Ford (1998-2010), Lincoln (1998-2002), Mercury (1998-1998)

RF2603A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
White with Orange Cover

MB VRF930
WAI 35214
CG 233775
TR F603



Ford (1999-2004), Ford - Europe (2001-2003), Lincoln (2003-2004), LTi (Carbodies) - Europe (2002-2006), Mazda (2001-2004), Mazda - Europe (2001-2005), Mercury (1999-2002)

RF2606A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 % LRC 5 sec
Field, Lamp Shorted Circuit Protection
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication

TR F606
MB VRF931
CG 235815
UP YR345



Ford (2001-2009), Lincoln (2003-2004), Mazda (2001-2009)

RF2610A

A-Circuit
Voltage Set Point 14.30 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

TR F610
MB VRV002
CG 239306




Ford - China (2004-2006)

RF2611A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

MB VRV001
CG 235601
TR F611



Ford (2003-2004), Ford - Europe (2000-2015), Ford LCV - Europe (2002-2010), Jaguar - Europe (2003-2015), Mazda - Europe (2003-2008)

RF2794A

A-Circuit
Voltage Set Point 14.80 V

TR F794B




Ford (1989-2008), Lincoln (1990-2002), Mazda (1991-2007), Mercury (1990-1998)

RF2796A

A-Circuit
Voltage Set Point 14.45 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

TR F796
UP YRF36
CG 138663
MB VRF815




Ford (1996-2007), Lincoln (1995-2004), Mercury (1996-2004)

RF2797A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator

MB VRF822
TR F797



Ford (2002-2010), Lincoln (2003-2005), Mazda (2005-2006), Mercury (2002-2007)

RF2798A

A-Circuit
Voltage Set Point 14.45 V
Field Shorted Circuit Protection
Over Voltage Indication

MB VRF817
WAI 35210
CG 230066
TR F798
UP YRF39



Ford (1996-2010), Lincoln (1996-1998), Mercury (1997-2004)

Hitachi Regulators

RH1315A

A-Circuit
Voltage Set Point 14.70 V

HI FA8065A, L170G1315
TR IH254V



LR160412B, LR170419, LR170419B, LR170420, LR170420B, LR170422, LR170427, 8970417900, 8970423250, 8970430640, 8970730460

RH1352A

Voltage Set Point 28.40V



C240

RH5055A

A-Circuit
Voltage Set Point 28.60 V

MB VRH200055B
CG 333038
UP YR692
HI TR2Z251B




Isuzu : 8871112670
Hitachi : TR2Z251B

RH5057A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication


MB VRH200057



RH5070A

A-Circuit
Voltage Set Point 28.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication

HI LR280508
MB VRH200070B



RH5201A

A-Circuit
Voltage Set Point 14.70 V

MB VRH200031
TR IH201



Nissan (1978-1981)

RH5203A

A-Circuit
Voltage Set Point 14.30 V

HI L15043151, L15063151
WAI 358134
CG 130832
BO 0986192028
TR IH203




Nissan (1978-1986)

RH5205A

A-Circuit
Voltage Set Point 14.70 V

HI L15093155, L16023153
MB VRH200030
CG 137189
WAI 358136
TR IH205



LTI (Carbodies) - Europe (1987-1997),
Nissan (1987-1987), Nissan - Europe
(1986-1996), Nissan LCV - Europe (1985-
2000)

RH5205B

A-Circuit
Voltage Set Point 14.60 V

HI L15093155, L16023153
MB VRH200030
CG 137189, 133543
TR IH205



LTI (Carbodies) - Europe (1987-1997),
Nissan (1987-1987), Nissan - Europe
(1986-1996), Nissan LCV - Europe (1985-
2000)

RH5210A

A-Circuit
Voltage Set Point 14.70 V

HI TR1256, TR1233, TR1234,
TR1247, TR1248, TR1227
BO 0986192026
TR IH210
MB VRH20001
UP YRIN677B
CG 130834




Nissan (1978-1989), Nissan - Europe
(1979-1990), Nissan LCV - Europe (1980-
1991), Subaru (1982-1994), UD (1992-
1994)

RH5252B

A-Circuit
Voltage Set Point 14.70 V
Without Capacitor

HI L15033155
MM 940038071
TR IH252
CG 133544
MB VRH200029
UP YRIN678B



Chevrolet (1986-1998), GMC (1986-1998),
Isuzu (1986-1997), Opel - Europe (1994-
1998), Opel LCV - Europe (1988-1994)

RH5254A

A-Circuit
Voltage Set
Without Capacitor

HI L170G1315
TR IH254
UP YRB678
MB VRH200047
CG 137841



Isuzu and Opel
Vauxhall Astra 1.7D Ventra

RH5273A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication

HI L180G53401, L180G3340,
L1100G6340, L180G2341,
L180G33401
CG 234273




NISSAN 240 SX 2.4L 1995-1996; NISSAN
240 SX 2.4L 1995-1998; SUBARU
LEGACY 2.2L 1995-; SUBARU LEGACY
2.5L 1996-1999

RH5314A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HI L190G5340, L190G33401
CG 234314
MB VRH200043
TR IH782
UP YR719



Infiniti (1997-1997), Nissan (1996-2000)

RH5314B

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 10 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

HI L1100G7340
UP YR719
CG 234314
MB VRH200045
TR IH737




Nissan (2002-2006)

RH5432A

A-Circuit
Voltage Set Point 14.70 V


HI L15073154
MB VRH200036
CG 132432



RH5470A

A-Circuit
Voltage Set Point 28.40 V

HI L2259315
CG 234701
UP YR6809



NISSAN ATLAS/CONDOR /PATROL

RH5708A

A-Circuit
Voltage Set Point 28.10V

TR IH708
UP YR700
CG 133516
MB VRH20013



Nissan
Bus Truck & Industrial Hino

Hitachi Regulators

RH5716A

A-Circuit
Voltage Set Point 28.40 V




Isuzu (1992-1993)

MM 940038072
HI TR2Z37, TR2Z49
LU 21511106, UCJ113
TR IH716
CG 132292
MB VRH20003A
UP YR683

RH5738A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




Nissan (1998-2002), Nissan - Europe (2000-2010)

HI LR180756B, LR1100702
MB VRH200044
CG 234612
TR IH738

RH5740A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




NISSAN ALMERA / AVENIR / BLUEBIRD / CEDRIC / GLORIA / CREW / LARGO / RIMERA / PRIMERA WAGON / PULSAR / SERENA

HI TR1Z123, TR1Z108B, TR1Z108
CG 138740
MB VRH200039
UP YR711

RH5741A

A-Circuit
Voltage Set Point 14.30 V
Soft Start 26 %
LRC 4 sec
Vset of "C" is controlled by duty cy



Nissan (2005-2014), Suzuki (2009-2012)

TR IH741

RH5742A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function



Subaru (2000-2002)

MB VRH200063
TR IH742

RH5744A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



HONDA PASSPORT 3.2L 1999-2002; ISUZU AMIGO 3.2L 1998; ISUZU AXIOM 3.5L 2002; SUBARU BAJA 2.5L 2003; SUBARU FORESTER 2.5L 2003; SUBARU LEGACY 2.5L 2000-2003

HI L185G5340
TR IH744
UP YR722
CG 235438
MB VRH200062

RH5745A

14 V., Terminal type L-S




HONDA PASSPORT 3.2L 1999-2002; ISUZU AMIGO 3.2L 1998; ISUZU AXIOM 3.5L 2002; SUBARU BAJA 2.5L 2003; SUBARU FORESTER 2.5L 2003; SUBARU LEGACY 2.5L 2000-2003

HI L180G63401
MB VRH200088
UP YR722
TR IH745

RH5746A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Lamp Shorted Circuit Protection
Under/ Over Voltage Indication



(2006-04) Infiniti QX56 5.6L / (2006-04) Nissan Titan Pickup 5.6L; Armada 5.6L

CG 235661
TR IH746
WAI 255683W
MB VRH200085

RH5758A

PD Regulator




Mazda (1999-2000), Mazda - Europe (1998-2005)

MB VRH200051
TR IH758
CG 235145

RH5762A

A-Circuit
Voltage Set Point 14.30 V
Field Lamp Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



Nissan (1993-1996)

HI L1805340, L180G5340
CG 135022
WAI 358123
TR IH762
UP YR689

RH5765A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under/ Over Voltage Indication
Without Brush Holder




NISSAN 240 SX 2.4L 1995-1996; NISSAN 240 SX 2.4L 1995-1998; SUBARU LEGACY 2.2L 1995-; SUBARU LEGACY 2.5L 1996-1999

HI L185G2340
TR IH765
CG 234311
UP YR718
MB VRH200027

RH5767A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




Nissan (1995-1999), Nissan - Europe (1993-2000), Nissan LCV - Europe (1991-1995)

HI L170G5315
TR IH767
UP YR714
MB VRH200038, VRH200042
CG 138727

RH5769A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication




Honda - Europe (2002-2005), Opel - Europe (2000-2015), Opel LCV - Europe (2000-2010), Vauxhall - Europe (2000-2015)

HI LR150511, LR1100502F, LR170509E
MB VRH200050
CG 232443
TR IH769
UP YR716

RH5774A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication



INFINITI I30 3.0L; INFINITI I35 3.5L 2002; INFINITI Q45 4.1L 1997-1999; NISSAN MAXIMA 3.0L 1995-; NISSAN MAXIMA 3.5L 2002-; NISSAN MURANO 3.5L 2003

CG 231534
HI L1100G8340, L110G8340, L110G43402
MB VRH200046
TR IH774
UP YR7201

RH6111A

A-Circuit
Voltage Set Point 14.30 V
Soft Start 26 %
LRC 4 sec
Vset of "C" is controlled by duty cycle



Nissan Tiida Latio, SC11 [HR15], [HR15DE], BLUEBIRD, SYLPHY, LIVINA C-GEAR, LIVINA GENISS, QASHQAI PRCMAKE, TIIDA


MB VRH200091

Iskra Regulators

RI9044A

A-Circuit (Helmet Steel)
Voltage Set Point 14.60 V
Low Cut-in Speed
Slip Ring OD: 32mm

CG 231044
MB VRIK01
IS 16915221



RI9045A

A-Circuit (Metal Can)
Voltage Set Point 14.60 V


IS 11125204, 16915220,
16906352
MB VRIK15, VRIK02
CG 231045



Lada Regulators

RR4130A

A-Circuit
Voltage Set Point 14.50 V



VAZ 2108, 21099, GAZ 3110

RR9010A

A-Circuit (Metal Can)
Voltage Set Point 28.10 V



KAMAZ EURO-2

RR9032A

A-Circuit (Metal Can)
Voltage Set Point 14.50 V



VAZ 2110

RR9057A


A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Choke Shorted
Circuit Protection
Under Voltage Indication
Over Voltage Indication



VAZ 2110, PRIORA

RR9058A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 18 %
LRC 10 sec
Field Lamp Choke Shorted
Circuit Protection
Under Voltage Indication
Over Voltage Indication



LADA KALINA (VAZ 1117,1118,1119,2118)

Lucas Regulators

RL7225A

A-Circuit
Voltage Set Point 28.50 V




LU 54022415, 84959, UCB148
CG 135231
MB VRLC111B
TR IL225
UP YR820

Perkins (1992-2006)

Magneti Marelli Regulators

RE4110A

A-Circuit
Voltage Set Point 14.50 V




WAI 359304
MB VRF119
CG 131283
TR IX110

Alfa Romeo - Europe (1988-1994), Case (2002-2006), Citroen LCV - Europe (1987-1994), Fiat (1976-1982), Fiat - Europe (1971-2004), Fiat LCV - Europe (1979-2000), Fiat-Allis (1970-1995), Ford (1995-

RE4118A

14 V., V. setting 14.6



MM 64808184, 64808241, 64808243, 83607041, 83607111
TR IX118
UP YR387
MB VRF118
CG 133956

Renault - Europe (1982-1996), Renault LCV - Europe (1986-1998)

RE4121A

14 V., V. setting 14.7




MM 85561291, 83611361, 83617171
TR IX121
CG 136432, 331850
MB VRF151A
UP YR388

Fiat - Europe (1994-2006), Fiat LCV - Europe (1994-2004)

RE4121B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under /Over Voltage Indication
Self-exciting




MB VRF151A
CG 136432
UP YR388
TR IX121

Fiat - Europe (1994-2006), Fiat LCV - Europe (1994-2004)

RE4122A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under /Over Voltage Indication
Self-exciting



ND 1266007470
MM RTM151B, RTM152A, RTM154A, RTM151C
TR IX122
CG 136432

Fiat - Europe (2001-2007), Opel - Europe (2004-2010), Subaru - Europe (2003-2003), Suzuki - Europe (2003-2010)

RE4123A

Voltage Set Point:14.7V
W/Capacitor
W/Choke




CG 138789
MM 85563011
TR IX123
MB VRF153A

Case (2002-2006), JCB (1998-2007), Land Rover (1995-1998), Land Rover - Europe (1989-2002), New Holland (1998-2004), Rover Group - Europe (1991-1997)

RE4123B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting




MM 85561921, 85563011, RTM153B
MB VRF153A
TR IX123
CG 138789

Case (2002-2006), Land Rover (1995-1998), Land Rover - Europe (1989-2002), New Holland (1998-2004), Rover Group - Europe (1991-1997)

RE4124A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self-exciting



TR IX124

RE4131A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
PCM Regulator




CG 230790
TR IX131, IX131HD
MB VRF156
MM 85562801

Ford - Europe (1998-2015)

RE4579A

Voltage Set Point:14.7V
W/Capacitor
W/Choke



CG 136432, 239306
MM 085563051010,58120053,58120056
MB VRF158

Alfa Romeo - Europe (2011-2013), Mini - Europe (2007-2012), Opel - Europe (2005-2010), Saab - Europe (2004-2010), Vauxhall - Europe (2005-2010)

RE4594A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM function
Cut-in Speed: 1200rpm
Self-exciting




MM 85563481, RTM20003
CG 233636
MB VRF160
TR IX594

Smart (MMC) - Europe (2003-2007)

RE4634A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under /Over Voltage Indication
Self-exciting



ND 1266007020
MM RTM159B, 855561801, 85561801
CG 233634, 233613

RE4741A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under /Over Voltage Indication
Self-exciting



ND 0216802630, 1266007160
MM 83615921, RTM150B
WAI 255670W
MB VRF150A
CG 138798

RE4865A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 32 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM function




MM 85563491
MB VRF157
CG 238265
TR IX597

Ford - Europe (2000-2002), Ford LCV - Europe (2000-2003)

RE7796A


A-Circuit
Voltage Set Point 28.50 V



CG 138796
UP YR390
MM 83606411

RE9022A

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Under Voltage Indication
Over Voltage Indication




MB VRF154B

Magneton Regulators

RG8291A

A-Circuit
Voltage Set Point 14.50 V

CG 133417
TR MP291
MB VRMP134



Atlas Copco (1995-2007), Compac
Equipment Mfg. (1997-2007), Dynapac
(1996-2007), Ingersoll Rand (1996-2007),
John Deere (1994-2007), Skoda - Europe
(1989-1993), Skoda LCV - Europe (1991-

Mando Regulators

RA1028A

A-Circuit
Voltage Set Point 14.50V



MD TA500C09001
MB VRMD06
TR IY028
CG 234654

Hyundai (2000-2002), Hyundai - Europe (2000-2010)

RA1058A

A-Circuit
Voltage Set Point 14.50V




MD TA500C02401
TR IY058
MB VRH200986
CG 138204

Hyundai (1996-2001), Hyundai - Europe (1995-2002)

RA1072A

A-Circuit
Voltage Set Point 28.50 V



TR IY203

RA1094A

A-Circuit
Voltage Set Point A 14.50V



CG 231425
MB VRMD07
TR IY094

For use on : Alternators Mando
AB170094 OK2A218300

Kia (1998-2005), Kia - Europe (2000-2005)

RA1100A

A-Circuit
Voltage Set Point 28.65V




TR IY704
MB VRH2009192B

HUNDAI COUNTY

RA1126A

A -Circuit
Voltage Set Point 14.50 V
DFM function




MB VRH200989
TR IY126
CG 235702
MD TA500C07101

Hyundai (1999-2003), Hyundai - Europe (1998-2007), Kia (2001-2003), Kia - Europe (2003-2010)

RA1205A


A-Circuit
Voltage Set Point 14.40 V



CG 235205

RA1224A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



VA 2455023
CG 236224
MB VRPR5023

HYUNDAI ACCENT, GETZ, LAVITA, MATRIX, TIBURON, TRAJET, TUSCON // KIA CARENS, RIO, SPORTAGE

RA1326A


A-Circuit
Voltage Set Point 14.50V



CG 234326
TR IY702

RA1422A

A-Circuit
Voltage Set Point 14.50 V




MB VRMD01
TR IY422
UP YR557
MD TA500C02201E
CG 139669

Hyundai - Europe (1998-2003), Hyundai LCV - Europe (1994-2005)

RA1525A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
Self Exciting Function




TR M525
MB VRPR3389
CG 236390
VA 593389, 593818, 2614772, 2548923

NISSAN MICRA K12 1.0L/1.2L 03->

RA1531A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



VA 20051012, 2655001, 2655479
MB VRV5001
TR M531

HYUNDAI SANTA FE 2.7L 2004; HYUNDAI SONATA 2.7L 2004; HYUNDAI TIBURON 2.7L 2004; KIA MAGENTIS 2.7L 2004

RA1532A

Voltage Set Point 14.80V




MD BN3737022650
TR M532
MB VRV005

HYUNDAI ACCENT 00->, COUPE 01->, ELANTRA 00->, GETZ 02->, MATRIX 06->, TRAJET 00->, TUSCON 04-> // KIA CARENS (02-06), CERATO (04-06), RIO 06->, SPORTAGE 04

RA1532B

Voltage Set Point 14.80V




MD BN3737022650
TR M532
MB VRV005

HYUNDAI ACCENT 00->, COUPE 01->, ELANTRA 00->, GETZ 02->, MATRIX 06->, TRAJET 00->, TUSCON 04-> // KIA CARENS (02-06), CERATO (04-06), RIO 06->, SPORTAGE 04

RA1534A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




VA 2650030C, 702154
MB VRV0030
TR M534

Nissan (2004-2009)

RA1536A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




VA 20030410, 20031203, 20050725, 2655479
TR M536
CG 237456
MB VRV5428

Hyundai (2003-2006), Hyundai - Europe (2000-2010), Kia (2003-2005), Kia - Europe (2003-2010)

RA1544A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function




MD 20080710
VA 133421122
CG 330917
TR M544
MB VRV9938

Hyundai (2007-2012), Kia (2010-2011)

RA1550A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self exciting function



MD 20050526
MB VRV5745

Hyundai (2007-2012), Kia (2010-2011)

Mando Regulators

RA1551A

Voltage set point 12 V



MB VRH2009128
TR IY727
CG 235551

Hyundai - Europe (2003-2010), Hyundai LCV - Europe (2002-2007), Kia - Europe (2001-2009)

RA1563A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under/ Over Voltage Indication
DFM Function
Self Exciting Function




VA 20071017, 20080622
MB VRPR5011
TR M563
UP YR9621
CG 333045

Hyundai (2003-2003), Kia (2003-2006)

RA1620A

A-Circuit
Voltage Set Point 14.50V




CG 234620

HYUNDAI H-1 01->, SANTA-FE 00->, SONATA 01->, TRAJET 00-> // KIA OPTIMA (00-05), SORENTO (02-06)

RA1713A

A-Circuit
Voltage Set Point 28.65V




TR IY713
MD TA500C07401D
VA TA500C07401D

Hyundai alternator 3730041701

RA1715A


A-Circuit
Voltage Set Point 14.40 V



CG 234286
WAI 255680W

RA1794A

A-Circuit
Voltage Set Point 14.50 V




MB VRH2009116
MD AB170036
TR IY794
CG 234252

Kia (1994-1997), Kia - Europe (1996-2004), Mazda - Europe (1989-1997)

RA1796A

A-Circuit
Voltage Set Point 14.50 V



Hyundai - Europe (1998-2010)

RA1798A

A-Circuit
Voltage Set Point 14.50 V



CG 237153
TR M569
VA 13480351, 9RC6131,
W20100714

Hyundai - Europe (2003-2006), Kia - Europe (2003-2006)

RA1798B

A-Circuit
Voltage Set Point 14.60 V




VA 13480351, 9RC6131,
W20100714
TR M569
CG 237153
MB VRV6131

Hyundai - Europe (2003-2006), Kia - Europe (2003-2006)

RA1903A

A-Circuit
Voltage Set Point 14.50V



MD TA500C09001
MB VRMD06
TR IY028

Hyundai (2000-2002), Hyundai - Europe (2000-2010)

Mitsubishi Regulators

RM0572A

A-Circuit
Voltage Set Point 14.50 V




MB VRH2009129

SUBARU FORESTER 2.5L 1998;
SUBARU IMPREZA 1.6i 1992-1998;
SUBARU IMPREZA 1.8i 1992-1998;
SUBARU IMPREZA 1.8L 1997; SUBARU
IMPREZA 2.0i 1993-1998

RM3003B

A-Circuit
Voltage Set Point 14.50V
With B+ Bolt




MD TA500C06101
TR IY105
MB VRH2009117

CHERY AMULET, Southeast Delica,
Jinbei 491Q

RM3086A

A-Circuit
Voltage Set Point 28.50 V



RM3091A


A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit
Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication



MB VRH2009154B,
VRH2009183B

RM3095A

A-Circuit
Voltage Set Point 28.35 V



RM3098A

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit
Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication




MB VRH2009125B

RENAULT RVI MIDLUM DX100A, MAZ
5440A9, URAL 6367-31, 6563, VOLVO
B7/B9/B10/B12, DEUTZ-Fahr


RM3102A

A-Circuit
Voltage Set Point 28.70 V




RM3103A

A-Circuit
Voltage Set Point 14.80V



RM3113A


A-Circuit
Voltage Set Point 28.35 V



MB VRH2009151B

RM3119A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication




MB VRH2009119
TR IM582

Honda (2007-2008)

RM3121A


A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator



MB VRH2009160

RM3153A


A-Circuit
Voltage Set Point 14.30V



CG 235078
MB VRH2009153

RM3204A

A-Circuit
Voltage Set Point 14.60 V




MM 940038076
BO 0986192016
LU UCJ200, 21513103
TR IM204
MB VRH2009
CG 130835
UP YR558

Chrysler (1982-1985), Clark (1985-1994),
Dodge (1978-1987), Ford (1982-1982),
Gehi (1982-1993), Hyster (1970-1992),
Hyundai - Europe (1981-1991)

RM3205A

A-Circuit
Voltage Set Point 14.60 V




MM 940038083
MB VRH200918
CG 131290
TR IM205
UP YR566

Dodge (1983-1985), Mazda (1984-1985),
Mitsubishi (1983-1985)

RM3212A

A-Circuit
Voltage Set Point 28.50 V




CG 137396
MB VRH200947
TR IM212

Kobelco (1967-1993), Mitsubishi (1985-
2007), Mitsubishi Fuso (1984-1989)

RM3217A

A-Circuit
Voltage Set Point 14.50V




CG 131523
TR IM217
MB VRH20096H
UP YR571

Caterpillar (1992-1997), Chrysler (1987-
1989), Clark (1995-2000), Dodge (1987-
1995), Eagle (1988-1994), Hyundai (1989-
1999), Hyundai - Europe (1989-2010),
Hyundai LCV - Europe (1993-2000),

RM3222A

A-Circuit
Voltage Set Point 14.50V




MM AMP0801
CG 230885
MB VRH200937
TR IM222

Caterpillar (1992-1997), Clark (1995-
2000), Dodge (1992-1996), Eagle (1992-
1996), Hyundai - Europe (1991-2001),
Hyundai LCV - Europe (1993-2000),
Mercury (1993-1998)

RM3232A

A-Circuit
Voltage Set Point 14.80 V




CG 139043
MB VRH200949
TR IM232

Ford - Europe (1992-2000), Ford LCV -
Europe (1991-1996)

Mitsubishi Regulators

RM3263A

A-Circuit
Voltage Set Point 14.50 V




CG 132102
MB VRH20098H
UP YR587
TR IM263

NISSAN 200SX; NISSAN 300ZX; NISSAN MICRA; NISSAN PULSAR; NISSAN STANZA

RM3275A

A-Circuit
Voltage Set Point 14.50 V




CG 135033
MB VRH200914N
TR IM275, 358321

Asuna (1992-1993), Chevrolet (1989-1998), Geo (1989-1995), GMC (1989-1991), Pontiac (1994-1994), Suzuki (1989-1994), Suzuki - Europe (1986-1998)

RM3278A

A-Circuit
Voltage Set Point 14.50V




TR IM278
UP YR578
MB VRH200926
CG 134088

Nissan (1989-2006), Nissan - Europe (1986-1995)

RM3281A

A-Circuit
Voltage Set Point 14.50 V




MB VRH200928
TR IM281

Mitsubishi - Europe (1986-1998), Mitsubishi Fuso (1989-1991), Mitsubishi LCV - Europe (1986-1996)

RM3282B

A-Circuit
Voltage Set Point 14.50 V




MM AMP0796
TR IM282
MB VRH200928
CG 136549, 131471

Mitsubishi Pajero 2500 Diesel, Delica 2300 Van Diesel, Mirage 1800 Diesel, Galant 1800 Diesel, Sava 1800 Diesel, Shariot 1800 Diesel

RM3284A

A-Circuit
Voltage Set Point 14.50V




CG 135030
MB VRH200915
TR IM284
UP YR575

Nissan (1990-1993), Nissan - Europe (1988-2001)

RM3286A

A-Circuit
Voltage Set Point 28.70 V




MB VRH200969B
TR IM286
CG 235884

Mitsubishi Fuso (1988-1988)

RM3290A

A-Circuit
Voltage Set Point 14.40 V




MB VRH200963
TR IM290
CG 138309

Kubota (1998-2009)

RM3291A

A-Circuit
Voltage Set Point 14.50V




CG 135030
TR IM291
UP YR576

INFINITI G20; NISSAN SENTRA

RM3292A

A-Circuit
Voltage Set Point 14.40 V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




CG 137182
MB VRH200945
TR IM292

Infiniti (1993-1997), Nissan (1994-1996), Nissan - Europe (1996-2000)

RM3341A

A-Circuit
Voltage Set Point 14.60 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
Sense Loss Indication
Under Voltage Indication
Over Voltage Indication




TR IM341
UP YR591
CG 138340
MB VRH200970A

MITSUBISHI CARISMA 1.8 GDI 1997; MITSUBISHI COLT 1.3l, 1.6; MITSUBISHI GALANT 2.0 1996; MITSUBISHI IO 1.8 GDI 2000; MITSUBISHI LANCER 1.3, 1.6, 2.0 1995-2001; MITSUBISHI MIRAGE

RM3345A

Inactive Lamp
D-P Terminals
* Traditional test method will immediately damage P-D regulator.




TR IM345
MB VRH200995
UP YR591A
CG 138872

MAZDA 323, 626, DEMIO, MAZDA3, MAZDA5, MPV, PREMACY, RX-8

RM3350B

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication




TR IM350
UP YR5911

SUBARU FORESTER 2.5L 1998; SUBARU IMPREZA 1.6l 1992-1998; SUBARU IMPREZA 1.8l 1992-1998; SUBARU IMPREZA 1.8L 1997; SUBARU IMPREZA 2.0l 1993-1998

RM3362A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




CG 333039, 230043
MB VRH2009118
UP YR5916
TR IM362

NISSAN SENTRA 180 2000

RM3381A

A-Circuit
Voltage Set Point 14.70 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit Prote




TR IM381
CG 333041
MB VRH200990
UP YR5971 YR5977

HONDA CIVIC 1998

RM3465A

P D Terminals




TR IM465, IM465HD
MB VRH2009100
CG 235665
UP YR5913

Mazda (2000-2005), Mazda - Europe (2002-2008)

RM3473A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication




MB VRH2009122, VRH2009123
TR IM473

Nissan Navara; Pathfinder 2.5L

RM3473B

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication



MB VRH2009123
TR IM473


Nissan - Europe (2005-2010), Nissan LCV - Europe (2005-2010)

Mitsubishi Regulators

RM3476A

A-Circuit
Voltage Set Point 14.40V
Soft Start 30 % LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication

CG 231510
MB RH200999
TR IM476
UP YR5912




Infiniti (2003-2008), Nissan (2003-2006)

RM3498A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field, Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication


MB VRH2009105SE,
VRH2009105
CG 235450
TR IM498



RM3503A

A-Circuit
RC=0 Vs=13.50V
RC=55% Vs=14.25V
AS-RC-LI Terminals

TR IM503
CG 331005
MB VRH2009102




Ford - Europe (2001-2010), Mazda - Europe (2003-2007)

RM3505A

Works with PCM
Traditional test method will immediately damage P-D

CG 331633
TR IM505
MB VRH2009114




Mazda (2002-2014), Mazda - China (2003-2008), Mazda - Europe (2005-2012)

RM3516A

A-Circuit
Voltage Set Point 28.50 V


MB VRH200919
UP YR502



RM3541A

A-Circuit
Voltage Set Point 14.50V


CG 235541



RM3543A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

MB VRH2009120
CG 235543




CHALLENGER/ DELICA SPACE
GEAR/CARGO/ L200 / NATIVA
/PAJERO / PAJERO SPORT
/PAJERO/MONTERO

RM3554A

A-Circuit
Voltage Set Point 14.50 V
Field Shorted Circuit Protection
Over Voltage Indication
Without Trio Diode Application


CG 235547
MB VRH2009112,



RM3564A

A-Circuit
Voltage Set Point 14.50V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under / Over Voltage Indication

CG 235836
TR IM564
MB VRH2009148



Nissan (2007-2014), Nissan - Europe (2007-2014)

RM3688A

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
Field, Lamp Shorted Circuit Protection
IG Open Indication
Sense Loss Indication
Under Voltage Indication


MB VRH2009132B
TR IM688



RM3691A

A-Circuit
Voltage Set Point 14.80V

MB VRH200980
TR IM849




MITSUBISHI A003TN2581A; SUZUKI
3140084A10, 3140084A11

RM3830A

A-Circuit
Voltage Set Point 14.40 V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

CG 135233
MD TA500C02001
MB VRH200922
UP YR569
TR IM830




NISSAN 200 SX 1.6L 1995-1996; NISSAN
ALMERA 1.4 16V N15EGA 1995-2000;
NISSAN ALMERA 1.6 16V 1995-2000;
NISSAN ALMERA 1.6 16V N15EGA 1995-
2000; NISSAN PRIMERA 1.6 16V 1990-

RM3831A

A-Circuit
Voltage Set Point 14.50 V

TR IM831
UP YR5821
MB VRH200978




HYUNDAI ELANTRA 1.6L 1992-1995;
HYUNDAI ELANTRA 1.8L 1993-1995;
HYUNDAI SONATA 2.0L 1992-1998

RM3832A

A-Circuit
Voltage Set Point 14.50V

MM 940038103
TR IM832
UP YR579A
CG 230003




FORD; MITSUBISHI; NISSAN

RM3834A

A-Circuit
Voltage Set Point 14.50 V

TR IM834
CG 139667
MB VRH200944




Chevrolet (1989-2001), Geo (1989-1997),
Pontiac (1989-2000), Suzuki (1992-2001)

RM3843A

A-Circuit
Voltage Set Point 28.60 V

MM AMP0794
UP YR5569
CG 333354
TR IM843
MB VRH200977B




MITSUBISHI FUSO AERO MIDI;
MITSUBISHI FUSO AERO STAR;
MITSUBISHI FUSO CNG; MITSUBISHI
FUSO FIGHTER; MITSUBISHI FUSO
KV20J

RM3845A

A-Circuit
Voltage Set Point 14.50 V
Sense Open Indication
Under/ Over Voltage Indication
DFM Function

MM AMP0806
TR IM845
CG 234313
MB VRH200973
UP YR594A




EAGLE TALON 2.0L 1995-1997; EAGLE
TALON 2.0L 1995-1998; MITSUBISHI
ECLIPSE 2.0L1995; MITSUBISHI
ECLIPSE 2.4L 1996-1997

RM3846A

A-Circuit
Voltage Set Point 28.65 V

MB VRH200980B
TR IM846




MITSUBISHI A003TN5288, A003TN5883;
MITSUBISHI 32B68-00200, ME017614,
ME017615

Mitsubishi Regulators

RM3846B

A-Circuit
Voltage Set Point 28. 70V


MM AMP0808
TR IM846
MB VRH200980B



RM3847A

A-Circuit
Voltage Set Point 14.50V

CG 137075, 235762
MB VRH200980
UP YR596, YR598
TR IM847




MAZDA HA 3.5L 1991; MAZDA T3500;
MAZDA T4000; MAZDA XA 3.5L 1991;
MITSUBISHI DELICA 1987; MITSUBISHI
L200 2.5 TD 1996.

RM3848A

A-Circuit
Voltage Set Point 14.40 V
Soft Start 30 %
LRC 5 Sec
Field Shorted Circuit Protection
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

CG 235102
TR IM848
UP YR5972
MB VRH2009107




SUBARU BAJA 2.5L 2003; SUBARU
FORESTER 2.0 1998-2002; SUBARU
FORESTER 2.5L 2003-2005; SUBARU
IMPREZA 1.6 1998-2000

RM3851A

A-Circuit
Voltage Set Point 14.60 V
Soft start
LRC 5 sec
Stator activated

CG 235278
MB VRH200994
UP YR5974
TR IM851




ACURA EL 1.7L 2001-2005; HONDA
CIVIC 1.4 i 2001; HONDA CIVIC 1.6 i
2001; HONDA CIVIC 1.7L 2001-2005

RM3853A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication

CG 238493
TR IM853, IM853HD




Honda (1999-2000)

RM3854A

A-Circuit
Voltage Set Point 14.40V
Sense Open Indication
Under Voltage Indication
Over Voltage Indication

MM AMP0857
CG 139110
UP YR5972
MB VRH200979
TR IM854




Mitsubishi - Europe (1994-2010),
Mitsubishi LCV - Europe (1996-2010)

RM3949A

A-Circuit
Voltage Set Point 28.50 V
Soft Start 30 %
IG / Sense Open Indication
L Terminal Drives Choke
Under/ Over Voltage Indication

UP YR5979
CG 238949
MB VRH2009135B




IVECO EUROTECH, EUROTRAKKER,
STRALIS, TRAKKER 7.8L; IVECO
EUROSTAR LD, MH, MP; IVECO
STRALIS

RM3973A

A-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field, Lamp Shorted Circuit
Protection
Under Voltage Indication
Over Voltage Indication

CG 235450
MB VRH2009105SE




Motorola Regulators

RT8329A

A-Circuit
Voltage Set Point 28.20 V
Field, Lamp Shorted Circuit
Protection
Over Voltage Indication
With Battery Operation

TR M5329A
PRES 105329, 105360




Ford (1982-2008), Freightliner (1989-2007), International (1984-2008), Kenworth (1988-2007), Mack (1978-2007), Massey Ferguson (1993-2006), Peterbilt (1991-2007), Sterling (1999-2007), Vermeer

RT8396A

A-Circuit
Voltage Set Point 27.50V
Field Shorted Circuit Protection
Over Voltage Indication
Without Battery Operation

PRES 8RL3024S, 105229,
105351, 105352, 105396
MB VRVW006
TR M5396
YP YRIL39
CG 131181




Volvo Penta (1965-2005)

Nikko Regulators

RK9228B

A-Circuit
Voltage Set Point 29.30 V



UP YR120
TR IZ228
CG 135296
MB VRH20032B

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

RK9228C

A-Circuit
Voltage Set Point 28.80 V



CG 135296
MB VRH20032B
TR IZ228, 358401
UP YR120

Isuzu (1991-2007), Komatsu (1984-2007),
Link-Belt (1986-1989), MQ (1996-2002)

RK9999A

A-Circuit
Voltage Set Point 28.40 V



NK 0375190151, 0375190150
CG 234999

Poong Sung Regulators

RY9035A

A-Circuit
Voltage Set Point 14.50V



CG 235035
TR PG104

RY9102A

A-Circuit
Voltage Set Point 14.50V



MB VRK02
TR PG102

KIA SPORTAGE (1999-2002);
BESTA(EC/GEN)99/7 (1995-2000)

RY9469A

A-Circuit
Voltage Set Point 14.80V




POO 1215000011
MM AMP0125
TR PG101
CG 139469
MB VRK01

Prestolite Regulators

RP1415A

A-Circuit
Voltage Set Point 28.50 V
Field, Shorted Circuit Protection

PRES JFZ2915000ZU,
AVE21195000ZU,
AVE21195000ZU




CUMMINS PAZ-3204, PAZ-4234

RP3002A

A-Circuit
Voltage Set Point 28.20V
Field Shorted Circuit Protection



RP4048A



RP5324A


Voltage Set Point 14.50V



RP8047A

A-Circuit
Voltage Set Point 28.00V
Field, Lamp Shorted Circuit
Protection
Over Voltage Indication
With Battery Operation


PRES 8RG3078S
MO 8RG3078C
UP YR8159
CG 333047



RP8292A

A-Circuit
Voltage Set Point 14.50 V

PRES 8RG2029A
MO 105292
TR M5292A
UP YR8151
CG 235353



Ford (1974-1999), Freightliner (1975-2005), International (1975-2000), Kenworth (1988-2005), Mack (1978-2007), Peterbilt (1991-2005), Sterling (1999-2004), Volvo (1989-2007)

RP8760A

A-Circuit
Voltage Set Point 28.20 V

PRES 1861760




Regulator 28.0 Vset AC172

RP8887A

A-Circuit
Voltage Set Point 27.50 V
Field, Shorted Circuit Protection

PRES 8RG3082



RP8888A

Voltage Set Point 28.50V



Prestolite AC172R Bus, Jinlong, Yutong

RP9504A

Voltage Set Point 14.50V



Prestolite AV1136/144

RP9508A

Voltage Set Point 28.50V



Prestolite JFZ/AVE27 series KAMAZ,
CMB, Urban public transport, Wei Chai
series

Sawafuji Regulators

RW9493A


A-Circuit
Voltage Set Point 28.80 V



CG 233493
MB VRH2005102B

RW9700A

A-Circuit
Voltage Set Point 28.70 V




TR IW700
CG 136168
MB VRH20021
UP YR668

HINO; NISSAN

RW9700B

A-Circuit
Voltage Set Point 28.60 V
Lamp Shorted Circuit Protection
L Terminal Does Not Drive
Choke



TR IW700
UP YR668
MB VRH20021
CG 136168

HINO; NISSAN

Valeo Regulators


<p>RV0035A</p> <p>A-Circuit Voltage Set Point 28.50 V</p> 	<p>RV1069A</p> <p>B-Circuit RVC=0 Vset=13.80V RC=70% Vset=14.45V Soft Start 18.75 % LRC 2.5 sec DFM function RVC Regulator</p> <p>MB VRV5460 VA 2605581 IK 140191</p> 	<p>RV1103A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM function</p> <p>CG 231103 MB VRPR2292 TR M521 VA 2541940, 2542292C, 2542332, 2542529, 593368, 593371</p> <p>UNIVERSAL 93-></p> 
<p>RV1103B</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function Self exciting function</p> <p>VA 593368, 593392, 593455, 593480, 593522, 593813 TR M521, M547 MB VRPR2292H CG 231103</p> <p>Audi (2002-2013), Audi - Europe (2001-2012), Ford - Europe (2002-2006), Mitsubishi - Europe (2005-2010), Seat - Europe (2000-2012), Skoda - Europe (2004-2012)</p> 	<p>RV1115A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication Self exciting function</p> <p>CG 234115 MB VRPR3534 UP YR962 VA 593477, 593505, 593534, 593947 TR M551</p> <p>OPEL ASTRA 1.4L-2.0L 2001; OPEL ASTRA F 1.4i 1997-2001; OPEL ASTRA G 1.4, 1.6, 1.8, 1.9, 2.0 1998; OPEL CORSA C 1.4, 1.8 2000; OPEL MERIVA 1.6 2003; OPEL OMEGA B 2.2 1999</p> 	<p>RV1256A</p> <p>A-Circuit Voltage Set Point 14.80 V Soft Start 17 % LRC 4 sec Self Exciting Function BSS Regulator</p> <p>VA 595256</p> <p>BMW 1- (E81), 3- (E46/E90), 5- (E60), X1, Z4 01->></p> 
<p>RV1318A</p> <p>B-Circuit Voltage Set Point 14.80 V Soft Start 17 % LRC 4 sec Self exciting function COM regulator</p> <p>VA 595318, 2543591, 599149</p> 	<p>RV1369A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication DFM Function Self exciting function</p> <p>VA 593406 MB VRV3406SE CG 235369</p> <p>BMW 3' (E46) 318D/320D/330D 01->, X3 2.0D/3.0D 03->, X5 3.0D // LAND ROVER FREELANDER 2.0TD4 00-> 14V 150A</p> 	<p>RV1506A</p> <p>A-Circuit Voltage Set Point 14.20 V</p> <p>CG 131224 MM 940038151 MB VRVW005, VRVW005N TR M506 VA 2519124, 2519490, 2522939, 2523198</p> <p>Audi - Europe (1985-1992), BMW (1988-2000), BMW - Europe (1988-1999), Fiat - Europe (1975-1993), Seat - Europe (1991-1993), Volkswagen (1984-1992), Volkswagen - Europe (1983-1993),</p> 
<p>RV1511A</p> <p>A-Circuit Voltage Set Point 14.50 V</p> <p>CG 134475 MM 940038186 MB VRVW010 UP YR963 TR M511 VA 2521335, 2541392, 2541404, 2541433</p> <p>Audi (1992-1999), Audi - Europe (1991-2001), BMW (1992-2002), BMW - Europe (1990-1999), Citroen - Europe (1989-2004), Citroen LCV - Europe (1994-2002), Fiat - Europe (1995-2002), Fiat LCV -</p> 	<p>RV1513A</p> <p>A-Circuit Voltage Set Point 14.50 V</p> <p>VA 9RC2055, 9RC2062 TR M513 CG 135434 UP YR961 MB VRPR1667</p> <p>Mitsubishi; Renault R19; Megane, Valeo 12V / 70-110 Amp. I/R Alternators.</p> 	<p>RV1514A</p> <p>A-Circuit Voltage Set Point 14.50 V</p> <p>VA 593138, 2541715, 2808323 MM AMP0502 TR M514 CG 135646 MB VRPR1669</p> <p>FIAT CROMA 2.0L 16V (92-96), DUCATO (230/230L) 2.5D/2.5TDI/2.8D/2.8TD (94-02) 14V 80A; CITROEN Jumper 1999-</p> 
<p>RV1516A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field, Lamp Shorted Circuit Protection Under / Over Voltage Indication DFM Function Self exciting function</p> <p>CG 139440, 139441, 235819 MB VRPR1620 TR M516 VA 2541952, 2541952B, 2542248C, 2542362B, 593316, 593338</p> <p>NISSAN Kubistar 1.2 2003-; RENAULT CLIO II, Kangoo, Symbo, Twingol 1.0, 1.1, 1.2</p> 	<p>RV1516B</p> <p>B-Circuit Voltage Set Point 14.05 V Soft Start 30 % LRC 5 sec Field, Lamp Shorted Circuit Protection Under / Over Voltage Indication DFM Function Self exciting function</p> <p>VA 593338, 2542362B, 2541952B, 593411 MM AMP0504 CG 139441 TR M516 MB VRPR1424H, VRPR1620H</p> <p>NISSAN Kubistar 1.2 2003-; RENAULT CLIO II, Kangoo, Symbo, Twingol 1.0, 1.1, 1.2</p> 	<p>RV1517A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication Self exciting function</p> <p>CG 139456 TR M517 VA 2541668, 2541669B, 593290, 593303, 593310</p> <p>Citroen - Europe (1994-2010), Mitsubishi - Europe (1997-2003), Opel LCV - Europe (1997-2002), Peugeot - Europe (1997-2010), Renault - Europe (1991-2005), Renault LCV - Europe (1998-2003),</p> 
<p>RV1519A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Under Voltage Indication Over Voltage Indication Self exciting function</p> <p>VA 235082, 593284, 2541834 TR M519 CG 235082 MB VRPR603H</p> <p>CITROEN BERLINGO 2.0L D 1999-; CITROEN C5 2.0L D 2001-; CITROEN C8 2.0L D, 2.2L D 2002-; CITROEN EVASION 2.0L, 2.0L D 16V 1999-; CITROEN JUMPER 2.0L D 2002-</p> 	<p>RV1520A</p> <p>B-Circuit Voltage Set Point 14.45 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Sense Open Indication Under Voltage Indication Over Voltage Indication</p> <p>VA 2542499 MB VRV2499 TR M520</p> <p>Chevrolet (2002-2014), Oldsmobile (2002-2004), Pontiac (2002-2005)</p> 	<p>RV1524A</p> <p>B-Circuit Voltage Set Point 14.50 V Soft Start 30 % LRC 5 sec Field Shorted Circuit Protection Sense Open Indication Under / Over Voltage Indication DFM function</p> <p>MB VRPR2765 TR M524 VA 2542765</p> <p>Buick (2002-2007), Chevrolet (2002-2009), GMC (2004-2006), Hummer (2006-2006), Isuzu (2006-2006), Oldsmobile (2002-2004), Pontiac (2001-2007), Saturn (2002-2007)</p> 

Valeo Regulators

RV1527A

B-Circuit
Voltage Set Point 14.30 V
Soft Start 32 %
LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
Self Exciting Function

CG 230944
MB VRPR3617
TR M527
VA 2542207B, 2542208B,
593333, 593353



BMW 3 (E36 E46) 320 i, 323 i 2.5, 328 i;
BMW 5 (E39) 520 i, 523 i, 528 i; BMW Z3
(E36) 2.0, 2.8,

RV1538A

A-Circuit
Voltage Set Point 14.80 V
Soft Start 17 %
LRC 4 sec
Self Exciting Function
BSS Regulator

VA 593538, 595336




BMW 3 V (E92, E92N, E90, E90N, E91,
E91N, 5 V (E60, E60N, E61, E61N)

RV1540A

B-Circuit
RVC=0 Vset=13.80V
RC=70% Vset=14.45V
Soft Start 18.75 %
LRC 2.5 sec
DFM function
RVC Regulator

VA 2650441, 2650561
TR M540
MB VRV0441




Buick (2005-2007), Chevrolet (2005-2012),
GMC (2007-2012), Hummer (2007-2010),
Isuzu (2007-2008), Pontiac (2005-2010),
Saturn (2005-2010)

RV1546A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
Self exciting function
DFM function

VA 2542299, 2542638, 593689,
593546, 593535
TR M546
MB VRV3689
CG 330319



Nissan - Europe (2002-2010), Nissan
LCV - Europe (2003-2010), Renault -
Europe (2000-2012), Renault LCV -
Europe (2002-2010)

RV1546B

12 Volt, B-Circuit, L-NC
Terminals, 14.4 Vset
Valeo IR/IF Alternators

TR M546
CG 330319
VA 593535, 593546, 593689,
2542638, 2542299
IK 140041



Nissan - Europe (2002-2010), Nissan
LCV - Europe (2003-2010), Renault -
Europe (2000-2012), Renault LCV -
Europe (2002-2010)

RV1546C

12 Volt, B-Circuit, L-NC
Terminals, 14.4 Vset
Valeo IR/IF Alternators

TR M546
CG 330319
VA 593535, 593546, 593689,
2542638, 2542299
IK 140041




Nissan - Europe (2002-2010), Nissan
LCV - Europe (2003-2010), Renault -
Europe (2000-2012), Renault LCV -
Europe (2002-2010)

RV1549A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function

CG 330319
TR M549
VA 2603741



OPEL; RENAULT; FG15T050; SG12B052;
SG12B071

RV1560A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 32 %
LRC 5 sec
Field, Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication

VA 237938, 593423, 593839,
593846
CG 237938
TR M523
MB VRPR2206




BMW 3 (E46) (98-05), BMW 5 (E39) (99-
03), BMW 7 (E38) 95->, X5 (E53) 00->,
Z3 (E36)

RV1561A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under Voltage Indication
Over Voltage Indication
DFM Function
Self exciting function

VA 593532, 593828
CG 235657
TR M561



CITROEN BX (XB-) 1.6, 1.9 RD,
CITROEN C5 (DC) 2.0 HDi, 2.0 16V, 2.2
Hdi, CITROEN C8 (EA, EB) 2.0, 2.0 HDi,
2.2 Hdi, CITROEN EVASION (22, U6) 2.0
16V, 2.0 HDi, CITROEN JUMPER

RV1562A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 %
LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM function

CG 234982
MB VRPR3529
VA 593529, YR6620PF
TR M562




CITROEN BERLINGO 1.1 i, 1.4, 1.6, 1.9
D, CITROEN C4 (LC) 1.6 16V, 1.6 HDi,
2.0 16V, CITROEN C5 (DC) 1.8 16V, 2.0
16V, CITROEN C8 (EA, EB) 2.0,
CITROEN JUMPY 2.0 i, 1.9

RV1564A

B-Circuit
Voltage Set Point 14.50 V
Soft Start 30 % LRC 5 sec
Field Shorted Circuit Protection
Under / Over Voltage Indication
DFM function with duty cycle
limitation
Self exciting

CG 333347
MB VRV3419
TR M564
VA 593419, 233633, 2542449



CITROEN BERLINGO 02->, XSARA 97->
// PEUGEOT 206CC, SW, PEUGEOT
PARTNER 1.4/1.6L 14V 70A

RV1571A

B-Circuit
Voltage Set Point 14.80 V
Soft Start 15 %
LRC 2.5 sec
Self exciting function
COM regulator

VA 595252, 595253, 595379,
2604774, 2543208
TR M571
CG 330202



RENAULT KANGOO 1.6L 08-> 14V 110A;
RENAULT Clio3/ Modus/Twingo 3

RV1573A

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

CG 235808, 332102
TR M573
VA 2542964, 2543279, 2580469



MERCEDES BENZ Sprinter, Viano, Vito
Cdi 2003->

RV1576B

B-Circuit
Voltage Set Point 14.00 V
LRC 3 sec
Self Exciting Function
LIN Regulator

VA 599182, 595393
CG 332115



FORD Fiesta 1.25, 1.4, 1.6; Mondeo 1.6,
1.8

RV1652A

A-Circuit
Voltage Set Point 14.50 V

CG 130657, 130657Z
MM 940038162
MB VRPR1652H, VRPR1654,
VRYL1652
UP YR950
TR IP152, IP1652



AMC; RENAULT; VOLVO

RV1661A

A-Circuit
Voltage Set Point 14.60 V

VA 182120, YV1924, YV1925,
YV1933, YV2925
LU 21225417, 21225183,
21225371
MM 940038161, AMP0925
CG 130661
TR IP125
UP YR951
MB VRPR2000H, VRPR2000



A13N108, A13N125; MASERATI;
PEUGEOT; RENAULT; VOLVO

RV1866A

A-Circuit
Voltage Set Point 14.50V

VA 182120, YV1924, YV1925,
YV1933, YV2925
LU 21225417, 21225183,
21225371
MM 940038161, AMP0925
CG 130661
TR IP125
UP YR951
MB VRPR2000H, VRPR2000



RV1882A

A-Circuit
Voltage Set Point 14.50 V

MB VRV8326




HYUNDAI ELANTRA 06->, I20, I30 07-> //
KIA CARENS 06->, CEED 06->, CERATO
06->, SOUL 09->

Valeo Regulators

RV1885A


B-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 % LRC 5 sec
 Field Shorted Circuit Protection
 Under/ Over Voltage Indication
 DFM function with duty cycle limitation
 Self exciting function
 CG 237563, 239885
 VA 593993



CITROEN C2 03->, C3 02->, C4 03-> //
 PEUGEOT 1007 05->, 206 00->, 207 06->, 307 00->

RV1885B

B-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 % LRC 5 sec
 Field Shorted Circuit Protection
 Under/ Over Voltage Indication
 DFM function with duty cycle limitation
 IK 140221
 VA 593498, 593993



CITROEN C2 03->, C3 02->, C4 03-> //
 PEUGEOT 1007 05->, 206 00->, 207 06->, 307 00->

RV1915A


B-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 % LRC 5 sec
 Field Shorted Circuit Protection
 Under Voltage Indication
 Over Voltage Indication
 Self exciting Function
 VA 593915
 TR M572
 CG 330504



NISSAN MICRA K12 1.0L/1.2L/1.6L 03->,
 NOUT E11 1.4L 06->

RV1939A

B-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 %
 LRC 5 sec
 Field Shorted Circuit Protection
 Under Voltage Indication
 Over Voltage Indication
 DFM function
 CG 234533
 VA 2541939B, 593362, YM1610F



AUDI 100, 80, A3, A4, A6, TT // BMW 7,
 Z3 ->03 // CITROEN BERLINGO, BX,
 C5, JUMPER, XANTIA, XSARA // FIAT
 ULYSSE // MERCEDES C-CLASS, E-
 CLASS, SPRINTER 903/904 // PEUGEOT

RV1961A

B-Circuit
 Voltage Set Point 14.50 V
 Soft Start 30 %
 LRC 5 sec
 Field Shorted Circuit Protection
 Under Voltage Indication
 Over Voltage Indication
 Self exciting function
 VA 593454, 2541851, 2580368,
 2602251, 593863, 593440,
 593550
 WAI 255714W
 CG 234961
 TR M557



LAND ROVER Discovery II (LJ, LT) /
 Mercedes - Europe (1997-2005)

RV1970A


B-Circuit
 Voltage Set Point 14.00 V
 LRC 3 sec
 Self Exciting Function
 LIN Regulator
 TR M576
 VA 2543298, 593970



MERCEDES 180, 200 OM640940,
 OM640941, OM640942

RV4811A

B-Circuit
 Voltage Set Point 14.50 V
 Soft Start 32 %
 LRC 5 sec
 Field Shorted Circuit Protection
 Under Voltage Indication
 Over Voltage Indication
 Self exciting function
 VA 493811
 TR M529



Bosch Terminals

HB0615A

Capacitor : 2.2uF . 250V



BO F00M145264
CG 235615

DODGE Durango 5.7 V8 2003-2010//
DODGE Ram 2500 5.7 V8 2002-2009
[EZA]

ZB3919A

Mount. hole I.D. 9.00, L. 57.50,
H. 14.00
Terminal 6.30 mm. B+.



BO F00M05A400
CG 233919

Denso Terminals

ZN2205A



ND 1262200230
MB TBND167
TR 4682205

CHRYSLER PACIFICA V6 3.5L 2004-06

RN6502A



Hitachi Terminals

ZH0054A

Capacitor:2.2uF.250V



CG 138731

300 ZX 300ZX BLUEBIRD CARAVAN
CEDRIC CEDRIC SEDAN
CEDRIC/GLORIA CIMA KING CAB
NISSAN TRUCK PATHFINDER PATROL

Magneti Marelli Terminals

ZE2465A

Servicing 633 21679
B+ Terminal



CG 232465

Mitsubishi Terminals

ZM3252A



CG 133252
TR WAF10

ZM4069A



CG 234069

Other Terminals

ZZ4100A



Valeo Terminals

ZV0056A



CG 235458

ZV2213A

Capacitor:2.2uF.250V



VA 593251
CG 232213

ZV2215A

Mount. hole I.D. M8



VA 593421
CG 232215

ZV3451A



CG 139451
VA 593288

ZV5433A

Capacitor:2.2uF.250V



VA 592852
CG 135433

ZV6644A

Capacitor:2.2uF.250V



VA 592934
CG 136644

ZV6661A

Mount. hole I.D. 55.65, L. 72.25,
H. 26.45



VA 592849
CG 136661

ZV8201A

O.D. 16.10, L. 24.50
For Plug 55 and 72.



CG 238201